



BRAIDED LINE COLLECTION 367

- X8..... 367
- NEW** 91 BRAID 369
- 131 G-CORE 370
- 832 ADVANCED SUPERLINE® 372
- NANOBRAID® 374
- MATRIX PRO 375

FLUOROCARBON COLLECTION 377

- INVISILINE® 377
- NEW** ADVANCE FC..... 379
- SUPER 21® FC 380

MONOFILAMENT LINE COLLECTION 383

- RECYCLINE..... 383
- ADVANCE 384
- DURAFLEX 386
- SIEGE 387
- SUPER 21..... 388
- XL STRONG..... 389
- ULTRA KNOT 391
- NANOLINE..... 392
- SUPREME 392

LEADER AND BRAIDED LINE COLLECTION ... 394

- WIND-ON LEADER FLUOROCARBON 394
- JIGGING BRAID 394

BIG GAME COLLECTION..... 394

- KEY LIME IGFA..... 394
- ULTRA SUPREME IGFA..... 395
- SUPERIOR LEADER 396
- EREEL® PRO 396

SURF CASTING COLLECTION..... 398

- NEW** LA BESTIA..... 398
- TRITANIUM 398
- ZIPPY SHOCK LEADER 399
- SHOCK MAX 399

FEEDER FISHING LINE COLLECTION 400

- FEEDER MONO 400

SFX PREMIUM BRAIDED FISHING LINE 400

- SFX 4 CARRIER BRAID 400
- SFX 8 CARRIER BRAID 402



NEW PRODUCTS 2023



91 BRAID



LA BESTIA



ADVANCE FLUOROCARBON





BRAIDS

BRAIDED LINE COLLECTION

X8

Sufix x8 is a round, easy to handle and silky-smooth Japanese-style braided line. It has an 8-carrier construction of thin HMPE fibers making it a super strong, thin line with high abrasion-resistance and superb knot and shock strength. The R8 Precision Braiding technology with a high-tension weaving process gives this line its distinct supple and smooth qualities that have consistent diameter and quality plus an excellent strength to diameter ratio. The materials and construction mean that the line has low friction when passing through the rod guides. This results in silent performance and long, accurate casts. Sufix x8 is designed for both casting and spinning reels. It is a great option for smaller lures, light soft plastics (jigging), perch, trout, rainbow trout and finesse fishing.

FEATURES

- 8-carrier construction (thin HMPE fibers)
- R8 Precision Braiding technology
- Round and smooth braided line
- Excellent strength to diameter ratio



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
X8 BRAID - COASTAL CAMO						
148402	150 m	0,104 mm	5 kg / 11 lbs	COASTAL CAMO	x6	024777718746
148403	150 m	0,128 mm	6,9 kg / 15 lbs	COASTAL CAMO	x6	024777718753
148404	150 m	0,148 mm	7,5 kg / 17 lbs	COASTAL CAMO	x6	024777718760
148405	150 m	0,165 mm	10,5 kg / 23 lbs	COASTAL CAMO	x6	024777718777
148406	150 m	0,185 mm	15,5 kg / 35 lbs	COASTAL CAMO	x6	024777718784
148407	150 m	0,205 mm	17,5 kg / 39 lbs	COASTAL CAMO	x6	024777718791
148396	300 m	0,235 mm	20 kg / 44 lbs	COASTAL CAMO	x6	024777718579
148397	300 m	0,285 mm	22,5 kg / 50 lbs	COASTAL CAMO	x6	024777718586
X8 BRAID - MULTICOLOR						
148393	300 m	0,235 mm	20 kg / 44 lbs	MULTICOLOR	x6	024777718494
148394	300 m	0,285 mm	22,5 kg / 50 lbs	MULTICOLOR	x6	024777718500
148395	300 m	0,330 mm	26,5 kg / 60 lbs	MULTICOLOR	x6	024777718517
148400	300 m	0,185 mm	15,5 kg / 35 lbs	MULTICOLOR	x6	024777718692
148401	300 m	0,205 mm	17,5 kg / 39 lbs	MULTICOLOR	x6	024777718708
X8 BRAID - NEON CHARTREUSE						
148494	150 m	0,104 mm	5 kg / 11 lbs	NEON CHARTREUSE	x6	024777729520
148495	150 m	0,128 mm	6,9 kg / 15 lbs	NEON CHARTREUSE	x6	024777729537
148496	150 m	0,148 mm	7,5 kg / 17 lbs	NEON CHARTREUSE	x6	024777729544
148498	150 m	0,165 mm	10,5 kg / 23 lbs	NEON CHARTREUSE	x6	024777729568
148500	150 m	0,185 mm	15,5 kg / 35 lbs	NEON CHARTREUSE	x6	024777729582
148502	150 m	0,205 mm	17,5 kg / 39 lbs	NEON CHARTREUSE	x6	024777729605
148504	150 m	0,235 mm	20 kg / 44 lbs	NEON CHARTREUSE	x6	024777729629
148497	300 m	0,148 mm	7,5 kg / 17 lbs	NEON CHARTREUSE	x6	024777729551
148499	300 m	0,165 mm	10,5 kg / 23 lbs	NEON CHARTREUSE	x6	024777729575
148501	300 m	0,185 mm	15,5 kg / 35 lbs	NEON CHARTREUSE	x6	024777729599
148503	300 m	0,205 mm	17,5 kg / 39 lbs	NEON CHARTREUSE	x6	024777729612
148505	300 m	0,235 mm	20 kg / 44 lbs	NEON CHARTREUSE	x6	024777729636
148506	300 m	0,285 mm	22,5 kg / 50 lbs	NEON CHARTREUSE	x6	024777729643
148507	300 m	0,330 mm	26,5 kg / 60 lbs	NEON CHARTREUSE	x6	024777729650
X8 BRAID - STEALTH GREEN						
142294	150 m	0,08 mm	4,1 kg / 9 lbs	STEALTH GREEN	x6	024777734869
142296	150 m	0,104 mm	5 kg / 11 lbs	STEALTH GREEN	x6	024777714281

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
X8 BRAID - STEALTH GREEN						
142295	150 m	0,128 mm	6,9 kg / 15 lbs	STEALTH GREEN	x6	024777714274
120033	150 m	0,148 mm	7,5 kg / 17 lbs	STEALTH GREEN	x6	024777714298
120034	150 m	0,165 mm	10,5 kg / 23 lbs	STEALTH GREEN	x6	024777714304
120035	150 m	0,185 mm	15,5 kg / 35 lbs	STEALTH GREEN	x6	024777714311
120036	150 m	0,205 mm	17,5 kg / 39 lbs	STEALTH GREEN	x6	024777714328
120037	150 m	0,235 mm	20 kg / 44 lbs	STEALTH GREEN	x6	024777714335
120038	150 m	0,285 mm	22,5 kg / 50 lbs	STEALTH GREEN	x6	024777714342
142297	300 m	0,148 mm	7,5 kg / 17 lbs	STEALTH GREEN	x6	024777714731
142298	300 m	0,165 mm	10,5 kg / 23 lbs	STEALTH GREEN	x6	024777714748
142299	300 m	0,185 mm	15,5 kg / 35 lbs	STEALTH GREEN	x6	024777714755
142300	300 m	0,205 mm	17,5 kg / 39 lbs	STEALTH GREEN	x6	024777714762
142301	300 m	0,235 mm	20 kg / 44 lbs	STEALTH GREEN	x6	024777714779
142302	300 m	0,285 mm	22,5 kg / 50 lbs	STEALTH GREEN	x6	024777714786
142303	300 m	0,330 mm	22,5 kg / 50 lbs	STEALTH GREEN	x6	024777714793



COASTAL CAMO



MULTICOLOR



NEON CHARTREUSE



STEALTH GREEN



91 BRAID

The Sufix 91 G-Core continues Sufix's range of braid lines with ultra-reliable performance when casting and fighting the fish. With an abrasion-resistant GORE® Performance Fiber in the core and 8 precision-braided UHMPE fibers surrounding it, the 91 G-Core's 9-carrier construction results in low stretch, better knot tying, and stronger holding power. The silky smooth 91 G-Core's super-slick coating allows for long casting distance and superior sinking ratio.

FEATURES

- Built with 9 Fibers (8 UHMPE Fibers + 1 GORE® Performance Fiber in Core)
- Superior Sinking Ratio & Roundness
- Super-Slick Coating
- Low-Stretch



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
91 BRAID - LO-VIS GREEN						
● 142103	150 m	0,104 mm	4,9 kg / 11 lbs	LO-VIS GREEN	x6	024777735576
● 142104	150 m	0,128 mm	6,3 kg / 14 lbs	LO-VIS GREEN	x6	024777735606
● 142105	150 m	0,148 mm	7,2 kg / 16 lbs	LO-VIS GREEN	x6	024777735644
● 142106	150 m	0,165 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	024777735682
● 142107	150 m	0,185 mm	9,5 kg / 21 lbs	LO-VIS GREEN	x6	024777735729
● 142108	150 m	0,205 mm	11,3 kg / 25 lbs	LO-VIS GREEN	x6	024777735767
● 142109	150 m	0,235 mm	14,5 kg / 32 lbs	LO-VIS GREEN	x6	024777735804
● 142110	150 m	0,285 mm	20,4 kg / 45 lbs	LO-VIS GREEN	x6	024777735842
● 142111	150 m	0,330 mm	27,2 kg / 60 lbs	LO-VIS GREEN	x6	024777735880
● 142112	150 m	0,370 mm	33 kg / 73lbs	LO-VIS GREEN	x6	024777735927
● 142113	150 m	0,405 mm	39 kg / 86 lbs	LO-VIS GREEN	x6	024777735965
● 142114	150 m	0,470 mm	43 kg / 95 lbs	LO-VIS GREEN	x6	024777736009
● 142115	300 m	0,128 mm	6,3 kg / 14 lbs	LO-VIS GREEN	x6	024777735613
● 142116	300 m	0,148 mm	7,2 kg / 16 lbs	LO-VIS GREEN	x6	024777735651
● 142117	300 m	0,165 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	024777735699
● 142118	300 m	0,185 mm	9,5 kg / 21 lbs	LO-VIS GREEN	x6	024777735736
● 142119	300 m	0,205 mm	11,3 kg / 25 lbs	LO-VIS GREEN	x6	024777735774
● 142120	300 m	0,235 mm	14,5 kg / 32 lbs	LO-VIS GREEN	x6	024777735811
● 142121	300 m	0,285 mm	20,4 kg / 45 lbs	LO-VIS GREEN	x6	024777735859
● 142122	300 m	0,330 mm	27,2 kg / 60 lbs	LO-VIS GREEN	x6	024777735897
● 142123	300 m	0,370 mm	33 kg / 73lbs	LO-VIS GREEN	x6	024777735934
● 142124	300 m	0,405 mm	39 kg / 86 lbs	LO-VIS GREEN	x6	024777735972
● 142125	300 m	0,470 mm	43 kg / 95 lbs	LO-VIS GREEN	x6	024777736016
91 BRAID - NEON CHARTREUSE						
● 142126	150 m	0,104 mm	4,9 kg / 11 lbs	NEON CHARTREUSE	x6	024777735569
● 142127	150 m	0,128 mm	6,3 kg / 14 lbs	NEON CHARTREUSE	x6	024777735583
● 142128	150 m	0,148 mm	7,2 kg / 16 lbs	NEON CHARTREUSE	x6	024777735620
● 142129	150 m	0,165 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	024777735668
● 142130	150 m	0,185 mm	9,5 kg / 21 lbs	NEON CHARTREUSE	x6	024777735705
● 142131	150 m	0,205 mm	11,3 kg / 25 lbs	NEON CHARTREUSE	x6	024777735743
● 142132	150 m	0,235 mm	14,5 kg / 32 lbs	NEON CHARTREUSE	x6	024777735781
● 142133	150 m	0,285 mm	20,4 kg / 45 lbs	NEON CHARTREUSE	x6	024777735828
● 142134	150 m	0,330 mm	27,2 kg / 60 lbs	NEON CHARTREUSE	x6	024777735866
● 142135	150 m	0,370 mm	33 kg / 73lbs	NEON CHARTREUSE	x6	024777735903
● 142136	150 m	0,405 mm	39 kg / 86 lbs	NEON CHARTREUSE	x6	024777735941

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
91 BRAID - NEON CHARTREUSE						
● 142137	150 m	0,470 mm	43 kg / 95 lbs	NEON CHARTREUSE	x6	024777735989
● 142138	300 m	0,128 mm	6,3 kg / 14 lbs	NEON CHARTREUSE	x6	024777735590
● 142139	300 m	0,148 mm	7,2 kg / 16 lbs	NEON CHARTREUSE	x6	024777735637
● 142140	300 m	0,165 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	024777735675
● 142141	300 m	0,185 mm	9,5 kg / 21 lbs	NEON CHARTREUSE	x6	024777735712
● 142142	300 m	0,205 mm	11,3 kg / 25 lbs	NEON CHARTREUSE	x6	024777735750
● 142143	300 m	0,235 mm	14,5 kg / 32 lbs	NEON CHARTREUSE	x6	024777735798
● 142144	300 m	0,285 mm	20,4 kg / 45 lbs	NEON CHARTREUSE	x6	024777735835
● 142145	300 m	0,330 mm	27,2 kg / 60 lbs	NEON CHARTREUSE	x6	024777735873
● 142146	300 m	0,370 mm	33 kg / 73lbs	NEON CHARTREUSE	x6	024777735910
● 142147	300 m	0,405 mm	39 kg / 86 lbs	NEON CHARTREUSE	x6	024777735958
● 142148	300 m	0,470 mm	43 kg / 95 lbs	NEON CHARTREUSE	x6	024777735996



LO-VIS GREEN



NEON CHARTREUSE

BRAIDED LINE COLLECTION

131 G-CORE

Sufix 131 G-Core is the most reliable superline during casting, strikes and fighting action! It is built with 13 fibers (12 HMPE fibers + 1 GORE® Performance Fiber in core). A single strand of GORE® Performance Fiber is surrounded by 12 precision braided HMPE fibers. The construction has no weak points which leads to strength consistency. The GORE® Performance Fiber is the most abrasion resistant textile fiber. It is solid and round like a monofilament but has the same low stretch as the PE fibers. No more problems with gliding or knots opening! In addition, the 13-carrier construction increases the number of fibers at the knot resulting in better knot tying and stronger holding power. The structure of the Sufix 131 G-Core is much rounder than any other competitor's 12 or 16 carrier braid. The rounder line reduces the resistance in water (while retrieving) and the abrasion caused by rod guides and obstacles in the water. The core fiber (GORE® Performance Fiber) prevents the line from internal fraying making the line more durable. A rounder line casts farther, more silent and more accurate. The cancelled center hole does not allow water to enter – no water means lighter line and longer casting distances. The Sufix 131 G-Core is braided line that is great for casting and jigging, when you need a relatively thin line.



FEATURES

- Built with 13 fibers (12 HMPE fibers + 1 GORE® Performance Fiber in core)
- The most reliable superline
- Improved knot resistance
- Unmatched strength consistency and roundness



IZANAS



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
131 G-CORE - LO-VIS GREEN						
125404	150 m	0,104 mm	5,40 kg / 12 lbs	LO-VIS GREEN	x6	024777728714
100400	150 m	0,128 mm	6,8 kg / 15 lbs	LO-VIS GREEN	x6	024777712850
100401	150 m	0,148 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	024777712867
119654	150 m	0,165 mm	9,1 kg / 20 lbs	LO-VIS GREEN	x6	024777712874
119655	150 m	0,185 mm	11,4 kg / 25 lbs	LO-VIS GREEN	x6	024777712881
100402	150 m	0,205 mm	12,7 kg / 28 lbs	LO-VIS GREEN	x6	024777712898
119656	150 m	0,235 mm	13,6 kg / 30 lbs	LO-VIS GREEN	x6	024777712904
100403	150 m	0,285 mm	15,9 kg / 35 lbs	LO-VIS GREEN	x6	024777712911
100404	150 m	0,330 mm	18,2 kg / 40 lbs	LO-VIS GREEN	x6	024777712928
120022	300 m	0,148 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	024777712973

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
131 G-CORE - LO-VIS GREEN						
120023	300 m	0,165 mm	9,1 kg / 20 lbs	LO-VIS GREEN	x6	024777712980
120024	300 m	0,185 mm	11,4 kg / 25 lbs	LO-VIS GREEN	x6	024777712997
120025	300 m	0,205 mm	12,7 kg / 28 lbs	LO-VIS GREEN	x6	024777713000
120026	300 m	0,235 mm	13,6 kg / 30 lbs	LO-VIS GREEN	x6	024777713017
120027	300 m	0,285 mm	15,9 kg / 35 lbs	LO-VIS GREEN	x6	024777713024
120028	300 m	0,330 mm	18,2 kg / 40 lbs	LO-VIS GREEN	x6	024777713031
120029	300 m	0,405 mm	27,2 kg / 60 lbs	LO-VIS GREEN	x6	024777713048
131 G-CORE - LO-VIS GREEN BULK						
120015	1500 m	0,128 mm	6,8 kg / 15 lbs	LO-VIS GREEN	x1	024777715974
120016	1500 m	0,148 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x1	024777715981
119649	1500 m	0,165 mm	9,1 kg / 20 lbs	LO-VIS GREEN	x1	024777715998
119650	1500 m	0,185 mm	11,4 kg / 25 lbs	LO-VIS GREEN	x1	024777716001
120017	1500 m	0,205 mm	12,7 kg / 28 lbs	LO-VIS GREEN	x1	024777716018
119651	1500 m	0,235 mm	13,6 kg / 30 lbs	LO-VIS GREEN	x1	024777716025
120018	1500 m	0,285 mm	15,9 kg / 35 lbs	LO-VIS GREEN	x1	024777716032
120019	1500 m	0,330 mm	18,2 kg / 40 lbs	LO-VIS GREEN	x1	024777716049
120020	1500 m	0,405 mm	27,2 kg / 60 lbs	LO-VIS GREEN	x1	024777716056
119652	1500 m	0,470 mm	36,3 kg / 80 lbs	LO-VIS GREEN	x1	024777716063
119653	1500 m	0,520 mm	45,4 kg / 100 lbs	LO-VIS GREEN	x1	024777716070
131 G-CORE - NEON CHARTREUSE						
125405	150 m	0,104 mm	5,40 kg / 12 lbs	NEON CHARTREUSE	x6	024777728721
125406	150 m	0,128 mm	6,8 kg / 15 lbs	NEON CHARTREUSE	x6	024777713079
125407	150 m	0,148 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	024777713086
125408	150 m	0,165 mm	9,1 kg / 20 lbs	NEON CHARTREUSE	x6	024777713093
125409	150 m	0,185 mm	11,4 kg / 25 lbs	NEON CHARTREUSE	x6	024777713109
125410	150 m	0,205 mm	12,7 kg / 28 lbs	NEON CHARTREUSE	x6	024777713116
125411	150 m	0,235 mm	13,6 kg / 30 lbs	NEON CHARTREUSE	x6	024777713123
125412	150 m	0,285 mm	15,9 kg / 35 lbs	NEON CHARTREUSE	x6	024777713130
125413	150 m	0,330 mm	18,2 kg / 40 lbs	NEON CHARTREUSE	x6	024777713147
125414	300 m	0,148 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	024777713192
125415	300 m	0,165 mm	9,1 kg / 20 lbs	NEON CHARTREUSE	x6	024777713208
125416	300 m	0,185 mm	11,4 kg / 25 lbs	NEON CHARTREUSE	x6	024777713215
125417	300 m	0,205 mm	12,7 kg / 28 lbs	NEON CHARTREUSE	x6	024777713222
125418	300 m	0,235 mm	13,6 kg / 30 lbs	NEON CHARTREUSE	x6	024777713239
125419	300 m	0,285 mm	15,9 kg / 35 lbs	NEON CHARTREUSE	x6	024777713246
125420	300 m	0,33 mm	18,2 kg / 40 lbs	NEON CHARTREUSE	x6	024777713253
125421	300 m	0,405 mm	27,2 kg / 60 lbs	NEON CHARTREUSE	x6	024777713260
125422	300 m	0,47 mm	36,3 kg / 80 lbs	NEON CHARTREUSE	x6	024777713277
125423	300 m	0,52 mm	45,4 kg / 100 lbs	NEON CHARTREUSE	x6	024777713284



LO-VIS GREEN



NEON CHARTREUSE

BRAIDED LINE COLLECTION



























832 ADVANCED SUPERLINE®

















































Sufix 832 Advanced Superline® is the strongest, most durable small diameter braid. It is built with 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch. Due to its high-pitch count, it is also hydrophobic (water-repellent). The R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency. By adding GORE® Performance Fibers we improve abrasion resistance, increase casting length/accuracy and reduce line vibration. HMPE fibers provide the high strength and sensitivity, hydrophobic water-repellent protection and small diameter. All of this makes Sufix 832 Advanced Superline® 30x more abrasion-resistant than other braids. This line is great for casting, trolling and jigging, when high abrasion-resistance is needed. It is ideal for medium to large lures and brutal and intense casting techniques. Are you targeting zander, pike, perch or carp? Then you have to try this line out!

FEATURES


- The strongest, most durable small diameter braid
- R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency
- Constructed of 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch.
- Gore® Performance Fibers improve abrasion resistance, increase casting length/accuracy & reduce line vibration
- HMPE fibers provide high strength & sensitivity, hydrophobic water-repellent protection & small diameter.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
832 ADVANCED SUPERLINE® - BLACK MAMBA						
123345	120 m	0,24 mm	17,7 kg / 39 lbs	BLACK MAMBA	x6	024777718951 
123346	120 m	0,28 mm	22,8 kg / 50 lbs	BLACK MAMBA	x6	024777720121 
123347	120 m	0,33 mm	28,5 kg / 63 lbs	BLACK MAMBA	x6	024777720138 
123348	120 m	0,38 mm	36 kg / 79 lbs	BLACK MAMBA	x6	024777720145 
832 ADVANCED SUPERLINE® - BLACK MAMBA BULK						
135672	1500 m	0,24 mm	17,7kg / 39 lbs	BLACK MAMBA	x1	024777732698 
135673	1500 m	0,28 mm	22,8 kg / 50 lbs	BLACK MAMBA	x1	024777732704 
135674	1500 m	0,33 mm	28,5 kg / 63 lbs	BLACK MAMBA	x1	024777732711 
135675	1500 m	0,38 mm	36 kg / 79 lbs	BLACK MAMBA	x1	024777732728 
832 ADVANCED SUPERLINE® - CAMO						
100459	120 m	0,13 mm	36 kg / 79 lbs	CAMO	x6	024777677746 
100460	120 m	0,15 mm	9,2 kg / 20 lbs	CAMO	x6	024777677753 
100461	120 m	0,18 mm	12 kg / 26 lbs	CAMO	x6	024777677760 
100462	120 m	0,20 mm	13,5 kg / 30 lbs	CAMO	x6	024777677777 
100463	120 m	0,24 mm	17,7 kg / 39 lbs	CAMO	x6	024777677784 
100464	120 m	0,28 mm	22,8 kg / 50 lbs	CAMO	x6	024777677791 
100465	120 m	0,33 mm	28,5 kg / 63 lbs	CAMO	x6	024777677807 
100466	120 m	0,38 mm	36 kg / 79 lbs	CAMO	x6	024777677814 
832 ADVANCED SUPERLINE® - CAMO BULK						
100494	1500 m	0,15 mm	9,2 kg / 20 lbs	CAMO	x1	024777711587 
100495	1500 m	0,20 mm	13,5 kg / 30 lbs	CAMO	x1	024777711594 
100496	1500 m	0,28 mm	22,8 kg / 50 lbs	CAMO	x1	024777711600 
100497	1500 m	0,33 mm	28,5 kg / 63 lbs	CAMO	x1	024777711617 
832 ADVANCED SUPERLINE® - COASTAL CAMO						
120096	120 m	0,13 mm	8,2 kg / 18 lbs	COASTAL CAMO	x6	024777709799 
120097	120 m	0,15 mm	9,2 kg / 20 lbs	COASTAL CAMO	x6	024777709805 
120098	120 m	0,18 mm	12 kg / 26 lbs	COASTAL CAMO	x6	024777709812 
120099	120 m	0,20 mm	13,5 kg / 30 lbs	COASTAL CAMO	x6	024777709829 
832 ADVANCED SUPERLINE® - GHOST						
100470	120 m	0,10 mm	5,9 kg / 13 lbs	GHOST	x6	024777672000 
100471	120 m	0,13 mm	8,2 kg / 18 lbs	GHOST	x6	024777672017 

Product Number	Size	Diameter	Strength	Color	Pack	Barcode	
832 ADVANCED SUPERLINE® - GHOST							
100472	120 m	0,15 mm	9,2 kg / 20 lbs	GHOST	x6	024777672024	
100473	120 m	0,18 mm	12 kg / 26 lbs	GHOST	x6	024777672031	
100474	120 m	0,20 mm	13,5 kg / 30 lbs	GHOST	x6	024777672048	
100475	120 m	0,24 mm	17,7 kg / 39 lbs	GHOST	x6	024777672055	
120003	120 m	0,28 mm	22,8 kg / 50 lbs	GHOST	x6	024777672062	
120002	120 m	0,33 mm	28,5 kg / 63 lbs	GHOST	x6	024777672079	
120004	120 m	0,38 mm	36 kg / 79 lbs	GHOST	x6	024777672086	
832 ADVANCED SUPERLINE® - LO-VIS GREEN							
142150	120 m	0,08 mm	4,6 kg / 10 lbs	LO-VIS GREEN	x6	024777735545	
100476	120 m	0,10 mm	5,9 kg / 13 lbs	LO-VIS GREEN	x6	024777664395	
100477	120 m	0,13 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x6	024777664401	
100478	120 m	0,15 mm	9,2 kg / 20 lbs	LO-VIS GREEN	x6	024777664418	
100479	120 m	0,18 mm	12 kg / 26 lbs	LO-VIS GREEN	x6	024777664425	
100480	120 m	0,20 mm	13,5 kg / 30 lbs	LO-VIS GREEN	x6	024777664432	
100481	120 m	0,24 mm	17,7 kg / 39 lbs	LO-VIS GREEN	x6	024777664449	
100482	120 m	0,28 mm	22,8 kg / 50 lbs	LO-VIS GREEN	x6	024777664456	
100483	120 m	0,33 mm	28,5 kg / 63 lbs	LO-VIS GREEN	x6	024777664463	
100484	120M	0,38 mm	36,0 kg / 79 lbs	LO-VIS GREEN	x6	024777664470	
110713	250 m	0,13 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x6	024777664517	
110714	250 m	0,15 mm	9,2 kg / 20 lbs	LO-VIS GREEN	x6	024777664524	
110715	250 m	0,18 mm	12 kg / 26 lbs	LO-VIS GREEN	x6	024777664531	
110716	250 m	0,20 mm	13,5 kg / 30 lbs	LO-VIS GREEN	x6	024777664548	
110717	250 m	0,24 mm	17,7 kg / 39 lbs	LO-VIS GREEN	x6	024777664555	
110718	250 m	0,28 mm	22,8 kg / 50 lbs	LO-VIS GREEN	x6	024777664562	
110719	250 m	0,33 mm	28,5 kg / 63 lbs	LO-VIS GREEN	x6	024777664579	
110720	250 m	0,38 mm	36 kg / 79 lbs	LO-VIS GREEN	x6	024777664586	
110721	250 m	0,42 mm	39 kg / 86 lbs	LO-VIS GREEN	x6	024777664593	
832 ADVANCED SUPERLINE® - LO-VIS GREEN BULK							
110742	3200 m	0,10 mm	5,9kg / 13 lbs	LO-VIS GREEN	x1	024777706736	
110743	3200 m	0,13 mm	8,2kg / 18 lbs	LO-VIS GREEN	x1	024777706743	
110744	3200 m	0,15 mm	9,2kg / 20 lbs	LO-VIS GREEN	x1	024777706750	
110745	3200 m	0,18 mm	12,0kg / 26 lbs	LO-VIS GREEN	x1	024777706767	
110746	3200 m	0,20 mm	13,5kg / 30 lbs	LO-VIS GREEN	x1	024777706774	
110747	3200 m	0,24 mm	17,7kg / 39 lbs	LO-VIS GREEN	x1	024777706781	
110748	3200 m	0,28 mm	22,8kg / 50 lbs	LO-VIS GREEN	x1	024777706798	
110749	3200 m	0,33 mm	28,5kg / 63 lbs	LO-VIS GREEN	x1	024777710627	
110750	3200 m	0,38 mm	36,0kg / 79 lbs	LO-VIS GREEN	x1	024777707658	
110751	3200 m	0,42 mm	39,0kg / 86 lbs	LO-VIS GREEN	x1	024777707665	
110752	3200 m	0,48 mm	45,0kg / 99 lbs	LO-VIS GREEN	x1	024777707672	
832 ADVANCED SUPERLINE® - MULTICOLOR							
110729	300 m	0,18 mm	12 kg / 26 lbs	MULTICOLOR	x6	024777694873	
110730	300 m	0,20 mm	13,5 kg / 30 lbs	MULTICOLOR	x6	024777696570	
110731	300 m	0,24 mm	17,7 kg / 39 lbs	MULTICOLOR	x6	024777696594	
110732	300 m	0,28 mm	22,8 kg / 50 lbs	MULTICOLOR	x6	024777696617	
110733	300 m	0,33 mm	28,5 kg / 63 lbs	MULTICOLOR	x6	024777696631	
832 ADVANCED SUPERLINE® - MULTICOLOR BULK							
110737	3200 m	0,28 mm	22,8kg / 50 lbs	MULTICOLOR	x1	024777706064	
110738	3200 m	0,33 mm	28,5kg / 63 lbs	MULTICOLOR	x1	024777707641	
110739	3200 m	0,38 mm	36,0kg / 79 lbs	MULTICOLOR	x1	024777706057	
110740	3200 m	0,42 mm	39,0kg / 86 lbs	MULTICOLOR	x1	024777707801	
110741	3200 m	0,48 mm	45,0kg / 99 lbs	MULTICOLOR	x1	024777706040	
832 ADVANCED SUPERLINE® - NEON LIME							
142149	120 m	0,08 mm	4,6 kg / 10 lbs	NEON LIME	x6	024777735552	

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
832 ADVANCED SUPERLINE® - NEON LIME						
138291	120 m	0,10 mm	5,9 kg / 13 lbs	NEON LIME	x6	024777664838
138293	120 m	0,15 mm	9,2 kg / 20 lbs	NEON LIME	x6	024777664852
138294	120 m	0,18 mm	12 kg / 26 lbs	NEON LIME	x6	024777664869
138295	120 m	0,20 mm	13,5 kg / 30 lbs	NEON LIME	x6	024777664876
138296	120 m	0,24 mm	17,7 kg / 39 lbs	NEON LIME	x6	024777664883
138297	120 m	0,28 mm	22,8 kg / 50 lbs	NEON LIME	x6	024777664890
138298	120 m	0,33 mm	28,5 kg / 63 lbs	NEON LIME	x6	024777664906
832 ADVANCED SUPERLINE® - YELLOW						
127333	120 m	0,10 mm	5,9 kg / 13 lbs	YELLOW	x6	024777677999
127334	120 m	0,13 mm	8,2 kg / 18 lbs	YELLOW	x6	024777678002
127335	120 m	0,15 mm	9,2 kg / 20 lbs	YELLOW	x6	024777678019
127336	120 m	0,18 mm	12,0 kg / 26 lbs	YELLOW	x6	024777678026
127337	120 m	0,20 mm	13,5 kg / 30 lbs	YELLOW	x6	024777678033
127338	120 m	0,24 mm	17,7 kg / 39 lbs	YELLOW	x6	024777678040
127339	120 m	0,28 mm	22,8 kg / 50 lbs	YELLOW	x6	024777678057



BRAIDED LINE COLLECTION

NANOBRAID®

• Strong and thin nanofilament braid • Sufix® NanoBraid® is built with a Wide Angle Braiding Technology that creates higher tension on the braiding process, resulting in a tight weave and super strong, silky smooth line. • The densely braided HMPE fibers and a high pitch-count - up to twice as high as on most braided lines - gives consistent quality, uniform diameter and increased abrasion resistance, improving the line's performance. • Sufix® NanoBraid® is up to three times stronger than other lines in the category and also features superior knot and shock strength unmatched by any other ultra thin line. The silky soft line is extremely sensitive and runs quietly through the guides.



IZANAS.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
NANOBRAID® CHARTREUSE						
148374	100 m	0,03 mm	1,9 kg / 4 lbs	CHARTREUSE	x6	024777716445
148375	100 m	0,04 mm	2,8 kg / 6 lbs	CHARTREUSE	x6	024777716476
148376	100 m	0,06 mm	3,3 kg / 7 lbs	CHARTREUSE	x6	024777716483
NANOBRAID® AQUA CAMO						
148373	100 m	0,03 mm	1,9 kg / 4 lbs	AQUA CAMO	x6	024777716421
100515	100 m	0,04 mm	2,8 kg / 6 lbs	AQUA CAMO	x6	024777682306
100516	100 m	0,06 mm	3,3 kg / 7 lbs	AQUA CAMO	x6	024777682313
100517	100 m	0,08 mm	3,7 kg / 8 lbs	AQUA CAMO	x6	024777682320
100518	100 m	0,10 mm	5 kg / 11 lbs	AQUA CAMO	x6	024777682337
100519	100 m	0,12 mm	7,3 kg / 16 lbs	AQUA CAMO	x6	024777682344
NANOBRAID® HOT PINK						
138332	100 m	0,03 mm	1,9 kg / 4 lbs	HOT PINK	x6	024777716452
100520	100 m	0,04 mm	2,8 kg / 6 lbs	HOT PINK	x6	024777682252
100521	100 m	0,06 mm	3,3 kg / 7 lbs	HOT PINK	x6	024777682269

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
NANOBRAID® HOT PINK						
100522	100 m	0,08 mm	3,7 kg / 8 lbs	HOT PINK	x6	024777682276
100523	100 m	0,10 mm	5 kg / 11 lbs	HOT PINK	x6	024777682283
100524	100 m	0,12 mm	7,3 kg / 16 lbs	HOT PINK	x6	024777682290



CHARTREUSE



AQUA CAMO



HOT PINK

BRAIDED LINE COLLECTION

MATRIX PRO

A unique, high performance braid with all of the qualities that anglers search for: high strength, ease in handling, near zero stretch and easy casting. Our special matrix braiding process creates a rounder line which performs much better than traditional flat braids. A rounder braid makes your casts smoother, therefore enhancing your casting accuracy and distance. Made with 100% HMPE fibers to ensure that your line achieves the highest strength to diameter ratio while offering high sensitivity and quick hook-sets. Matrix Pro features a PE WaxShield that offers incredible toughness and abrasion resistance.



IZANAS



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
MATRIX PRO - MIDNIGHT GREEN						
127342	135 m	0,10 mm	5,0 kg / 11lbs	MIDNIGHT GREEN	x6	024777720046
100422	135 m	0,12 mm	8,1 kg / 18 lbs	MIDNIGHT GREEN	x6	024777698741
100423	135 m	0,15 mm	10 kg / 20 lbs	MIDNIGHT GREEN	x6	024777698697
100424	135 m	0,18 mm	13,5 kg / 30 lbs	MIDNIGHT GREEN	x6	024777698796
100425	135 m	0,20 mm	18 kg / 40 lbs	MIDNIGHT GREEN	x6	024777698840
100426	135 m	0,25 mm	22,5 kg / 50 lbs	MIDNIGHT GREEN	x6	024777698895
100427	135 m	0,30 mm	27 kg / 60 lbs	MIDNIGHT GREEN	x6	024777698949
100428	135 m	0,35 mm	36,0 kg / 80 lbs	MIDNIGHT GREEN	x6	024777698994
100429	135 m	0,40 mm	45,0 kg / 100 lbs	MIDNIGHT GREEN	x6	024777699045
148340	250 m	0,18 mm	13,5 kg / 30 lbs	MIDNIGHT GREEN	x6	024777698802
148341	250 m	0,20 mm	18 kg / 40 lbs	MIDNIGHT GREEN	x6	024777698857
148342	250 m	0,25 mm	22,5 kg / 50 lbs	MIDNIGHT GREEN	x6	024777698901
148343	250 m	0,30 mm	27 kg / 60 lbs	MIDNIGHT GREEN	x6	024777698956
MATRIX PRO - MULTICOLOR BULK						
119180	1000 m	0,30 mm	27 kg / 60 lbs	MULTICOLOR	x1	024777699359
119181	1000 m	0,35 mm	36,0 kg / 80 lbs	MULTICOLOR	x1	024777699380
MATRIX PRO - NEON ORANGE						
127351	135 m	0,10 mm	5,0 kg / 11lbs	NEON ORANGE	x6	024777720053
127352	135 m	0,12 mm	8,1 kg / 18 lbs	NEON ORANGE	x6	024777695689
127353	135 m	0,15 mm	10 kg / 20 lbs	NEON ORANGE	x6	024777695641
127354	135 m	0,18 mm	13,5 kg / 30 lbs	NEON ORANGE	x6	024777695726
127355	135 m	0,20 mm	18 kg / 40 lbs	NEON ORANGE	x6	024777695764
127356	135 m	0,25 mm	22,5 kg / 50 lbs	NEON ORANGE	x6	024777698369
127357	135 m	0,30 mm	27 kg / 60 lbs	NEON ORANGE	x6	024777695832



MIDNIGHT GREEN



MULTICOLOR



NEON ORANGE



FLUOROCARBON

FLUOROCARBON COLLECTION

INVISILINE®

Invisiline is a leader material made from 100% fluorocarbon that offers incredible abrasion resistance and shock absorption. Due to its light refraction properties it is virtually invisible in water and sinks four times faster than standard nylon line. Invisiline has incredibly low stretch and is highly durable making it the perfect choice for the most demanding fishing situations.



Sufix
FLUOROCARBON
COLLECTION



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
INVISILINE® Predator Leader						
127421	10 m	1,17 mm	79,9 kg / 175 lbs	CLEAR	x6	024777712263
127420	12 m	1,06 mm	60,8 kg / 130 lbs	CLEAR	x6	024777712256
148372	18 m	0,92 mm	45,7 kg / 100 lbs	CLEAR	x6	024777712300
127419	25 m	0,79 mm	36,2 kg / 80 lbs	CLEAR	x6	024777712294
148370	30 m	0,62 mm	23,2 kg / 50 lbs	CLEAR	x6	024777712270
148371	30 m	0,71 mm	29,5 kg / 65 lbs	CLEAR	x6	024777712287
INVISILINE® 20 m						
127415	20 m	0,30 mm	7,4 kg / 15 lbs	CLEAR	x6	024777707498
127416	20 m	0,37 mm	10,6 kg / 20 lbs	CLEAR	x6	024777707535
127417	20 m	0,44 mm	14,6 kg / 30 lbs	CLEAR	x6	024777707559
127418	20 m	0,52 mm	17,7 kg / 40 lbs	CLEAR	x6	024777697164
INVISILINE® 50 m						
125389	50 m	0,12 mm	1,2 kg / 2,5 lbs	CLEAR	x6	024777728806
125390	50 m	0,15 mm	2 kg / 4,4 lbs	CLEAR	x6	024777728813
125391	50 m	0,17 mm	2,6 kg / 5,7 lbs	CLEAR	x6	024777728820
125392	50 m	0,19 mm	3,2 kg / 7 lbs	CLEAR	x6	024777728837
125393	50 m	0,21 mm	3,7 kg / 8 lbs	CLEAR	x6	024777728844
125394	50 m	0,24 mm	4,5 kg / 10 lbs	CLEAR	x6	024777728851
125395	50 m	0,27 mm	6,1 kg / 12 lbs	CLEAR	x6	024777728868
125396	50 m	0,30 mm	7,4 kg / 15 lbs	CLEAR	x6	024777728875
125397	50 m	0,33 mm	8,6 kg / 18 lbs	CLEAR	x6	024777728882
125398	50 m	0,37 mm	10,6 kg / 20 lbs	CLEAR	x6	024777728899
125399	50 m	0,44 mm	14,6 kg / 30 lbs	CLEAR	x6	024777728905
125400	50 m	0,47 mm	15,7 kg / 35 lbs	CLEAR	x6	024777728912
125401	50 m	0,52 mm	17,7 kg / 40 lbs	CLEAR	x6	024777728929
125402	50 m	0,62 mm	23,2 kg / 50 lbs	CLEAR	x6	024777728936
125403	50 m	0,71 mm	29,5 kg / 65 lbs	CLEAR	x6	024777728943



CLEAR

RED = New 2023


SUFIX
ADVANCE
GEL PHASE TECHNOLOGY
100% FLUOROCARBON
IGPT.
6lb/2.7kg
Clear/Transparent
200yds/180m



FLUOROCARBON COLLECTION

ADVANCE FC

Proprietary gel phase technology™ process produces the ultimate handling, performance and clarity essential to the most discriminating anglers. Maximization of the fluoropolymers through precision processing creates an easy handling, super-sensitive and abrasion resistant fluorocarbon

FEATURES

- Supple
- Virtually Invisible
- Excellent Abrasion Resistance
- Top-Quality Raw Material for Maximum Strength
- Fast-Sinking |
- Environmentally Friendly Packaging



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ADVANCE FC 50 m						
● 142151	50 m	0,148 mm	1,4 kg / 3 lbs	CLEAR	x6	024777736023
● 142152	50 m	0,165 mm	1,9 kg / 4 lbs	CLEAR	x6	024777736030
● 142153	50 m	0,185 mm	2,4 kg / 5,5 lbs	CLEAR	x6	024777736047
● 142154	50 m	0,205 mm	3,5 kg / 8 lbs	CLEAR	x6	024777736054
● 142155	50 m	0,235 mm	4,5 kg / 10 lbs	CLEAR	x6	024777736061
● 142156	50 m	0,260 mm	4,9 kg / 11 lbs	CLEAR	x6	024777736078
● 142157	50 m	0,280 mm	5,6 kg / 12 lbs	CLEAR	x6	024777736085
● 142158	50 m	0,310 mm	6,3 kg / 14 lbs	CLEAR	x6	024777736092
● 142159	50 m	0,330 mm	8,4 kg / 17 lbs	CLEAR	x6	024777736108
● 142160	50 m	0,405 mm	9,2 kg / 20 lbs	CLEAR	x6	024777736115
ADVANCE FC 91 m						
148408	91 m	0,205 mm	3,5 kg / 8 lbs	CLEAR	x6	024777719507
148409	91 m	0,235 mm	4,5 kg / 10 lbs	CLEAR	x6	024777719514
148410	91 m	0,26 mm	4,9 kg / 11 lbs	CLEAR	x6	024777719521
148411	91 m	0,28 mm	5,6 kg / 12 lbs	CLEAR	x6	024777719538
148412	91 m	0,31 mm	6,3g / 14 lbs	CLEAR	x6	024777719545
148413	91 m	0,33 mm	8,4 kg / 17 lbs	CLEAR	x6	024777719552
148414	91 m	0,405 mm	9,2 kg / 20 lbs	CLEAR	x6	024777719569



CLEAR

SUPER 21® FC

100% fluorocarbon line is virtually invisible in the water and is ideal for stealthy presentations. Low stretch index improves line control, presentation and bite detection, and optimizes hook setting power. Extremely abrasion resistant and durable for fishing rough structure and for tough-mouthed fish, yet supple enough for subtle presentations. Fluorocarbon line sinks four times faster than traditional nylon lines allowing the presentation to sink to the strike zone faster. 100% fluorocarbon line that casts like a regular monofilament and offers exceptional handling on spinning & casting reels. Invisible.

FEATURES

- Low Stretch
- Super Strong
- Fast sinking
- Easy Handling



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPER 21® FC 100 m						
148368	100 m	0,16 mm	2,6 kg / 6 lbs	CLEAR	x6	024777710788
126584	100 m	0,18 mm	2,9 kg / 7 lbs	CLEAR	x6	024777710795
126585	100 m	0,20 mm	3,7 kg / 8 lbs	CLEAR	x6	024777710801
126586	100 m	0,23 mm	4,8 kg / 10 lbs	CLEAR	x6	024777720794
126587	100 m	0,25 mm	5,9 kg / 12 lbs	CLEAR	x6	024777710818
126588	100 m	0,28 mm	6,5 kg / 14 lbs	CLEAR	x6	024777710825
126589	100 m	0,30 mm	7,5 kg / 17 lbs	CLEAR	x6	024777710832
SUPER 21® FC 150 m						
138338	150 m	0,14 mm	2 kg / 4 lbs	CLEAR	x6	024777695078
119638	150 m	0,16 mm	2,6 kg / 6 lbs	CLEAR	x6	024777695108
119639	150 m	0,18 mm	2,9 kg / 7 lbs	CLEAR	x6	024777695139
119640	150 m	0,20 mm	3,7 kg / 8 lbs	CLEAR	x6	024777695160
141015	150 m	0,23 mm	4,8 kg / 10 lbs	CLEAR	x6	024777719248
119641	150 m	0,25 mm	5,9 kg / 12 lbs	CLEAR	x6	024777695191
119642	150 m	0,28 mm	6,5 kg / 14 lbs	CLEAR	x6	024777695221
119643	150 m	0,30 mm	7,5 kg / 17 lbs	CLEAR	x6	024777695252
119644	150 m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	024777697713
119645	150 m	0,35 mm	9 kg / 20 lbs	CLEAR	x6	024777695283
119646	150 m	0,40 mm	12,4 kg / 28 lbs	CLEAR	x6	024777695313
SUPER 21® FC 50 m						
100303	50 m	0,14 mm	2 kg / 4 lbs	CLEAR	x6	024777695061
100304	50 m	0,16 mm	2,6 kg / 6 lbs	CLEAR	x6	024777695092
100305	50 m	0,18 mm	2,9 kg / 7 lbs	CLEAR	x6	024777695122
100306	50 m	0,20 mm	3,7 kg / 8 lbs	CLEAR	x6	024777695153
100307	50 m	0,25 mm	5,9 kg / 12 lbs	CLEAR	x6	024777695184
100308	50 m	0,28 mm	6,5 kg / 14 lbs	CLEAR	x6	024777695214
100309	50 m	0,30 mm	7,5 kg / 17 lbs	CLEAR	x6	024777695245
100310	50 m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	024777697676
100311	50 m	0,35 mm	9 kg / 20 lbs	CLEAR	x6	024777695276
100312	50 m	0,40 mm	12,4 kg / 28 lbs	CLEAR	x6	024777695306
100313	50 m	0,50 mm	16,9 kg / 38 lbs	CLEAR	x6	024777695337
100314	50 m	0,60 mm	26,1 kg / 58 lbs	CLEAR	x6	024777695344
148487	50 m	0,12 mm	1,2 kg / 2,5 lbs	CLEAR	x6	024777728950

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPER 21® FC 50 m						
148488	50 m	0,50 mm	16,9 kg / 38 lbs	CLEAR	x6	024777728967
126593	50 m	0,50 mm	16,9 kg / 38 lbs	CLEAR	x6	024777729056
148489	50 m	0,60 mm	26,1 kg / 58 lbs	CLEAR	x6	024777728974
148369	50 m	0,60 mm	26,1 kg / 58 lbs	CLEAR	x6	024777710887
148490	50 m	0,70 mm	33 kg / 70 lbs	CLEAR	x6	024777728981
148491	50 m	0,80 mm	37 kg / 80 lbs	CLEAR	x6	024777728998
148492	50 m	0,90 mm	51 kg / 110 lbs	CLEAR	x6	024777729001
SUPER 21® FC 80 m						
126590	80 m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	024777729025
126591	80 m	0,35 mm	9 kg / 20 lbs	CLEAR	x6	024777729032
126592	80 m	0,40 mm	12,4 kg / 28 lbs	CLEAR	x6	024777729049



CLEAR





PROTECT THE PLANET. CHOOSE RECYCLED PRODUCTS.

Sufix

RECYCLINE
MONOFILAMENT

100%
MADE WITH ECONYL®
REGENERATED NYLON
MONOFILAMENT

RECYCLED
PLASTIC SPOOL

RECYCLED PAPER
BOARD BOX

4.5KG

9.0 LBS
TEST CLASS
150 MTRS - 0.25MM
165 YARDS - PE 5.5

RECYCLINE
MONOFILAMENT

Sufix

SRC25GR150

0 24777 72908 7

Made in Taiwan / Fabriqué au Taiwan

4.5KG

9.0 LBS
TEST CLASS
150 MTRS - 0.25MM
165 YARDS - PE 5.5

100%
MADE WITH
ECONYL®
REGENERATED
MONOFILAMENT

RECYCLED
PLASTIC SPOOL

RECYCLED
PAPER BOARD
BOX

♻️ ♻️ ♻️ ♻️ ♻️ ♻️ ♻️ ♻️ ♻️ ♻️

©2025 • Sufix • Manufactured for Pennell-PMC Corp. • 1720 Valley Road

MONOFILAMENTS



MONOFILAMENT LINE COLLECTION

RECYCLINE

100% premium recycled monofilament: The first monofilament of its kind steps towards a sustainable existence by using 100% Econyl®, regenerated nylon coming from waste such as fishing nets from the oceans and from the fishing industry. Recycled plastic spool: The spool is made of fully recycled plastic and can be recycled again. Recycled paper board package: Construction with recycled paperboard allows this carton to be recycled again and again, critical in the future of our resources and environment.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
RECYCLINE 150 m						
148493	150 m	0,16 mm	2 kg / 4 lbs	GREEN	x6	024777729384
125373	150 m	0,18 mm	2,5 kg / 5 lbs	GREEN	x6	024777729063
125374	150 m	0,20 mm	3 kg / 6 lbs	GREEN	x6	024777729070
125375	150 m	0,25 mm	4,5 kg / 9 lbs	GREEN	x6	024777729087
125376	150 m	0,30 mm	6 kg / 12 lbs	GREEN	x6	024777729094
125377	150 m	0,35 mm	7 kg / 14 lbs	GREEN	x6	024777729100
125378	150 m	0,40 mm	9 kg / 18 lbs	GREEN	x6	024777729117
RECYCLINE 300 m						
125381	300 m	0,18 mm	2,5 kg / 5 lbs	GREEN	x6	024777729148
125382	300 m	0,20 mm	3 kg / 6 lbs	GREEN	x6	024777729155
125383	300 m	0,25 mm	4,5 kg / 9 lbs	GREEN	x6	024777729162
125384	300 m	0,30 mm	6 kg / 12 lbs	GREEN	x6	024777729179
125385	300 m	0,35 mm	7 kg / 14 lbs	GREEN	x6	024777729186
125386	300 m	0,40 mm	9 kg / 18 lbs	GREEN	x6	024777729193
125387	300 m	0,45 mm	11 kg / 22 lbs	GREEN	x6	024777729209
125388	300 m	0,50 mm	14 kg / 28 lbs	GREEN	x6	024777729216



GREEN

MONOFILAMENT LINE COLLECTION

ADVANCE

• The most abrasion resistant, supple and sensitive monofilament. HMPE molecules blended in with the polyamides are drawn to the line's surface in the Sufix's proprietary Magnetic Extrusion Process, creating a durable layer that provides superior, long-lasting protection against abrasion. • Unlike other abrasion resistant lines, Sufix Advance is very supple and sensitive, allowing subtle and precision presentations. • With only half the stretch of a standard monofilament line, Sufix Advance offers exceptional lure control, ultimate bite detection and firm hook setting power. • Thanks to the line's inherent qualities and the Sufix G2 Precision Winding, Sufix Advance is virtually memory free, extremely easy handling and long casting. • G2 Precision Winding in all spool sizes.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ADVANCE - CLEAR						
100542	150 m	0,16 mm	2,9 kg / 6 lbs	CLEAR	x6	024777708129
100543	150 m	0,18 mm	3,4 kg / 8 lbs	CLEAR	x6	024777708136
100544	150 m	0,20 mm	4,5 kg / 10 lbs	CLEAR	x6	024777708143
138333	150 m	0,23 mm	5 kg / 11 lbs	CLEAR	x6	024777708150
100545	150 m	0,25 mm	6,1 kg / 13 lbs	CLEAR	x6	024777708167
138334	150 m	0,28 mm	6,7 kg / 15 lbs	CLEAR	x6	024777708174
100546	150 m	0,30 mm	8,2 kg / 18 lbs	CLEAR	x6	024777708181
138335	150m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	024777708198
100547	150 m	0,35 mm	11,3 kg / 25 lbs	CLEAR	x6	024777708204
138336	150m	0,38 mm	12,4 kg / 28 lbs	CLEAR	x6	024777708211
100548	150m	0,40 mm	15 kg / 33 lbs	CLEAR	x6	024777708228
100556	300 m	0,16 mm	2,9 kg / 6 lbs	CLEAR	x6	024777708235
100557	300 m	0,18 mm	3,4 kg / 8 lbs	CLEAR	x6	024777708242
100558	300 m	0,20 mm	4,5 kg / 10 lbs	CLEAR	x6	024777708259
100559	300 m	0,23 mm	5 kg / 11 lbs	CLEAR	x6	024777708266
100560	300 m	0,25 mm	6,1 kg / 13 lbs	CLEAR	x6	024777708273
100561	300 m	0,28 mm	6,7 kg / 15 lbs	CLEAR	x6	024777708280
100562	300 m	0,30 mm	8,2 kg / 18 lbs	CLEAR	x6	024777708297
120118	300m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	024777708303
100563	300 m	0,35 mm	11,3 kg / 25 lbs	CLEAR	x6	024777708310
100564	300 m	0,40 mm	15 kg / 33 lbs	CLEAR	x6	024777708334
100565	300 m	0,45 mm	18,1 kg / 40 lbs	CLEAR	x6	024777708341
ADVANCE - CLEAR BULK						
119311	2260 m	0,38 mm	13,6 kg / 30 lbs	CLEAR	x1	024777710474
119312	2441 m	0,40 mm	15,0 kg / 33 lbs	CLEAR	x1	024777710481
119310	3369 m	0,35 mm	11,3 kg / 25 lbs	CLEAR	x1	024777710467
119309	4018 m	0,33 mm	9,6 kg / 21lbs	CLEAR	x1	024777710450
119308	4790 m	0,30 mm	8,2 kg / 18 lbs	CLEAR	x1	024777710443
119307	5458 m	0,28 mm	6,7 kg / 15 lbs	CLEAR	x1	024777710436
119306	6281 m	0,25 mm	6,1 kg / 13 lbs	CLEAR	x1	024777710429
119305	7882 m	0,23 mm	5,0 kg / 11lbs	CLEAR	x1	024777710412
119304	9258 m	0,20 mm	4,5 kg / 10 lbs	CLEAR	x1	024777710405
ADVANCE - HI-VIS YELLOW						
148365	150 m	0,16 mm	2,9 kg / 6 lbs	HI-VIS YELLOW	x6	024777709065

RED = New 2023



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ADVANCE - HI-VIS YELLOW						
127365	150 m	0,18 mm	3,4 kg / 8 lbs	HI-VIS YELLOW	x6	024777709072
127366	150 m	0,20 mm	4,5 kg / 10 lbs	HI-VIS YELLOW	x6	024777709089
148366	150 m	0,23 mm	5 kg / 11 lbs	HI-VIS YELLOW	x6	024777709096
127367	150 m	0,25 mm	6,1 kg / 13 lbs	HI-VIS YELLOW	x6	024777709102
148367	150 m	0,28 mm	6,7 kg / 15 lbs	HI-VIS YELLOW	x6	024777709119
127368	150 m	0,30 mm	8,2 kg / 18 lbs	HI-VIS YELLOW	x6	024777709126
127369	150 m	0,35 mm	11,3 kg / 25 lbs	HI-VIS YELLOW	x6	024777709140
127370	150 m	0,40 mm	15,0 kg / 33 lbs	HI-VIS YELLOW	x6	024777709164
127371	300 m	0,25 mm	6,1 kg / 13 lbs	HI-VIS YELLOW	x6	024777709218
127372	300 m	0,30 mm	8,2 kg / 18 lbs	HI-VIS YELLOW	x6	024777709232
127373	300 m	0,35 mm	11,3 kg / 25 lbs	HI-VIS YELLOW	x6	024777709256
127374	300 m	0,40 mm	15,0 kg / 33 lbs	HI-VIS YELLOW	x6	024777709270
ADVANCE - LO-VIS GREEN						
100549	150 m	0,16 mm	2,9 kg / 6 lbs	LO-VIS GREEN	x6	024777708594
100550	150 m	0,18 mm	3,4 kg / 8 lbs	LO-VIS GREEN	x6	024777708600
100551	150 m	0,20 mm	4,5 kg / 10 lbs	LO-VIS GREEN	x6	024777708617
148361	150 m	0,23 mm	5 kg / 11 lbs	LO-VIS GREEN	x6	024777708624
100552	150 m	0,25 mm	6,1 kg / 13 lbs	LO-VIS GREEN	x6	024777708631
148362	150 m	0,28 mm	6,7 kg / 15 lbs	LO-VIS GREEN	x6	024777708648
100553	150 m	0,30 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x6	024777708655
100568	300m	0,16 mm	2,9 kg / 6 lbs	LO-VIS GREEN	x6	024777708709
100569	300m	0,18 mm	3,4 kg / 8 lbs	LO-VIS GREEN	x6	024777708716
100570	300 m	0,20 mm	4,5 kg / 10 lbs	LO-VIS GREEN	x6	024777708723
148363	300 m	0,23 mm	5 kg / 11 lbs	LO-VIS GREEN	x6	024777708730
100571	300 m	0,25 mm	6,1 kg / 13 lbs	LO-VIS GREEN	x6	024777708747
148364	300 m	0,28 mm	6,7 kg / 15 lbs	LO-VIS GREEN	x6	024777708754
100572	300 m	0,30 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x6	024777708761
100573	300 m	0,35 mm	11,3 kg / 25 lbs	LO-VIS GREEN	x6	024777708785
100574	300 m	0,40 mm	15 kg / 33 lbs	LO-VIS GREEN	x6	024777708808



CLEAR



HI-VIS YELLOW



LO-VIS GREEN

MONOFILAMENT LINE COLLECTION

DURAFLEX

• Advanced next generation monofilament line. With our exclusive NX Nano Resin™ formula, we are able to achieve extra sensitivity without giving up superior strength, handling & durability. Near-zero memory • Ultra premium monofilament • G2 Precision Winding



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
DURAFLEX - AQUA CLEAR						
138301	100 m	0,14 mm	2,4 kg / 5,3 lbs	AQUA CLEAR	x6	024777397705
138302	100 m	0,16 mm	3,1 kg / 6,7 lbs	AQUA CLEAR	x6	024777397712
138303	100 m	0,18 mm	3,7 kg / 8 lbs	AQUA CLEAR	x6	024777397729
138304	100 m	0,20 mm	4,5 kg / 9,9 lbs	AQUA CLEAR	x6	024777397736
138305	100 m	0,22 mm	5,6 kg / 12,3 lbs	AQUA CLEAR	x6	024777397743
138306	100 m	0,25 mm	7,0 kg / 15,4lbs	AQUA CLEAR	x6	024777397750
138307	100 m	0,30 mm	9,7 kg / 21,3 lbs	AQUA CLEAR	x6	024777397767
138308	100 m	0,33 mm	10,8 kg / 23.8 lbs	AQUA CLEAR	x6	024777397774
138309	100 m	0,35 mm	13,0 kg / 29 lbs	AQUA CLEAR	x6	024777397781
110668	300 m	0,16 mm	3,1 kg / 6,7 lbs	AQUA BLUE	x6	024777371477
110669	300 m	0,18 mm	3,7 kg / 8 lbs	AQUA BLUE	x6	024777371484
110670	300 m	0,20 mm	4,5 kg / 9,9 lbs	AQUA BLUE	x6	024777371491
110671	300 m	0,22 mm	5,6 kg / 12,3 lbs	AQUA BLUE	x6	024777371507
110672	300 m	0,25 mm	7,0 kg / 15,4lbs	AQUA BLUE	x6	024777371514
110673	300 m	0,30 mm	9,7 kg / 21,3 lbs	AQUA BLUE	x6	024777371521
110674	300 m	0,33 mm	10,8 kg / 23.8 lbs	AQUA BLUE	x6	024777371538
110675	300 m	0,35 mm	13,0 kg / 29 lbs	AQUA BLUE	x6	024777371545
110676	300 m	0,40 mm	15,5 kg / 34,1 lbs	AQUA BLUE	x6	024777371569
110677	300 m	0,45 mm	18,2 kg / 40 lbs	AQUA BLUE	x6	024777371583
110678	300 m	0,50 mm	23,0 kg / 50,6 lbs	AQUA BLUE	x6	024777371590
DURAFLEX - CLEAR						
138311	150 m	0,14 mm	2,4 kg / 5,3 lbs	CLEAR	x6	024777690707
138312	150 m	0,16 mm	3,1 kg / 6,7 lbs	CLEAR	x6	024777690714
138313	150 m	0,18 mm	3,7 kg / 8 lbs	CLEAR	x6	024777690721
138314	150 m	0,20 mm	4,5 kg / 9,9 lbs	CLEAR	x6	024777690738
138315	150 m	0,22 mm	5,6 kg / 12,3 lbs	CLEAR	x6	024777690745
138316	150 m	0,25 mm	7 kg / 15,4 lbs	CLEAR	x6	024777690752
138317	150 m	0,30 mm	9,7 kg / 21,3 lbs	CLEAR	x6	024777690769
148355	150 m	0,33 mm	10,8 kg / 23.8 lbs	CLEAR	x6	024777703827
148336	150 m	0,35 mm	13 kg / 28,6 lbs	CLEAR	x6	024777690776
148337	150 m	0,40 mm	15,5 kg / 34,1 lbs	CLEAR	x6	024777690783
148314	300 m	0,16 mm	3,1 kg / 6,7 lbs	CLEAR	x6	024777371095
148315	300 m	0,18 mm	3,7 kg / 8 lbs	CLEAR	x6	024777371101
119226	300 m	0,20 mm	4,5 kg / 9,9 lbs	CLEAR	x6	024777371118
119227	300 m	0,22 mm	5,6 kg / 12,3 lbs	CLEAR	x6	024777371125
119228	300 m	0,25 mm	7 kg / 15,4 lbs	CLEAR	x6	024777371132
148316	300 m	0,30 mm	9,7 kg / 21,3 lbs	CLEAR	x6	024777371149

RED = New 2023

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
DURAFLEX - CLEAR						
119230	300 m	0,33 mm	10,8 kg / 23.8 lbs	CLEAR	x6	024777371156
119231	300 m	0,35 mm	13 kg / 28,6 lbs	CLEAR	x6	024777371163
119233	300 m	0,40 mm	15,5 kg / 34,1 lbs	CLEAR	x6	024777371187
119235	300 m	0,45 mm	18,2 kg / 40 lbs	CLEAR	x6	024777371200
119236	300 m	0,50 mm	23 kg / 50,6 lbs	CLEAR	x6	024777371217
DURAFLEX BULK						
110685	1960 m	0,50 mm	23,0 kg / 50,6 lbs	CLEAR	x1	024777710580
110684	2440 m	0,45 mm	18,2 kg / 40 lbs	CLEAR	x1	024777710573
110683	3080 m	0,40 mm	15,5 kg / 34,1 lbs	CLEAR	x1	024777710566
110682	4020 m	0,35 mm	13,0 kg / 29 lbs	CLEAR	x1	024777710559
110681	5460 m	0,30 mm	9,7 kg / 21,3 lbs	CLEAR	x1	024777710542
110680	6740 m	0,25 mm	7,0 kg / 15,4lbs	CLEAR	x1	024777710535
110679	9260 m	0,20 mm	4,5 kg / 9,9 lbs	CLEAR	x1	024777710528



AQUA CLEAR



AQUA BLUE

MONOFILAMENT LINE COLLECTION

SIEGE

For longer, more accurate casts and unmatched toughness, Sufix Siege® belongs on your reel. Superior casting distance with pinpoint accuracy make this a monofilament line with exceptional knot strength and smooth handling. Due to the new XV2 technology, it has up to 15 times greater abrasion resistance than most standard monofilament lines with the same diameter. G2 Precision Winding has been used with Sufix Siege®. It eliminates the line memory and prevents line-weakening cutting and nicking that can occur during the spooling process.

FEATURES

- Tough monofilament line
- Exceptional knot strength
- Long casting, accurate, smooth to handle
- Abrasion resistant due to XV2 technology
- G2 Precision Winding



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SIEGE - CLEAR						
127380	300 m	0,25 mm	5,0 kg / 11lbs	CLEAR	x6	024777362420
127381	300 m	0,30 mm	7,2 kg / 16 lbs	CLEAR	x6	024777362444
127382	300 m	0,35 mm	9,4 kg / 20,7 lbs	CLEAR	x6	024777362468
127383	300 m	0,40 mm	12,0 kg / 26,4 lbs	CLEAR	x6	024777362482
127384	300 m	0,45 mm	15,0 kg / 33 lbs	CLEAR	x6	024777362505



CLEAR

MONOFILAMENT LINE COLLECTION

SUPER 21

Sufix Super 21® is a super low-stretch monofilament line that is supple and easy to handle. The high-viscosity nylon combined with the Advanced Tempering production process results in a super low stretch – approximately 40% less than other monofilament lines. Long molecular chains combined with the toughness and resilience achieved in the Advanced Tempering Process give Super 21® excellent tensile, shock and knot strength. This highly sensitive line allows for exceptional lure control and helps to detect even the wariest bites, this means quick hook sets for a better hook-up rate. Recommended for pike, zander, perch and sea trout.

FEATURES

- Super low-stretch monofilament line due to Advanced Tempering
- 40% less stretch than on monofilament lines in general
- Excellent tensile, shock and knot strength
- Easy to control and handle
- Maximal hook-up rate



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPER 21 - CLEAR						
100259	150 m	0,14 mm	1,8 kg / 4 lbs	CLEAR	x6	024777688346
100260	150 m	0,16 mm	2,5 kg / 5 lbs	CLEAR	x6	024777688353
100261	150 m	0,18 mm	3,1 kg / 6,7 lbs	CLEAR	x6	024777688360
100262	150 m	0,20 mm	3,5 kg / 8 lbs	CLEAR	x6	024777688377
100263	150 m	0,25 mm	6,7 kg / 15 lbs	CLEAR	x6	024777688384
138337	150 m	0,28 mm	7,1 kg / 16 lbs	CLEAR	x6	024777688391
100264	150 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	024777688407
100265	150 m	0,35 mm	10,7 kg / 24 lbs	CLEAR	x6	024777688414
100266	150 m	0,40 mm	14,0 kg / 31 lbs	CLEAR	x6	024777688421
100329	240 m	0,60 mm	26,7 kg / 59 lbs	CLEAR	x6	024777689268
100321	300 m	0,18 mm	3,1 kg / 6,7 lbs	CLEAR	x6	024777689176
100322	300 m	0,20 mm	3,5 kg / 8 lbs	CLEAR	x6	024777689183
100323	300 m	0,25 mm	6,7 kg / 15 lbs	CLEAR	x6	024777689190
100324	300 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	024777689213
100325	300 m	0,35 mm	10,7 kg / 24 lbs	CLEAR	x6	024777689220
100326	300 m	0,40 mm	14,0 kg / 31 lbs	CLEAR	x6	024777689237
100327	300 m	0,45 mm	16,8 kg / 40 lbs	CLEAR	x6	024777689244
100328	300 m	0,50 mm	22,6 kg / 50 lbs	CLEAR	x6	024777689145
SUPER 21 - CLEAR BULK						
100338	1960 m	0,50 mm	22,6 kg / 50 lbs	CLEAR	x1	024777690981
100337	2440 m	0,45 mm	16,8 kg / 40 lbs	CLEAR	x1	024777690974
100336	3080 m	0,40 mm	14,0 kg / 31 lbs	CLEAR	x1	024777690967
100335	4020 m	0,35 mm	10,7 kg / 24 lbs	CLEAR	x1	024777690950
100334	5460 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x1	024777690943
100333	7880 m	0,25 mm	6,7 kg / 15 lbs	CLEAR	x1	024777690936
SUPER 21 - GREEN						
138339	150 m	0,14 mm	1,8 kg / 4 lbs	GREEN	x6	024777688940
100267	150 m	0,16 mm	2,5 kg / 5 lbs	GREEN	x6	024777688957
100268	150 m	0,18 mm	3,1 kg / 6,7 lbs	GREEN	x6	024777688964
100269	150 m	0,20 mm	3,5 kg / 8 lbs	GREEN	x6	024777688971
100270	150 m	0,25 mm	6,7 kg / 15 lbs	GREEN	x6	024777688988
138340	150 m	0,28 mm	7,1 kg / 16 lbs	GREEN	x6	024777688995
100271	150 m	0,30 mm	7,7 kg / 16,9 lbs	GREEN	x6	024777689008

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPER 21 - GREEN						
100272	150 m	0,35 mm	10,7 kg / 24 lbs	GREEN	x6	024777689015
SUPER 21 - PINK						
127376	150 m	0,25 mm	6,7 kg / 15 lbs	PINK	x6	024777690318
127377	150 m	0,30 mm	7,7 kg / 16,9 lbs	PINK	x6	024777690332
127378	150 m	0,35 mm	10,7 kg / 24 lbs	PINK	x6	024777690349
127379	150 m	0,40 mm	14,0 kg / 31 lbs	PINK	x6	024777690356



















































MONOFILAMENT LINE COLLECTION

XL STRONG

An exceptionally soft, smooth and supple fishing line with great tensile and knot strength. XL Strong is a very versatile monofilament fishing line that is perfect for a wide variety of fresh and salt water fishing applications. This smooth line is exceptional for casting by offering a low memory, reduced twisting, less kinks and fewer backlashes than stiffer monofilaments. Made with a super copolymer nylon formula, XL Strong offers increased toughness and excellent abrasion resistance. This low stretch nylon provides quick and controlled hook sets with high shock strength that helps you land more fish.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
XL STRONG CLEAR						
119220	100 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	024777314313
148339	150 m	0,14 mm	1,9 kg / 4,2 lbs	CLEAR	x6	024777696020
138357	150 m	0,16 mm	2,2 kg / 4,8 lbs	CLEAR	x6	024777696037
100368	150 m	0,18 mm	2,8 kg / 6,1 lbs	CLEAR	x6	024777696044
100369	150 m	0,20 mm	3,3 kg / 7,3 lbs	CLEAR	x6	024777694880
100370	150 m	0,23 mm	4,4 kg / 9,7 lbs	CLEAR	x6	024777696051
100371	150 m	0,25 mm	5,4 kg / 12 lbs	CLEAR	x6	024777696068
100372	150 m	0,28 mm	6,6 kg / 14,5 lbs	CLEAR	x6	024777696075
100373	150 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	024777696082
100374	150 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	024777696099
100375	150 m	0,40 mm	13 kg / 29 lbs	CLEAR	x6	024777696105
148300	300 m	0,16 mm	2,2 kg / 4,8 lbs	CLEAR	x6	024777332140
148301	300 m	0,18 mm	2,8 kg / 6,1 lbs	CLEAR	x6	024777332157
119238	300 m	0,20 mm	3,3 kg / 7,3 lbs	CLEAR	x6	024777332164
119239	300 m	0,23 mm	4,4 kg / 9,7 lbs	CLEAR	x6	024777332171
119240	300 m	0,25 mm	5,4 kg / 12 lbs	CLEAR	x6	024777332188
148302	300 m	0,28 mm	6,6 kg / 14,5 lbs	CLEAR	x6	024777332195
119241	300 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	024777332201
119242	300 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	024777332225
119243	300 m	0,40 mm	13 kg / 29 lbs	CLEAR	x6	024777332249
119244	300 m	0,45 mm	15,4 kg / 34 lbs	CLEAR	x6	024777332263
119245	300 m	0,50 mm	19,5 kg / 43 lbs	CLEAR	x6	024777332270

Product Number	Size	Diameter	Strength	Color	Pack	Barcode	
XL STRONG CLEAR BULK							
127404	550 m	0,60 mm	27,3 kg / 60 lbs	CLEAR	x6	024777323322	
127399	600 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	024777323230	
127400	600 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	024777323254	
127401	600 m	0,40 mm	13,0 kg / 29 lbs	CLEAR	x6	024777323278	
127402	600 m	0,45 mm	15,4 kg / 34 lbs	CLEAR	x6	024777323292	
127403	600 m	0,50 mm	19,5 kg / 43 lbs	CLEAR	x6	024777323308	
XL STRONG - NEON YELLOW							
148308	600 m	0,25 mm	5,4 kg / 12 lbs	NEON YELLOW	x6	024777350052	
148309	600 m	0,28 mm	6,6 kg / 14,5 lbs	NEON YELLOW	x6	024777350069	
119224	600 m	0,30 mm	7,7 kg / 16,9 lbs	NEON YELLOW	x6	024777350076	
127405	600 m	0,35 mm	10,3 kg / 23 lbs	NEON YELLOW	x6	024777350090	
127406	600 m	0,40 mm	13,0 kg / 29 lbs	NEON YELLOW	x6	024777350113	
127407	600 m	0,45 mm	15,4 kg / 34 lbs	NEON YELLOW	x6	024777350137	
127408	600 m	0,50 mm	19,5 kg / 43 lbs	NEON YELLOW	x6	024777350144	
XL STRONG - PLATINUM							
138347	100 m	0,14 mm	1,9 kg / 4,2 lbs	PLATINUM	x6	024777328228	
138348	100 m	0,16 mm	2,2 kg / 4,8 lbs	PLATINUM	x6	024777314238	
138349	100 m	0,18 mm	2,8 kg / 6,1 lbs	PLATINUM	x6	024777314245	
138350	100 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x6	024777314252	
138351	100 m	0,23 mm	4,4 kg / 9,7 lbs	PLATINUM	x6	024777314269	
138352	100 m	0,28 mm	6,6 kg / 14,5 lbs	PLATINUM	x6	024777314283	
138353	100 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x6	024777314290	
138354	100 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x6	024777314337	
119221	100 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x6	024777314351	
138355	100 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x6	024777314368	
138356	100 m	0,60 mm	27,3 kg / 60 lbs	PLATINUM	x6	024777383234	
100293	240 m	0,60 mm	27,3 kg / 60 lbs	PLATINUM	x6	024777303904	
100282	300 m	0,16 mm	2,2 kg / 4,8 lbs	PLATINUM	x6	024777303751	
100283	300 m	0,18 mm	2,8 kg / 6,1 lbs	PLATINUM	x6	024777303768	
100284	300 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x6	024777303775	
100285	300 m	0,23 mm	4,4 kg / 9,7 lbs	PLATINUM	x6	024777303782	
100286	300 m	0,25 mm	5,4 kg / 12 lbs	PLATINUM	x6	024777303799	
100287	300 m	0,28 mm	6,6 kg / 14,5 lbs	PLATINUM	x6	024777303805	
100288	300 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x6	024777303812	
100289	300 m	0,35 mm	10,3 kg / 23 lbs	PLATINUM	x6	024777303836	
100290	300 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x6	024777303850	
100291	300 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x6	024777303874	
100292	300 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x6	024777303881	
100294	600 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x6	024777303935	
100295	600 m	0,25 mm	5,4 kg / 12 lbs	PLATINUM	x6	024777303959	
100296	600 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x6	024777303973	
100297	600 m	0,35 mm	10,3 kg / 23 lbs	PLATINUM	x6	024777303997	
100298	600 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x6	024777304017	
100299	600 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x6	024777304031	
100300	600 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x6	024777304048	
100301	600 m	0,60 mm	27,3 kg / 60 lbs	PLATINUM	x6	024777304062	
XL STRONG - PLATINUM BULK							
100281	1540 m	0,60 mm	27,3 kg / 60 lbs	PLATINUM	x1	024777316331	
100280	1960 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x1	024777316317	
100279	2440 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x1	024777316300	
100278	3080 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x1	024777316287	

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
XL STRONG - PLATINUM BULK						
100277	4020 m	0,35 mm	10,3 kg / 23 lbs	PLATINUM	x1	024777316263
100276	5460 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x1	024777316249
100275	7880 m	0,25 mm	5,4 kg / 12 lbs	PLATINUM	x1	024777316225
100274	12300 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x1	024777316201



MONOFILAMENT LINE COLLECTION


ULTRA KNOT

Low memory. high knot strength, suppleness and good abrasion resistance. Ultra high knot strength & extra supple G2 winding on 100 m x 10 & 150 spoos.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ULTRA KNOT - CLEAR						
127385	150 m	0,20 mm	2,8 kg / 6,1 lbs	CLEAR	x6	024777326415
127386	150 m	0,25 mm	2,8 kg / 6,1 lbs	CLEAR	x6	024777326439
127387	150 m	0,30 mm	6,6 kg / 14,5 lbs	CLEAR	x6	024777326453
127388	150 m	0,35 mm	9,4 kg / 21 lbs	CLEAR	x6	024777326477
127389	150 m	0,40 mm	10,8 kg / 23,8 lbs	CLEAR	x6	024777326491
ULTRA KNOT - NEON PINK/WHITE						
148352	150 m	0,16 mm	2,3 kg / 5 lbs	NEON PINK/WHITE	x6	024777700369
148353	150 m	0,18 mm	2,8 kg / 6 lbs	NEON PINK/WHITE	x6	024777700376
148354	150 m	0,20 mm	3,4 kg / 8 lbs	NEON PINK/WHITE	x6	024777700383
ULTRA KNOT - NEON YELLOW ORANGE						
148346	150 m	0,14 mm	1,8 kg / 4 lbs	NEON YELLOW ORANGE	x6	024777700291
148347	150 m	0,16 mm	2,3 kg / 5 lbs	NEON YELLOW ORANGE	x6	024777700307
148348	150 m	0,18 mm	2,8 kg / 6 lbs	NEON YELLOW ORANGE	x6	024777700314
148349	150 m	0,20 mm	3,4 kg / 8 lbs	NEON YELLOW ORANGE	x6	024777700321
148350	150 m	0,23 mm	4,5 kg / 10 lbs	NEON YELLOW ORANGE	x6	024777700338
148351	150 m	0,25 mm	5,1 kg / 12 lbs	NEON YELLOW ORANGE	x6	024777700345
ULTRA KNOT - OPAQUE YELLOW						
148344	150 m	0,16 mm	2,3 kg / 5 lbs	OPAQUE YELLOW	x6	024777700277
148345	150 m	0,18 mm	2,8 kg / 6 lbs	OPAQUE YELLOW	x6	024777700284
148293	150 m	0,20 mm	3,4 kg / 8 lbs	OPAQUE YELLOW	x6	024777326736
ULTRA KNOT - OPAQUE YELLOW BULK						
148299	890 m	0,35 mm	9,4 kg / 21 lbs	OPAQUE YELLOW	x1	024777331907
148298	995 m	0,33 mm	8,1 kg / 18 lbs	OPAQUE YELLOW	x1	024777331891
148297	1195 m	0,30 mm	7,2 kg / 16 lbs	OPAQUE YELLOW	x1	024777331884

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ULTRA KNOT - OPAQUE YELLOW BULK						
148296	1360 m	0.28 mm	6,3 kg / 14 lbs	OPAQUE YELLOW	x1	024777331877 


CLEAR


NEON PINK/WHITE


NEON YELLOW ORANGE







OPAQUE YELLOW

MONOFILAMENT LINE COLLECTION

NANOLINE

Sufix® Nanoline is designed for ultra-light trout area finesse fishing with featherweight lures. Special low stretch formula creates a super-sensitive line that transmits even the slightest movement and lightest of bites to the fisherman's hands, resulting in fast hooksets, greatly improving your hook-up ratio. Ideal for very slow retrieves and delicate presentations with featherlight lures, especially in the most demanding high-pressure conditions, when nothing less than perfect will do. Sufix Nanoline has built-in anti-icing properties that allow fishing even in sub-zero temperatures without compromising the line's softness and low stretch qualities.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
NANOLINE - CLEAR						
148377	100 m	0,12 mm	1,36 kg / 3 lbs	CLEAR	x6	024777716506 
125369	150 m	0,14 mm	1,80 kg / 4 lbs	CLEAR	x6	024777716605 
125370	150 m	0,16 mm	2,50 kg / 6 lbs	CLEAR	x6	024777718326 
125371	150 m	0,18 mm	3,10 kg / 7 lbs	CLEAR	x6	024777718333 
125372	150 m	0,20 mm	3,50 kg / 8 lbs	CLEAR	x6	024777718340 







MONOFILAMENT LINE COLLECTION





SUPREME

Specially blended Japanese copolymer nylon provides great tensile strength, high shock strength and controlled stretch.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPREME - CLEAR						
138341	100 m	0,20 mm	3,2 kg / 7 lbs	CLEAR	x6	024777318038 
138342	100 m	0,25 mm	4,5 kg / 10 lbs	CLEAR	x6	024777318045 
138343	100 m	0,28 mm	5,8 kg / 12,8 lbs	CLEAR	x6	024777318052 
138344	100 m	0,30 mm	6,6 kg / 14,5 lbs	CLEAR	x6	024777318069 

RED = New 2023

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPREME - CLEAR						
138345	100 m	0,35 mm	8,8 kg / 19,4 lbs	CLEAR	x6	024777318076 
138346	100 m	0,40 mm	11,0 kg / 24 lbs	CLEAR	x6	024777318083 
100331	100 m	1,00 mm	61,0 kg / 134 lbs	CLEAR	x6	024777318168 
100332	100 m	1,20 mm	84,0 kg / 185 lbs	CLEAR	x6	024777318175 




CLEAR



LEADER AND BRAIDED LINE COLLECTION

WIND-ON LEADER FLUOROCARBON

Versatile leaders attach to the mainline in seconds without knots or swivels.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
WIND-ON LEADER FLUOROCARBONE - NATURAL TAN						
148310	10 m	0,71 mm	24 kg /50 lbs	NATURAL TAN	x6	024777364776
148311	10 m	0,91 mm	37 kg /80 lbs	NATURAL TAN	x6	024777364783
148312	10 m	1,07 mm	46 kg /100 lbs	NATURAL TAN	x6	024777364790
148313	10 m	1,17 mm	68 kg /150 lbs	NATURAL TAN	x6	024777364806

LEADER AND BRAIDED LINE COLLECTION

JIGGING BRAID

Super strong, high abrasion resistant and reliable braid that can be used to make a variety of hook connections. Super strong hook connecting braid - Made from bulletproof aramid fibers - Hollow construction for easy splicing.



Product Number	Size	Strength	Color	Pack	Barcode
JIGGING BRAID - NATURAL TAN					
119196	5 m	50 kg /110 lbs	NATURAL TAN	x6	024777349209
148307	5 m	82 kg /180 lbs	NATURAL TAN	x6	024777349223

BIG GAME COLLECTION

KEY LIME IGFA

The ideal thick diameter IGFA-rated big game and sport fishing line that delivers exceptional performance. Consistent tensile strength to meet IGFA standards. Ultimate abrasion resistance for long, tough record battles. High knot strength and great shock absorption for sudden bursts that record game fish are known for.



LINEAR STRENGTH ■ ■ ■ ■ ■ | KNOT STRENGTH ■ ■ ■ ■ ■ | ABRASION RESISTANCE ■ ■ ■ ■ ■ | ELONGATION ■ ■ ■ ■ ■ | SOFTNESS ■ ■ ■ ■ ■ | SINKING ■ ■ ■ ■ ■

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
KEY LIME IGFA - NEON LIME						
148325	600 m	0,52 mm	15 kg /30 lbs	NEON LIME	x6	024777672963

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
KEY LIME IGFA - NEON LIME						
148326	600 m	0,68 mm	24 kg /50 lbs	NEON LIME	x6	024777672970
148332	900 m	0,42 mm	10 kg /20 lbs	NEON LIME	x6	024777686793
148328	900 m	0,52 mm	15 kg /30 lbs	NEON LIME	x6	024777684034
148329	900 m	0,68 mm	24 kg /50 lbs	NEON LIME	x6	024777684041
119637	900 m	1,1 mm	60 kg /130 lbs	NEON LIME	x6	024777385092
119118	1000 m	0,86 mm	37 kg /80 lbs	NEON LIME	x6	024777343504



NEON LIME

BIG GAME COLLECTION

ULTRA SUPREME IGFA

• Ultra Supreme has the muscle and shock strength needed to handle the demanding punishment found in fresh water and salt water fishing. • IGFA-rated.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ULTRA SUPREME IGFA - CLEAR						
148270	1000 m	0,48 mm	15 kg /30 lbs	CLEAR	x6	024777302068
148271	1000 m	0,64 mm	24 kg /50 lbs	CLEAR	x6	024777302075
148272	1000 m	0,8 mm	37 kg /80 lbs	CLEAR	x6	024777302082
ULTRA SUPREME IGFA - NEON YELLOW						
148273	1000 m	0,48 mm	15 kg /30 lbs	NEON YELLOW	x6	024777302112
148288	1000 m	0,64 mm	24 kg /50 lbs	NEON YELLOW	x6	024777318908
148289	1000 m	0,80 mm	37 kg /80 lbs	NEON YELLOW	x6	024777318915
148306	1000 m	1 mm	60 kg /130 lbs	NEON YELLOW	x6	024777345638



CLEAR



NEON YELLOW

BIG GAME COLLECTION

SUPERIOR LEADER

Superior Leader is a state-of-the-art 100% copolymer monofilament. It offers outstanding linear strength, knot strength and high abrasion resistance. A subtle amount of stretch allows for excellent setting of hooks, but still enough to act as a 'shock absorber' during those crucial moments of the fight when the fish is under the rod tip.




Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SUPERIOR LEADER - CLEAR						
148275	100 m	0,50 mm	15 kg /30 lbs	CLEAR	x6	024777313187 
100350	100 m	0,60 mm	20 kg /40 lbs	CLEAR	x6	024777302266 
148274	100 m	0,65 mm	24 kg /50 lbs	CLEAR	x6	024777302273 
100351	100 m	0,70 mm	27 kg /60 lbs	CLEAR	x6	024777313194 
100352	100 m	0,80 mm	37 kg /80 lbs	CLEAR	x6	024777313200 
100353	100 m	0,90 mm	46 kg /100 lbs	CLEAR	x6	024777313217 
100354	100 m	1 mm	60 kg /130 lbs	CLEAR	x6	024777313224 
100355	100 m	1,2 mm	68 kg /150 lbs	CLEAR	x6	024777313231 
100356	100 m	1,4 mm	91 kg /160 lbs	CLEAR	x6	024777313248 
119282	100 m	1,80 mm	182,0 kg / 400 lbs	CLEAR	x6	024777313279 

BIG GAME COLLECTION

EREEL® PRO

The ultimate in electric reel braided line, Sufix® eReel® Pro is super sensitive with advanced abrasion resistance and low stretch characteristics, crucial when deep drop fishing. Affected less by current and drift for a more accurate, straighter drop. Braided line provides super strong line for increased landings.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
EREEL® PRO - CLEAR						
148422	914 m	0,40 mm	45 kg / 100 lbs	CLEAR	x1	024777720008 



SURF CASTING COLLECTION

NEW

LA BESTIA

Sufix La Bestia is a good choice for a rigorous monofilament line. It has high shock strength and a smooth outer surface, which makes it ideal for casting. Sufix La Bestia utilizes the latest in polymer technologies creating a very tough abrasion resistant low diameter line. Will work on both fixed spools and multipliers.

FEATURES

- High shock and linear strength
- Smooth outer surface
- Abrasion-resistant



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
● 142412	600 m	0,65 mm	30 kg / 65 lbs	NEON ORANGE	x6	02477736153 











NEON ORANGE





SURF CASTING COLLECTION

TRITANIUM

High shock strength and a smooth surface makes tritanium ideal for casting. Surf & salt water monofilament.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
TRITANIUM - NEON ORANGE						
148283	325 m	0,65 mm	30 kg / 65 lbs	NEON ORANGE	x1	024777317093 
148282	455 m	0,55 mm	20,5 kg / 45 lbs	NEON ORANGE	x1	024777317086 
148281	550 m	0,50 mm	17 kg / 37 lbs	NEON ORANGE	x1	024777317079 
148280	680 m	0,45 mm	13,7 kg / 30 lbs	NEON ORANGE	x1	024777317062 
148279	860 m	0,40 mm	11 kg / 24 lbs	NEON ORANGE	x1	024777317055 
148278	1120 m	0,35 mm	8,7 kg / 19 lbs	NEON ORANGE	x1	024777317048 
148277	1520 m	0,30 mm	6,3 kg / 14 lbs	NEON ORANGE	x1	024777317031 
148276	1750 m	0,28 mm	5,5 kg / 12 lbs	NEON ORANGE	x1	024777317024 

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
TRITANIUM - NEON GOLD						
148287	860 m	0,40 mm	11 kg / 24 lbs	NEON GOLD	x1	024777317130 
148286	1120 m	0,35 mm	8,7 kg / 19 lbs	NEON GOLD	x1	024777317123 
148285	1520 m	0,30 mm	6,3 kg / 14 lbs	NEON GOLD	x1	024777317116 
148284	1750 m	0,28 mm	5,5 kg / 12 lbs	NEON GOLD	x1	024777317109 



NEON ORANGE



NEON GOLD

RED = New 2023

SURF CASTING COLLECTION

ZIPPY SHOCK LEADER

Zippy Shock Leader is made with copolymer nylon to absorb the initial 'shock' from casting the heaviest of leads. Designed and developed to give the biggest of casters total confidence, Zippy is the number 1 choice for anglers wanting to fish at maximum range, without the fear of 'cracking off' during the cast.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
ZIPPY SHOCK LEADER - CLEAR						
148291	50m	1,20 mm	60 kg /130 lbs	CLEAR	x6	024777323575
148292	50m	1,40 mm	68 kg /150 lbs	CLEAR	x6	024777323582
110690	80m	1 mm	91 kg /160 lbs	CLEAR	x6	024777323568
148303	100 m	0,4 mm	7 kg /15 lbs	CLEAR	x6	024777332867
148304	100 m	0,45 mm	10 kg /20 lbs	CLEAR	x6	024777332874
148305	100 m	0,5 mm	15 kg /30 lbs	CLEAR	x6	024777332881
148290	100 m	0,55 mm	20 kg /40 lbs	CLEAR	x6	024777323513
110686	100 m	0,6 mm	24 kg /50 lbs	CLEAR	x6	024777323520
110687	100 m	0,7 mm	27 kg /60 lbs	CLEAR	x6	024777323537
110688	100 m	0,8 mm	37 kg /80 lbs	CLEAR	x6	024777323544
110689	100 m	0,9 mm	46 kg /100 lbs	CLEAR	x6	024777323551

SURF CASTING COLLECTION

SHOCK MAX

TAPERED SURFCASTING LEADERS These tapered leaders have been designed to absorb the casting shock and create a smooth, consistent taper and a thin, resilient connection with the mainline. With the Shock Max Tapered Surfcasting Leaders you can make pendulum casts and other casts with total confidence.



Product Number	Size	Diameter	Color	Pack	Barcode
SHOCK MAX - CLEAR					
148356	15 m	0,16 - 0,50 mm	CLEAR	x6	024777704367
148357	15 m	0,18 - 0,50 mm	CLEAR	x6	024777704374
148358	15 m	0,20 - 0,57 mm	CLEAR	x6	024777704381
148359	15 m	0,23 - 0,57 mm	CLEAR	x6	024777704398
148360	15 m	0,26 - 0,57 mm	CLEAR	x6	024777704404

FEEDER FISHING LINE COLLECTION

FEEDER MONO

The Feeder Mono is a 100% copolymer line with an enhanced surface treatment that allows it to sink fast. It has a high knot strength and abrasion resistance. Low stretch ratio improves the bite detection, yet the line is very supple and features low memory, making it ideal for subtle presentations. The dark burgundy color is nearly invisible on the bottom.



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
FEEDER MONO - BURGUNDY						
138318	150 m	0,16 mm	2,2 kg	BURGUNDY	x6	024777302938
138319	150 m	0,18 mm	2,8 kg	BURGUNDY	x6	024777302945
138320	150 m	0,20 mm	3,3 kg	BURGUNDY	x6	024777302952
138321	150 m	0,23 mm	4,4 kg	BURGUNDY	x6	024777302969
138322	150 m	0,25 mm	5,4 kg	BURGUNDY	x6	024777302976
138323	150 m	0,28 mm	6,6 kg	BURGUNDY	x6	024777317659



BURGUNDY

BRAIDED LINE COLLECTION

SFX 4 CARRIER BRAID

Made of Japanese UHMPE Fibers High Strength & Low Stretch A four carrier premium braided fishing line made with 100% Japanese UHMPE fibers for high breaking strength and extreme abrasion resistance for fishing in demanding conditions and large baits. Super low stretch improves sensitivity and hooksets.

FEATURES

- High strength High abrasion resistance Low stretch



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SFX 4 CARRIER BRAID - HOT YELLOW						
148424	135 m	0,165 mm	10 kg / 22 lbs	HOT YELLOW	x6	024777723139
126714	135 m	0,128 mm	5.5 kg / 12 lbs	HOT YELLOW	x6	024777723146
126715	135 m	0,148 mm	7,0kg / 15 lbs	HOT YELLOW	x6	024777723153
126716	135 m	0,165 mm	8.6 kg / 19 lbs	HOT YELLOW	x6	024777723160
127363	135 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	024777723177
126717	135 m	0,205 mm	11.5 kg / 25 lbs	HOT YELLOW	x6	024777723184
127364	135 m	0,235 mm	13.6 kg / 30 lbs	HOT YELLOW	x6	024777723191
126718	135 m	0,285 mm	18,0kg / 40 lbs	HOT YELLOW	x6	024777723214
126719	135 m	0,330 mm	23,0kg / 50 lbs	HOT YELLOW	x6	024777723221
126720	135 m	0,370 mm	28,2kg / 62 lbs	HOT YELLOW	x6	024777723238
148436	275 m	0,128 mm	5.5 kg / 12 lbs	HOT YELLOW	x6	024777723429
148439	275 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	024777723450
148440	275 m	0,205 mm	11.5 kg / 25 lbs	HOT YELLOW	x6	024777723467

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SFX 4 CARRIER BRAID - HOT YELLOW						
148441	275 m	0,235 mm	13.6 kg / 30 lbs	HOT YELLOW	x6	024777723474
148442	275 m	0,285 mm	18 kg / 40 lbs	HOT YELLOW	x6	024777723498
148443	275 m	0,330 mm	23 kg / 50 lbs	HOT YELLOW	x6	024777723504
148444	275 m	0,370 mm	28.2 kg / 62 lbs	HOT YELLOW	x6	024777723511
148445	275 m	0,405 mm	30.6 kg / 67 lbs	HOT YELLOW	x6	024777723528
SFX 4 CARRIER BRAID - HOT YELLOW BULK						
135359	3200 m	0,128 mm	5.5 kg / 12 lbs	HOT YELLOW	x6	024777723702
135360	3200 m	0,148 mm	7 kg / 15 lbs	HOT YELLOW	x6	024777723719
135361	3200 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	024777723733
135362	3200 m	0,235 mm	13.6 kg / 30 lbs	HOT YELLOW	x6	024777723757
SFX 4 CARRIER BRAID - LO-VIS GREEN						
138264	135 m	0,104 mm	4,5kg / 10 lbs	LO-VIS GREEN	x6	024777722996
126707	135 m	0,128 mm	5,5kg / 12 lbs	LO-VIS GREEN	x6	024777723009
126708	135 m	0,148 mm	7,0kg / 15 lbs	LO-VIS GREEN	x6	024777723016
126709	135 m	0,165 mm	8,6kg / 19 lbs	LO-VIS GREEN	x6	024777723023
127361	135 m	0,185 mm	10,0kg / 22 lbs	LO-VIS GREEN	x6	024777723030
126710	135 m	0,205 mm	11,5kg / 26 lbs	LO-VIS GREEN	x6	024777723047
127362	135 m	0,235 mm	13,6kg / 30 lbs	LO-VIS GREEN	x6	024777723054
126711	135 m	0,285 mm	18,0kg / 40 lbs	LO-VIS GREEN	x6	024777723078
126712	135 m	0,330 mm	23 kg / 50 lbs	LO-VIS GREEN	x6	024777723085
126713	135 m	0,370 mm	28,2kg / 62 lbs	LO-VIS GREEN	x6	024777723092
148426	275 m	0,128 mm	5.5 kg / 12 lbs	LO-VIS GREEN	x6	024777723283
148427	275 m	0,148 mm	14,8 kg / 32 lbs	LO-VIS GREEN	x6	024777723290
148428	275 m	0,165 mm	8.6 kg / 19 lbs	LO-VIS GREEN	x6	024777723306
148429	275 m	0,185 mm	18,5 kg / 40 lbs	LO-VIS GREEN	x6	024777723313
148430	275 m	0,205 mm	20,5 kg / 45 lbs	LO-VIS GREEN	x6	024777723320
148431	275 m	0,235 mm	23,5 kg / 51 lbs	LO-VIS GREEN	x6	024777723337
148432	275 m	0,285 mm	28,5 kg / 62 lbs	LO-VIS GREEN	x6	024777723351
148433	275 m	0,330 mm	23 kg / 50 lbs	LO-VIS GREEN	x6	024777723368
148434	275 m	0,370 mm	37 kg / 80 lbs	LO-VIS GREEN	x6	024777723375
148435	275 m	0,405 mm	40,5 kg / 89 lbs	LO-VIS GREEN	x6	024777723382
SFX 4 CARRIER BRAID - LO-VIS GREEN BULK						
135356	3200 m	0,128 mm	5.5 kg / 12 lbs	LO-VIS GREEN	x1	024777723566
135357	3200 m	0,185 mm	10 kg / 22 lbs	LO-VIS GREEN	x1	024777723597
135358	3200 m	0,235 mm	13.6 kg / 30 lbs	LO-VIS GREEN	x1	024777723610
SFX 4 CARRIER BRAID - MULTICOLOR METERED						
148455	300 m	0,165 mm	8.6 kg / 19 lbs	MULTICOLOR METERED	x6	024777724143
148456	300 m	0,185 mm	10 kg / 22 lbs	MULTICOLOR METERED	x6	024777724150
148457	300 m	0,205 mm	11.5 kg / 25 lbs	MULTICOLOR METERED	x6	024777724167
148458	300 m	0,235 mm	13.6 kg / 30 lbs	MULTICOLOR METERED	x6	024777724174
148459	300 m	0,285 mm	18 kg / 40 lbs	MULTICOLOR METERED	x6	024777724198
148460	300 m	0,330 mm	23 kg / 50 lbs	MULTICOLOR METERED	x6	024777724204



HOT YELLOW



LO-VIS GREEN



MULTICOLOR METERED

BRAIDED LINE COLLECTION

SFX 8 CARRIER BRAID








Made of Japanese UHMPE Fibers Long Casting & High Knot Strength. An eight carrier premium braided fishing line made with 100% Japanese UHMPE fibers for smooth surface that results in long casts and quiet performance in the line guides. High knot strength combined with super low stretch offer superior handling performance and sensitivity.

FEATURES

- Smooth Surface
- Long Casting
- High Knot Strength



Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SFX 8 CARRIER BRAID - HOT YELLOW						
148467	135 m	0,104 mm	4,5 kg / 10 lbs	HOT YELLOW	x6	024777724723
126726	135 m	0,128 mm	5,5 kg / 12 lbs	HOT YELLOW	x6	024777724730
126727	135 m	0,148 mm	7 kg / 15 lbs	HOT YELLOW	x6	024777724747
148468	135 m	0,165 mm	8,6 kg / 19 lbs	HOT YELLOW	x6	024777724754
126728	135 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	024777724761
148469	135 m	0,205 mm	11,5 kg / 25 lbs	HOT YELLOW	x6	024777724778
126729	135 m	0,235 mm	13,6 kg / 30 lbs	HOT YELLOW	x6	024777724785
148471	275 m	0,128 mm	4,5 kg / 10 lbs	HOT YELLOW	x6	024777724952
148472	275 m	0,148 mm	5,5 kg / 12 lbs	HOT YELLOW	x6	024777724969
148473	275 m	0,165 mm	7 kg / 15 lbs	HOT YELLOW	x6	024777724976
148474	275 m	0,185 mm	8,6 kg / 19 lbs	HOT YELLOW	x6	024777724983
148475	275 m	0,205 mm	10 kg / 22 lbs	HOT YELLOW	x6	024777724990
148476	275 m	0,235 mm	11,5 kg / 25 lbs	HOT YELLOW	x6	024777725003
148477	275 m	0,285 mm	13,6 kg / 30 lbs	HOT YELLOW	x6	024777725010
148478	275 m	0,330 mm	25,6 kg / 56.32 lbs	HOT YELLOW	x6	024777725027
148479	275 m	0,370 mm	28,2kg / 62 lbs	HOT YELLOW	x6	024777725034
148480	275 m	0,450 mm	46 kg / 101.2 lbs	HOT YELLOW	x6	024777725041
SFX 8 CARRIER BRAID - LO-VIS GREEN						
138265	135 m	0,104 mm	5,0kg / 11 lbs	LO-VIS GREEN	x6	024777724617
126721	135 m	0,128 mm	7 kg / 15 lbs	LO-VIS GREEN	x6	024777724624
126722	135 m	0,148 mm	7,7kg / 16,94 lbs	LO-VIS GREEN	x6	024777724631
138266	135 m	0,165 mm	10kg / 22lbs	LO-VIS GREEN	x6	024777724648
138267	135 m	0,185 mm	13,0kg / 28,6 lbs	LO-VIS GREEN	x6	024777724655
138268	135 m	0,205 mm	16,5kg / 36 lbs	LO-VIS GREEN	x6	024777724662
138269	135 m	0,235 mm	20,0kg / 44 lbs	LO-VIS GREEN	x6	024777724679
126723	135 m	0,285 mm	22.3 kg / 49.06 lbs	LO-VIS GREEN	x6	024777724686
126724	135 m	0,330 mm	25.6 kg / 56.32 lbs	LO-VIS GREEN	x6	024777724693
148470	275 m	0,128 mm	7 kg / 15 lbs	LO-VIS GREEN	x6	024777724846
125997	275 m	0,148 mm	7,7kg / 16,94 lbs	LO-VIS GREEN	x6	024777724853
125998	275 m	0,165 mm	10kg / 22lbs	LO-VIS GREEN	x6	024777724860
125999	275 m	0,185 mm	13,0kg / 28,6 lbs	LO-VIS GREEN	x6	024777724877
126000	275 m	0,205 mm	16,5kg / 36 lbs	LO-VIS GREEN	x6	024777724884
126001	275 m	0,235 mm	20,0kg / 44 lbs	LO-VIS GREEN	x6	024777724891
126002	275 m	0,285 mm	22.3 kg / 49.06 lbs	LO-VIS GREEN	x6	024777724907
126003	275 m	0,330 mm	25.6 kg / 56.32 lbs	LO-VIS GREEN	x6	024777724914
126004	275 m	0,370 mm	40.3 kg / 88.66 lbs	LO-VIS GREEN	x6	024777724921
126005	275 m	0,405 mm	30.6 kg / 67 lbs	LO-VIS GREEN	x6	024777724938
SFX 8 CARRIER BRAID - MULTICOLOR						
148481	300 m	0,165 mm	16,5 kg / 36,3 lbs	MULTICOLOR	x6	024777725522

Product Number	Size	Diameter	Strength	Color	Pack	Barcode
SFX 8 CARRIER BRAID - MULTICOLOR						
148483	300 m	0,165 mm	20,5 kg / 45 lbs	MULTICOLOR	x6	024777725546 
148482	300 m	0,185 mm	18,5 kg / 40 lbs	MULTICOLOR	x6	024777725539 
148484	300 m	0,235 mm	23,5 kg / 51 lbs	MULTICOLOR	x6	024777725553 
126733	300 m	0,285 mm	28,5 kg / 62 lbs	MULTICOLOR	x6	024777725560 
126734	300 m	0,330 mm	33 kg / 70 lbs	MULTICOLOR	x6	024777725577 
148485	300 m	0,370 mm	37 kg / 80 lbs	MULTICOLOR	x6	024777725584 
148486	300 m	0,405 mm	40,5 kg / 89 lbs	MULTICOLOR	x6	024777725591 



HOT YELLOW



LO-VIS GREEN



MULTICOLOR METERED

