


150 Employees



Treble hook world leader



Founded in 1910



Exported to more than 90 countries



Entreprise
du Patrimoine
Vivant
*A Living Heritage
Company - France*



Passionate anglers, with more than 100 years of experience in the manufacturing and marketing of fish hooks, we are committed to keeping on innovating to offer you constantly improved fish catching quality products while developing them in a more and more sustainable way. Being socially and environmentally responsible has always been at the heart of the VMC project. This is self-explanatory when we project the life of our factory over several centuries.

Our planet is beautiful and rich in natural resources including rivers, lakes, seas and oceans. This environment is under pressure from all sides and deteriorating. We fishermen, wardens of our aquatic environments, are aware of this. To meet this challenge, VMC is committed to limiting its impact on the planet and to support responsible fishermen who preserve our environment.

We work every day to reduce our greenhouse gas emissions. We substitute harmful products with greener alternatives. We are reducing our water consumption and our industrial waste. We have developed eco-responsible packaging. We always want to do better than the standards that are imposed on us as a manufacturer in the European Union. We also collaborate as much as possible with local companies for our various projects.

Our social commitment is just as important. We are proud of the average seniority of our employees, which is almost 15 years, and of having many employees whose families have contributed to the development of our factory for several generations, thus testifying to their attachment to the industrial adventure of VMC. This is the strength and expertise of VMC.

Much remains to be done to reduce our environmental impact and strengthen our social commitment. You have to be humble and move forward step by step. You can count on our determination.

The 2022/2023 season looks promising for VMC, with ever more technical, innovative products that meet the needs of anglers looking for excellence.

The whole VMC team wishes you a great season, tight lines and with good times on the water.

Cyrille Viellard
CEO of VMC Pêche

I SUMMARY I

- TREBLE HOOKS..... PAGE 456
- LURE SINGLE..... PAGE 476
- JIG HEADS..... PAGE 508
- TROUT / FLY
- LIVEBAIT..... PAGE 522
- TERMINAL TACKLE..... PAGE 534
- WIRE LEADER..... PAGE 548
- SNELLED HOOKS..... PAGE 556

I INDEX OF VMC® HOOKS I



INTRODUCTION

2908	473	7130NE	483	7346WT	491	9410	520
3127	542	7130SH	483	7348	494	9607	468
3253	537	7136	528	7348TK	495	9617	469
3254	540	7145	526	7356	527	9619	471
3257	538	7161CX	517	7381	533	9626	472
3260	543	7198	500	7387	533	9649	467
3262	543	7230NE	485	7547	458	9651	471
3521	540	7234	479	7547B	459	9725	526
3522	541	7236	477	7547F	501	9902	473
3523	541	7237	477	7547UV	460	9908	474
3531	539	7237B	478	7548	461	C703	549
3532	539	7239	480	7548BD	461	C705	549
3534	536	7239O	480	7552	457	C708	550
3536	537	7258TL	500	7552B	457	C718	550
3538	536	7266	481	7554	462	C721	551
3539	537	7312WJ	517	7554B	463	C723	551
3541	542	7310	493	7554W	501	C724	551
3549	544	7315SL	488	7556	463	C728	551
3564	541	7315ST	487	7557	465	C733	552
3565	538	7316	497	7557B	466	C738D	552
3985	545	7316LD	498	7560	464	C736	552
3987	545	7318NE	486	8357	528	C756	553
4551	471	7320SJ	515	8540	468	PIKE RIGS	502
7054	519	7329DD	499	8650	469	SCREWS	504
7102	523	7340RJ	516	9145	529	WEIGHTS	505
7116	531	7342TK	496	9149	530	TUNGSTENS	506
7116	520	7342WG	493	9255	529	JIGS	510
7117AH	482	7344WK	499	9276	530	WEIGHTS & SINKERS	535
7118	532	7346BS	492	9291	524		
7119	484	7346SB	489	9292	525		
7119SH	484	7346SL	490	9335	519		

| VMC® POINTS |



NEEDLE SHARP™

VMC® Needle Sharp™ is the very latest in premium point technology from VMC®, the result of a unique point-grinding process, chemically sharpened to perfection.



SPARK POINT®

Developed exclusively by VMC® for ultimate performance hooks. A premium point hardened by forming, followed by chemical sharpening ensures permanent hook sharpness. Front and back reinforcement ribs guarantee the point's rigidity. Energy channels increase the speed of penetration and optimise the point's driving force upon striking.



NEEDLE CONE

The result of a sharpening technique that gathers the metal fibers and squeezes them toward the center of the point. By compressing rather than cutting, VMC® has created a point equal or superior in sharpness to the best available and incredibly stronger.



CONE CUT®

The point that combines sharpness, structural stability and quality thanks to a conical tip, a triangular crest and a barb so fine that it assures, without force, a clean and perfect penetration beyond the barb.



CUTE POINT

The traditional hook point with excellent penetration capacity. This standard hook point is the most widely manufactured in the world. All VMC® hooks beginning with the number "9" have a standard Cut Point, unless otherwise indicated.



DYNACUT™ POINT

Developed for Big Game Fishing The geometry of the Dynacut point allows the hook to easily penetrate the hardest part of the jaw of Big Game species such as marlin, shark and giant tuna, instantly providing a perfect setting of the hook for a safe and clean fight.

| VMC® STEEL |



HI-CARBON
STEEL

Carbon stabilizes iron during temperature changes. The higher the level of carbon, the stronger the steel. VMC® uses premium-quality high carbon steel to give a thinner hook the highest quality point and durability.



VANADIUM®
STEEL

VMC® Vanadium® hooks owe their success to their lightness allied with their incredible resistance : up to 25 % increased strength. VMC® Vanadium® steel is perfect for any finesse-style hooks that require instant penetration.



STAINLESS
STEEL

Reserved for special professional and premium sport hook series, stainless steel is perfect for deep sea fishing, salmon and big fish. Ultimate corrosion resistance requiring no further coating.

| VMC® COATING |

An optimum level of corrosion resistance exists for each individual fishing application. You can depend on VMC® coatings to preserve the unique sharpness, strength, shape and finish of our hooks for as long as you need them to last. The wide range of VMC® coatings offers an efficient solution adapted to every fishing condition.

FRESHWATER



- BK - BLACK
- BL - BLUE
- BZ - BRONZE
- NT - P.T.F.E.

SALTWATER



- BN - BLACK NICKEL
- GO - GOLD
- NI - NICKEL
- RD - RED

EXTREME CONDITIONS



- PS - PERMASTEEL®
- 1000+ HOURS !

These coloured hooks receive a thin layer of unique varnish that covers the hook without affecting the sharpness of its point. The varnish creates a shield on Hi-Carbon and Vanadium® steel by covering the entire hook surface. When fishing in freshwater, these VMC® coatings will preserve hook sharpness, strength and appearance to the highest possible level.

Tin and Tin Red coatings are highly recommended for all saltwater fishing applications, particularly those involving intense friction such as trolling or when in direct contact with stainless steel.

The perfect balance between coating thickness and point sharpness, to ensure optimum hook performance and resistance against corrosion.



Smooth P.T.F.E. coating is now available on a number of VMC® premium models. This technical coating improves hook discretion and increases penetration speed by 50 %.

The Coastal PTFE coating (CT) is 5 times more corrosion resistant than a PTFE. It increases the penetration speed by 50% compare to a classic black nickel coating. This exclusive technology is the result of 3 years intensive researches at the VMC factory in France. The new Coastal Black finish, unique to VMC®, is the ultimate combination of an innovative coating for extreme corrosion resistance and a premium hook finishing process for maximum sharpness.




SALTWATER FINISH
see more details in Livebait part

The original anti-corrosion coating by excellence, exclusive to VMC®.

The Permasteel® secret formula creates a 100 % protective shield for even the most vulnerable areas of the hook, whilst maintaining ultimate point sharpness.

VMC® Permasteel® prevents signs of corrosion in saltwater for over 1000 hours.


END



SHANK



POINT




PROFILE



GAP/BEND

The gap and shape of the hook bend impacts catch-potential and resistance to opening.



FORGING

Forging the hook wire gives improved resistance to opening.

FORGED REGULAR



STRENGTH

1X strong, 2X strong etc. is an indication of wire thickness.



BARB



STEEL

HI-CARBON STEEL VANADIUM® STEEL STAINLESS STEEL





TREBLE / DOUBLE



7552 HYPERKUT LIGHT



Needle Sharp™



Hi-Carbon Steel



Forged




Inline Rotated Ring



Fine Wire



| Excellent for light fishing: perch, trout, zander... | VMC® Needle Sharp™ technology for exceptional sharpness | Also available barbless (7552B)



		▼ Pkg. ▶	Size ▶	14	12	10	8	6	4	2
		Pcs.				8				
BN	Black Nickel									
Reference		•		110635	•	110637	•	104854	•	104853
M.O.Q.		Blister (5)		Blister (7)		Blister (8)		Blister (10)		Blister (10)

7552B HYPERKUT LIGHT BARBLESS



Needle Sharp™



Hi-Carbon Steel



Forged



Barbless




Inline Rotated Ring



Fine Wire



| Excellent for light fishing: perch, trout, zander... | Recommended for catch-and-release fishing



		▼ Pkg. ▶	Size ▶	16	14	12	10	8	6					
		Pcs.				8								
BN	Black Nickel													
Reference		•		148916	•	148915	•	148914	•	127478	•	124281	•	124280
M.O.Q.		Blister (8)												



7547 HYBRID 1X STRONG

NEEDLE SHARP
Needle Sharp™

Hi-Carbon Steel

Forged


Inline Rotated Ring

Short Shank

1X Strong



| Reinforced model with Needle Sharp™ point, perfect for arming lures. | Modern shape designed to increase catch rate. | Also available barbless, see **7547B**.



	Pcs.	Pkg. Size ▶	12	10	8	6	4	2	1	1/0	2/0	3/0	NEW
BN Black Nickel	5	Blister Reference	• 148670	• 104872	• 104871	• 104870	• 104869	• 104868	• 104867	• 148671	• 148672	• 148888	
CB Coastal Black	5		-	-	• 104884	• 104883	• 104882	• 104881	-	-	-	-	

M.O.Q.


Blister (5)

Blister (5)






7547B HYBRID 1X STRONG BARBLESS



EWG

TREBLE HOOKS

| Barbless version of **7547**. | Reinforced model with Needle Sharp™ point, perfect for arming lures. | Modern shape designed to increase catch rate.



Pcs.	▼ Pkg. Size ►	10	8	6	4	2	1	1/0	2/0	NEW 3/0
BN Black Nickel	5 Blister Reference	● 148681	● 148680	● 148679	● 148678	● 127477	● 127476	● 124277	● 124278	● 148887

M.O.Q.

Blister (5) 



7547UV HYBRID UV

NEW



Needle Sharp™



Hi-Carbon Steel



Forged



Curved-in Point



Inline Rotated Ring



Short Shank



1X Strong



UV KRISTAL FLASH


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| The famous **7547** Hybrid in a UV style ! | Boost your lures by adding this UV treble. | Designed to allow super natural swimming action of hardbaits.



Actual size

	Pkg.	Size ▶	8	6	4	2	1
BN Black Nickel	Pcs.	3		2			
Reference		•	•	•	•	•	•



UV Kristal Flash for maximum underwater visibility.

M.O.Q.

Blister (2)

Blister (3)





7548 HYBRID X-SHORT - 1X STRONG

NEEDLE SHARP™
Needle Sharp™

Hi-Carbon Steel

Forged

Inline Rotated Ring


X Short Shank

1X Strong

Curved-in Point



| Extra-short version of **7547** to arm crankbaits and all lures requiring a short shank hook to avoid tangling | Extra wide gap | Also available barbless, see **7548B**



Actual size

	Pcs.	▼ Pkg. Size ►	12	10	8	6	4	2	1
BN Black Nickel	5	Blister Reference	•	•	•	•	•	•	•

M.O.Q.

Blister (5)

7548BD BLADED HYBRID



NEEDLE SHARP™
Needle Sharp™

Hi-Carbon Steel

Forged


Inline Rotated Ring

X Short Shank

1X Strong



| Take a bait that is already good and make it better | This new VMC® APPROVED concept is a swivel and blade combination securely nested and enclosed on a **7548** Series treble with a powerful epoxy resin



Actual size



	Pcs.	▼ Pkg. Size ►	NEW	NEW	8	6	4	2
			12	10				
BN Black Nickel	2	Blister Reference	-	-	•	•	•	•
	3		•	•	122742	122741	122740	122739

M.O.Q.

Blister (2)

Blister (3)





7554 HYPERKUT 2X-STRONG



Needle Sharp™



Hi-Carbon Steel



Forged



2X Strong



Inline Rotated Ring

SHARPNESS

CORROSION

BLACK NICKEL BN

COASTAL BLACK CB

STRENGTH


STRENGTH

STRENGTH

STRENGTH

STRENGTH

| Built with VMC®'s latest extra-sharp ground Needle Point | Inline Treble hook for perfect balance | Also available barbless (see **7554B**) & in Stinger version (see **7554W**)



	Pcs.	Pkg. Size ▶	12	10	8	6	4	2	1	1/0	2/0
BN Black Nickel	5	Blister Reference	• 148693	• 104848	• 104847	• 104846	• 104845	• 104844	• 104843	• 104849	• 104850
CB Coastal Black	5		-	-	-	• 110641	• 110640	• 110639	• 110638	• 110642	• 110643

M.O.Q

Blister (5)




7554B HYPERKUT 2X-STRONG BARBLESS

SHARPNESS
CORROSION
BLACK NICKEL BN

STRENGTH



| Built with VMC®'s latest extra-sharp ground Needle Sharp™ point | Inline treble hook for perfect balance



Actual size

	Pcs.	▼ Pkg. ▶	Size ▶	8	6	4	2
BN	5	Blister Reference		•	•	•	•
Black Nickel				148692	148691	148690	148689

M.O.Q.


Blister (5)

7556 HYPERKUT 3X-STRONG

SHARPNESS
CORROSION
BLACK NICKEL BN
COASTAL BLACK CB

STRENGTH

| High-end Needle Sharp™ point. | For large predator fishing. | Ideal for catfish and light tropical species.



Actual size

	Pcs.	▼ Pkg. ▶	Size ▶	6	4	2	1
BN	5	Blister Reference		•	•	•	•
Black Nickel				115792	115791	104856	104855

M.O.Q.

Blister (5)



7560 HYPERKUT TROPIC 6X-STRONG

NEEDLE SHARP™
Needle Sharp™

Hi-Carbon Steel


Forged

Inline Rotated Ring

6X
6X Strong



| A popular choice for tropical species and specimen catfish | High-end Needle Sharp™ point with incredible resistance to opening | A premium choice for arming big poppers, stickbait and rigs



		▼ Pkg.	Size ▶	1/0	2/0	3/0	4/0	5/0	
		Pcs.		5					
BN Black Nickel	Reference		•		•	•	•	•	
		115807		115808	115809	149020	149021		
		Pcs.	25					-	
CB Coastal Black	Reference		•		•	•	-	-	
		119956		119957	119958				

M.O.Q.

Blister (25)

Blister (5)



7557 KAPTAIN® 3X

NEW



Vanadium® Steel



Forged




Technical Locking Curve



3X Strong

| Vanadium® Wire, Technical Locking Curve shape and Coastal PTFE coating: only the best for the Kaptain® 3X! | What a beautiful hook to equip your favorite hard baits. | Tested and approved on the most formidable fish such as aimara and snakehead. | This Technical Locking Curve shape will keep your fish secured in the shank of the hook. | The Coastal PTFE coating, a VMC® exclusive technology, increases the penetration speed by 50%. | Take the hook in your hand to feel the difference!



Pcs.	▼ Pkg. Size ►	8	6	4	2	1	1/0	2/0
CT Coastal PTFE	5 Blister Reference	● 148892	● 148891	● 142567	● 148890	● 142568	● 148889	● 142569



VIDEO



VIDEO






7557B KAPTAİN® 3X BARBLESS



| Barbless version of the Kaptain® 3X. | Catch and Release your dream.



	Pcs.	Pkg.	Size ▶	8	6	4	2	1	1/0	2/0	3/0
CT	5	Blister Reference		•	•	•	•	•	•	•	•
		142574	142573	142572	142571	142570	142575	142576	104866		

M.O.Q.

Blister (5)





9649 ROUND TREBLE



Cut Point



Hi-Carbon Steel



Ringed



SHARPNESS

CORROSION

BRONZE BZ

STRENGTH

For arming spoons and lures | A very popular model for trout and predator fishing



Actual size

	Pcs.	Pkg. ▶	14	12	10	8	6	4	2	1	1/0	2/0
BZ Bronze	5	Blister Reference	-	-	-	-	-	-	-	-	• 148810	• 148812
	10		• 111922	• 111923	• 111924	• 111925	• 111926	• 111927	• 111928	• 111929	-	-
	100	Box Reference	-	-	• 148809	• 148808	• 148807	• 148806	• 148805	• 148804	-	• 148811

M.O.Q.

Blister (10)

Blister (100)

Box (100)

Blister (5)

I STANDARD WIRE I

TREBLE HOOKS



9607 O'SHAUGHNESSY CLIP-IN™ TREBLE



Cut Point



Hi-Carbon Steel



Open Shank

SHARPNESS

CORROSION


BRONZE BZ

STRENGTH

| Suitable for dead-bait rigs | Open shank for easy assembly | Ideal for perch, zander and pike

	Pcs.	▼ Pkg. Size ►	1
BZ Bronze	10	Blister Reference	• 119551

M.O.Q. Blister (10)



Actual size

8540 VANADIUM® ROUND TREBLE



Cone Cut®



Vanadium® Steel



Forged



Ringed

SHARPNESS


CORROSION

BLACK NICKEL BN

RED RD

STRENGTH

| Premium treble hook with high-quality Vanadium® steel | Excellent penetration and resistance to opening | A popular choice for fishing all predator species



Actual size

	Pcs.	▼ Pkg. Size ►	10	8	6	4	2	1	1/0
BN Black Nickel	5		-	-	-	-	-	-	• 104695
RD Red	5		-	-	-	-	-	-	• 104702
BN Black Nickel	10	Blister	104694	104693	104692	104691	104690	104689	
RD Red	10	Blister	104701	104700	104699	104698	104697	104696	

M.O.Q.

Blister (10)

Blister (100)

Blister (5)



8650 X-STRONG ROUND TREBLE



Cone Cut®



Hi-Carbon Steel



Ringed



1X Strong

SHARPNESS


CORROSION

BRONZE BZ

PERMASTEEL® PS

STRENGTH

| Reinforced treble hook. Excellent penetration | Perfect for large perch, trout and black-bass | Very strong and sharp chemically sharpened point



	Pcs.	▼ Pkg. Size ►	10	8	6	4	2	1	1/0	2/0	3/0	4/0	5/0
BZ Bronze	5	Blister Reference	-	-	-	-	-	-	• 104780	• 104781	• 104782	-	-
	10		• 104788	• 104787	• 104786	• 104785	• 104784	• 104783	-	-	-	-	-
PS Permasteel®	5	Box Reference	-	-	-	-	-	-	• 104652	• 104653	• 104654	• 127489	• 127488
	10		-	• 129218	• 129217	• 104656	• 127490	• 104655	-	-	-	-	-
	100	Box Reference	-	-	-	-	-	-	-	• 104663	-	-	-

M.O.Q.

Blister (10)

Box (100)

Blister (5)



9617 O'SHAUGHNESSY TREBLE



Cone Cut®



Hi-Carbon Steel



1X Strong

SHARPNESS

CORROSION

BRONZE BZ

COASTAL BLACK CB


PERMASTEEL® PS

STRENGTH



| The most popular hook in Europe for making rigs | A large range of sizes for a multitude of applications | An excellent all-purpose hook.

| 1X STRONG |

TREBLE HOOKS | 



Actual size



	Pcs.	▼ Pkg. Size ►	16	14	12	10	8	6	4	2	1
BZ Bronze	10	Blister Reference	• 120972	• 120973	• 104678	• 104677	• 104676	• 104674	• 104672	• 104670	• 104669

	Pcs.	▼ Pkg. Size ►	1/0	2/0	3/0	4/0	5/0	6/0	7/0	8/0
BZ Bronze	5	Blister Reference	• 104668	• 127491	-	-	-	-	-	-
CB Coastal Black	5		• 104864	• 104865	• 104866	-	-	-	-	-
CB Coastal Black	25		• 119956	• 119957	• 119958	-	-	-	-	-
PS PermaSteel®	5		• 120969	• 120970	• 120971	• 104821	• 104822	• 104823	• 104824	• 104825
PS PermaSteel®	100	Box Reference	-	-	• 104722	-	• 104723	-	• 104724	-

M.O.Q.

Blister (10) 

Box (100) 

Box (100) 

Blister (25) 

Blister (5) 

4551 RAPALA PIKE SERIES

Cut Point



Hi-Carbon Steel



Forged



Ringed



X Short Shank



1X Strong




| THE hook dedicated to the Rapala Pike Series (Peto, Super Shadow Rap, Scoop) | Chemical sharpening for a faster penetration | The perfect shape to equip lures | Coastal Black coating ideal for brackish water

Actual size

CB Coastal Black	Pcs.	▼ Pkg. Size ►	1/0	2/0	3/0
	5	Blister Reference	•	•	•
	25		104864	104865	104866

M.O.Q. Blister (25)

Blister (5)

**9651 X-SHORT X-STRONG ROUND TREBLE**

Cut Point



Hi-Carbon Steel



Ringed



X Short Shank




1X Strong



| A short and strong hook | Designed for heavy lure fishing | A very popular model with US and Japanese anglers

Actual size



BN Black Nickel	Pcs.	▼ Pkg. Size ►	16	14	12	10	8	6	4	2
	10	Blister Reference	•	•	•	•	•	•	•	•

M.O.Q. Blister (10)

**9619 O'SHAUGHNESSY 2X-LONG TREBLE**

Cut Point



Hi-Carbon Steel



Ringed



2X Long Shank



Fine Wire



| Designed for fly fisherman wanting to tie their own flies | A popular choice among Northern European anglers | A long and sharp hook with very fine wire

BZ Bronze	Pcs.	▼ Pkg. Size ►	14	12
	100	Blister Reference	•	•

M.O.Q. Blister (100)



Actual size

9626 O'SHAUGHNESSY 3X-STRONG X-SHORT TREBLE


Cut Point



Hi-Carbon Steel



2X Strong




Ringed



Short Shank

SHARPNESS					STRENGTH				
CORROSION									
PERMASTEEL® PS									

| A classic hook for tough species | The bigger sizes are popular for saltwater fishing | Short shank to avoid hook tangling



PS PermaSteel®	Pcs.	▼ Pkg. Size ►	8	6	4	2	1	1/0	2/0	3/0	4/0	5/0
	5	Blister Reference	-	-	-	-	-	•	•	•	•	•
			10	•	•	•	•	•	148982	148983	148984	148985
M.O.Q.		Blister (10) 		Blister (5) 								

2908 DOUBLE CATCH



Cut Point



Hi-Carbon Steel



1X Strong


SHARPNESS

CORROSION

BRONZE BZ

STRENGTH

| When predators are hard to catch and won't really bite on the lure, it is important to attach a lucky hook on your soft lure. | The Double Catch will allow you to increase the amount of catches during the days when fishes are particularly picky. | The ultimate weapon!



Actual size

	Pcs.	▼ Pkg. Size ►	6	4	2
BZ Bronze	5	Blister Reference	• 148880	• 148879	• 148878

M.O.Q.

Blister (5)

9902 DOUBLE RYDER



Cut Point



Hi-Carbon Steel



Ringed


SHARPNESS

CORROSION

BRONZE BZ

STRENGTH

| Ideal for pike fishing | A popular choice for live bait rigs | The big hook should be mounted on the dorsal fin



Actual size

	Pcs.	▼ Pkg. Size ►	6	4	3	2	1	1/0	2/0	3/0	
BZ Bronze		Reference	• 148850	• 148849	• 148848	• 148847	• 148846	• 148851	• 104529	• 104530	

M.O.Q.

Blister (10)

Blister (5)



9908 DOUBLE LIMERICK 90°



Cut Point



Hi-Carbon Steel



Open Shank


SHARPNESS

CORROSION

BRONZE BZ

STRENGTH

| A classic hook for tying rigs | Two 90° branches | Ideal for dead-bait fishing



	▼ Pkg.	Size ▶	8	6	4	3	2	1	1/0	2/0	
BZ Bronze	Pcs.				10					5	
Reference	•	148842	•	148841	•	148840	•	148845	•	148839	•

M.O.Q.

Blister (10)

Blister (5)







LURE SINGLE



7236 SINGLE FOR SPOON
NEEDLE SHARP
Needle Sharp™

Vanadium® Steel
Forged
Ringed


| Designed for arming lures: wobblers, spoons, etc. | High-end Needle Sharp™ point and Barbarian® shape | Have been especially designed for seatrout fishing with lures




Actual size

CB Coastal Black	▼ Pkg. Size ►			
	Pcs.	1	1/0	
	Reference	9	8	
M.O.Q.	Bag (8)	10	Bag (9)	10

7237 LIGHT INLINE
NEEDLE SHARP
Needle Sharp™

Hi-Carbon Steel
Extra Wide Gap
Large Eye


| Versatile inline single hook to use in place of a treble hook on lures | Extra wide gap to improve catch rate | Built with new VMC® Needle Sharp™ technology



Actual size

BN Black Nickel	▼ Pkg. Size ►																	
	Pcs.	10	8	6	4	2	1	1/0	2/0	3/0								
	Reference	•	148912	•	148911	•	104805	•	104804	•	104803	•	104802	•	104801	•	104798	•
M.O.Q.	Bag (3)	10	Bag (4)	10	Bag (7)	10												

I INLINE HOOKS I

LURE SINGLE

7237B LIGHT INLINE BARBLESS



Needle Sharp™



Hi-Carbon Steel



Barbless



Extra Wide Gap



Large Eye



1X Strong

SHARPNESS


STRENGTH

CORROSION

BLACK NICKEL BN



| Barbless version of 7237 inline single hook | Recommended for catch-and-release fishing | Light model for small / delicate predator species



Actual size

▼ Pkg. ▶		10	8	6	4	2	1/0
BN Black Nickel	Pcs.	10	8		7		4
	Reference	•	•	•	•	•	•

M.O.Q. Bag (10) Bag (4) Bag (7) Bag (8)



I INLINE HOOKS I

7234 MANGROVE INLINE



Needle Sharp™



Vanadium® Steel



Micro-Barb



Extra Wide Gap



Technical Locking Curve




3X Strong

SHARPNESS



STRENGTH

CORROSION




COASTAL PTFE CT



LURE SINGLE

| The Mangrove Inline hook has been designed to equip hardbaits from 60 to 120mm. | Features: Coastal PTFE coating: 50% increased penetration speed and 5 times more corrosion resistant than a standard PTFE ! | Super Long Needle Sharp™ Point | Micro Barb | Vanadium® Wire | Technical Locking Curve (TLC) shape to lock fish in place and for a better hooking rate



	▼ Pkg. Size ►	6	4	2	1	1/0	2/0	3/0	4/0
CT	Pcs.	12		10		8		6	
tab_prices	Reference	• 136081	• 136080	• 136079	• 136078	• 136082	• 136017	• 136018	• 136019



VIDÉO



IN SESSION

M.O.Q.

Bag (10)

Bag (12)

Bag (6)

Bag (8)



7239 SINGLE SPINNER

Needle Sharp™



Hi-Carbon Steel



Forged



Wide Gap



Large Eye



Long Shank



Fine Wire

SHARPNESS




STRENGTH



CORROSION

BLACK NICKEL BN

| Single hook specially designed for arming spinners, spoons, pilkers... | Perfect for replacing trebles where forbidden and for catch-and-release fishing | Exclusive VMC® shape



	Pkg.	Size ▶	6	4	2
BN Black Nickel	Pcs.	10		8	
Reference		•	148993	•	148992

M.O.Q.

Bag (10)

Bag (8)

7239O SPINNER BARBLESS OPEN RING

Needle Sharp™



Hi-Carbon Steel



Forged



Barbless



Wide Gap



Long Shank



Fine Wire

SHARPNESS




STRENGTH



CORROSION

BLACK NICKEL BN

| Barbless version of model 7239 with open ring to easily assemble the hook on the lure with pliers | Single hook specially designed for arming spinners, spoons, pilkers... | Perfect for replacing trebles where forbidden and for catch-and-release fishing



	Pkg.	Size ▶	6	4	2
BN Black Nickel	Pcs.	10		8	
Reference		•	148798	•	148797

M.O.Q.

Bag (10)

Bag (8)



7266 SPECIMEN INLINE

NEEDLE SHARP™

Hi-Carbon Steel

Forged

**EWG
Extra Wide Gap**



Large Eye

SHARPNESS ████ ████ ████ ████ ████ **STRENGTH** ████ ████ ████ ████


CORROSION

TIN Ti

VMC

LURE SINGLE

| Single hook to use in place of a treble hook on lures | Increasingly popular trend for saltwater specimen fishing | Extra wide gap - improves catch rate



	▼ Pkg.	Size ►	1/0	2/0	3/0	4/0	5/0	6/0	7/0
	Pcs.	7	6	5	4	3			
Ti Tin	Reference	•	•	•	•	•	•	•	
	148898	135128	127495	148899	127494	127493	127492		

M.O.Q.

Bag [3]

Bag [4]

Bag [5]

Bag [6]

Bag [7]



7117AH LIGHT JIGGING ASSIST HOOK



Needle Sharp™



Hi-Carbon Steel



Forged



Extra Wide Gap



Fluorocarbon



UV KRYSTAL FLASH

SHARPNESS



STRENGTH


CORROSION



TIN Ti



| Ready to use 2-hook assist rig for modern light jigging / slow pitch | Extremely sharp points for easy penetration, essential for slow jigging when hits occur as the jig is falling | Technical locking curve reduces chances of the hook opening up when hooked on to big fish | Featuring assist line with fluorocarbon core to minimize tangling | UV Krystal Flash for maximum visibility optimizing the strike rate during jigging



UV KRYSTAL FLASH
for maximum underwater visibility.



Featuring assist line with fluorocarbon core to minimize line tangling.

	Pkg.	Size ▶	3/0	4/0	5/0
Ti Tin	Pcs.	3	2		
Reference		• 148994	• 148794	• 148995	
M.O.Q.	Bog (2)	10	Bog (3)	10	

I SOFT PLASTIC HOOKS I

7130NE DROP LOK



NEEDLE SHARP™
Needle Sharp™

Vanadium® Steel

Forged


Long Point

TLC
Technical Locking Curve

Ultra Light



| Technical Locking Curve dropshot hook features a premium PTFE coating and a resin keeper that will keep your softbait in a perfect position in nose hooking or through the body. | The SuperLong Needle Sharp™ and the micro barb will ensure a perfect penetration. | PTFE coating | Technical Locking Curve | SuperLong Needle Sharp™ | Exclusive Resin Keeper



Actual size

	Pcs.	▼ Pkg. Size ►	4	2	1	1/0
NT PTFE	10	Bag Reference	• 136023	• 136022	• 136021	• 136020

M.O.Q.

Bag (10)



7130SH SPINSHOT® LOK

NEEDLE SHARP™
Needle Sharp™

Vanadium® Steel

Forged


Long Point

TLC
Technical Locking Curve

Spinshot® Swivel System



| It Features the SuperLong Needle Sharp™ point and a micro resin keeper. | The PTFE coating covers the entire system for an absolute spinning rotation. | The integrated swivel eliminates line twist. | Full system PTFE coated! | Technical Locking Curve | Exclusive Resin Keeper



Actual size

	Pcs.	▼ Pkg. Size ►	4	2	1	1/0
NT PTFE	5	Bag Reference	• 136027	• 136026	• 136025	• 136024

M.O.Q.

Bag (5)



Vidéo



Tuto

I SOFT PLASTIC HOOKS I

LURE SINGLE

7119 DROP SHOT



Spark Point®



Vanadium® Steel



Forged



Technical Locking Curve



Turned-Up Eye



Fine Wire


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Premium Spark Point® hook for extreme sharpness | Ultra-light[®] to ensure optimal lure swimming action | Barbarian® bend for increased resistance to opening
| Ideal with the VMC® Drop-Shot Sinker (D301)



	Pcs.	▼ Pkg. Size ►	8	6	4	2	1	1/0	2/0
BN Black Nickel	5	Bag Reference	-	•	112001	•	148856	•	104777
	10		•	•	148858	•	148857	•	148853

M.O.Q.

Bag (10)

Bag (5)

7119SH SPINSHOT® DROPSHOT



Spark Point®



Vanadium® Steel



Forged



Technical Locking Curve



Spinshot® Swivel System



Fine Wire


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Ultra-light and resistant spinning system combining the VMC® 7119 premium drop shot hook with a built-in swivel: | Natural lure presentation | Eliminates line twist (full 360° rotation)



	▼ Pkg. Size ►	8	6	4	2	1	1/0
	Pcs.	5					4
BN Black Nickel	Reference	•	•	•	•	•	•

M.O.Q.

Blister (4)

Blister (5)

I SOFT PLASTIC HOOKS I

7230NE CHEBOO® LOK



NEEDLE SHARP™
Needle Sharp™

Vanadium® Steel

Forged

Micro-Barb

TLC
Technical Locking Curve

Large Eye

SHARPNESS ████ Strength

CORROSION


PTFE NT

VMC

LURE SINGLE

| This hook developed for the Cheburashka technique features an Extra Large Eye to optimize the swimming action of your favorite softbait. | The PTFE coating, the Micro Barb and the Super Long Needle Sharp™ point give an absolute penetration power. | The Fluorocarbon Resin Keeper will keep your softplastic in the perfect position even after a few bites. | This exclusive VMC® Keeper extends the life of the softest lures as it avoids any damage on your equipment. | All the best technologies in one hook!

Coating PTFE



Actual size

	▼ Pkg. ▶	Size ▶	8	6	4	2	1	1/0	2/0	NEW 3/0	NEW 4/0
NT PIPE	Pcs.										
tab_prices Reference		•	•	•	•	•	•	•	•	•	•
		137372	137373	137374	137375	137376	137377	137378	142577	142578	




M.O.Q.

Bag (3)

Bag (4)

Bag (5)



I SOFT PLASTIC HOOKS I

LURE SINGLE

7318NE OFFSET CHEBOO®



Needle Sharp™



Vanadium® Steel



Forged



Micro-Barb



2X Strong



Extra Wide Gap




Large Eye

SHARPNESS



STRENGTH


CORROSION




PTFE NT



| The Texas version of the ChebOo® Lok to fish in heavy cover! | Developed for the Cheburashka technique, it features an Extra Large Eye to optimize the swimming action of your favorite softbait. | The PTFE coating, the Micro Barb and the SuperLong Needle Sharp™ point give an absolute penetration power. | The Resin Keeper will keep your softplastic in the perfect position even after a few bites! | Use it with the Cheboo® Weight for the perfect weedless Cheburashka Rig. | Dedicated Cheburashka hook for Pikes, perch and zanders | Resin Keeper | Extra Large eye | PTFE Coating | MicroBarb | Super Long Needle Sharp™ Point | Wide Gap



Actual size



	Pkg.	Size ▶	4	2	1	1/0	2/0	3/0	4/0	5/0
NT PTFE	Pcs.		6			5			4	
tab_prices Reference			•	•	•	•	•	•	•	•
			137364	137365	137366	137367	137368	137369	137370	137371
M.O.Q.			Bag (4)	Bag (5)	Bag (6)					



VIDEO



TUTO

I SOFT PLASTIC HOOKS I

7315ST FINESS SWIMBAIT



NEEDLE SHARP™
Needle Sharp™

Vanadium® Steel

Forged

Micro-Barb

WG
Wide Gap

Light
Fine Wire

SHARPNESS ■ ■ ■ ■ ■ STRENGTH ■ ■ ■ ■ ■

CORROSION ■ ■ ■ ■ ■


PTFE NT ■ ■ ■ ■ ■

VMC

LURE SINGLE

| Needle Sharp™ Super Long Point | PTFE Coating for high hooking performance | Easy to rig thanks to lure keeper | Ideal for perch, bass, zander

Coating PTFE



Actual size

	▼ Pkg. ▶	Size ▶	2	1	1/0	2/0	3/0	4/0
NT PTFE	Pcs.		6		5		4	3
tab prices	Reference		•	•	•	•	•	•

M.O.Q.

Blister (3)

Blister (4)

Blister (5)

Blister (6)




VIDÉO




7315SL WEIGHTED FINESS SWIMBAIT


PIQUANT	[■]	[■]	[■]	[■]	[■]	RÉSISTANCE	[■]	[■]	[■]	[■]
CORROSION	[■]	[■]	[■]	[■]	[■]		[■]	[■]	[■]	[■]
PTFE NT	[■]	[■]	[■]	[■]	[■]		[■]	[■]	[■]	[■]

| A Finess Swimbait hook with spring for a perfect presentation of your soft plastics | This Finess Swimbait features a PTFE coating for 50% increased speed penetration | Micro Barb to optimize hook penetration | Weight indication on the lead | Micro Spring especially developed to fit softbaits 2» and 3» (sizes 2, 1, 1/0)



	▼ Pkg.	Size ►	2	1	1/0	2/0	3/0	4/0	
NT	Pcs.		4			3			
PTFE	Reference		•	•	•	•	•	•	
		126219	126220	126221	126222	126223	126224		

M.O.Q.

Bag (3)

Bag (4)



VIDÉO



I SOFT PLASTIC HOOKS I



7346SB HEAVY DUTY SWIMBAIT

NEEDLE SHARP™
Needle Sharp™

Hi-Carbon Steel

EWG
Extra Wide Gap


Tapered Locking Spring

3X
3X Strong



LURE SINGLE

| Tapered locking spring securely holds the bait in place after cast. | Easy to add or remove bait without damage.



▼ Pkg. Size ►		3/0	4/0	5/0	6/0	7/0	9/0	11/0	13/0
BN Black Nickel	Pcs.	4				3	2	1	
	Reference	• 104904	• 104905	• 104906	• 148800	• 112018	• 104907	• 104908	• 104909

M.O.Q.

Bag (1)

Bag (2)

Bag (3)

Blister (4)

I SOFT PLASTIC HOOKS I



LURE SINGLE

7346SL

HEAVY DUTY FIXED WEIGHT SWIMBAIT



Needle Sharp™



Hi-Carbon Steel



Forged



Extra Wide Gap

SHARPNESS

STRENGTH

CORROSION

STRENGTH

BLACK NICKEL BN




Tapered Locking Spring



3X Strong

| Hook dedicated to big fish in heavy cover situation | 2 sizes addition to the famous series dedicated to the best seller softbaits : 9 – 12cm | Strength and sharpness of the 7346 hook | Optimal Hook size/weight



Pkg.	Size	5/0	7/0	9/0			11/0			13/0			
Weight	7g	14g	7g	14g	21g	7g	14g	21g	7g	14g	21g		
BN	Pcs.	2						1					
Black Nickel	Reference	•	126225	•	126226	•	104891	•	104894	•	104888	•	104889

M.O.Q.

Bag (1)
⑥

Bag (2)
⑤

Bag (2)
⑥

I SOFT PLASTIC HOOKS I

7346WT HEAVY DUTY WEIGHTED SWIMBAIT



Needle Sharp™



Hi-Carbon Steel



Extra Wide Gap



Tapered Locking Spring



3X Strong




Twist N Slide Weight

SHARPNESS



STRENGTH

CORROSION




BLACK NICKEL BN



LURE SINGLE

| Adjust the weight position on the shank to achieve different swimming actions. | Tapered locking spring securely holds the bait in place after cast. | Easy to add or remove bait without damage.



Pkg.	Size	3/0	4/0	5/0	6/0	7/0
Weight	3,5g (1/8 oz)	3,5g (1/8 oz)	5g (3/16 oz)	7g (1/4 oz)	5g (3/16 oz)	7g (1/4 oz)
BN	Black Nickel					
Pcs.				4		
Reference	104910	104911	104912	148802	148801	104913
						148803

M.O.Q.

Blister (4)



I SOFT PLASTIC HOOKS I

LURE SINGLE

7346BS BLADED SWIMBAIT



Needle Sharp™



Hi-Carbon Steel



Forged



Wide Gap



3X Strong


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Heavy-duty wide gap forged hook for maximum strength | Stainless steel 2.5" dropper arm for customized rigging | 3° offset point for increased hooking rate
| Easy way to rig it with the lure keeper



I SOFT PLASTIC HOOKS I



LURE SINGLE

7310 TEXAN SUPER LIGHT



Spark Point®



Vanadium® Steel



Forged



Extra Wide Gap



Ringed



Fine Wire



Z Lock Bend


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| One of the lightest worm hooks on the market | Extra wide gap to make rigging soft plastic lures easier | Premium Vanadium® steel and ultra-sharp Spark Point®



Actual size

	Pcs.	▼ Pkg. Size ►	6	4	2	1	1/0	2/0	3/0
BN Black Nickel	5	Bag Reference	• 104809	• 104808	• 104807	• 104806	• 104810	• 104811	• 104812

M.O.Q.

Bag (5)

7342WG WIDE GAP



Needle Sharp™



Hi-Carbon Steel



3° Offset Point



Resin Closed Eye™


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Designed for all light to medium weight lines. | Perfect for Texas and Carolina rigs.



Actual size

	▼ Pkg. Size ►	1/0	2/0
BN Black Nickel	Pcs.	6	

Reference 104796 104797

M.O.Q.

Blister (6)

7348 SPECIMEN WIDE GAP


NEEDLE SHARP™
Needle Sharp™

Hi-Carbon Steel
Forged
4X Strong


Ringed



Z Lock Bend


SHARPNESS

STRENGTH

CORROSION

BLACK NICKEL BN

| 4X Strong offset hook for specimen hunting with big lures | Specimen pikes, catfish, cod



	Pkg.	Size ▶	7/0	10/0
BN Black Nickel	Pcs.		4	2
	Reference		• 104813	• 104815

M.O.Q.

Bag (2)

Bag (4)

I SOFT PLASTIC HOOKS I

7348TK TOKYO RIG



Needle Sharp™



Hi-Carbon Steel



Forged



4X Strong



3° Offset Point



Wide Gap

SHARPNESS

CORROSION


BLACK NICKEL BN

STRENGTH

| Heavy-duty wide gap forged hook for maximum strength | Stainless steel 2.5" dropper arm for customized rigging | 3° offset point for increased hooking rate



LURE SINGLE



	Pkg.	Size ▶	2/0	3/0	4/0	5/0
BN Black Nickel	Pcs.	2				
Reference		•	•	•	•	•
		122971	122972	122973	122974	

M.O.Q.

Bag [2]



VIDÉO

I SOFT PLASTIC HOOKS I

LURE SINGLE

7342TK TOKYO RIG LIGHT



Needle Sharp™



Hi-Carbon Steel




Forged



Extra Wide Gap

SHARPNESS



STRENGTH

CORROSION




BLACK NICKEL BN



1X Strong

| The famous Tokyo Rig is now available in LIGHT version. This version allows the angler to use smaller softplastics | Get strikes, fish when fishing pressure is high | Needle Sharp™ point for optimal penetration | Ideal for perch, zander, bass | Ideal for fishing in heavy cover conditions (structures, woods, lilipads...)



Pcs.	▼ Pkg. Size ►	1/0	2/0	3/0	4/0	5/0	
BN Black Nickel	2	Bag Reference	• 126594	• 126595	• 126596	• 126597	• 126598

M.O.Q.
Bag (2)



VIDÉO



IN SESSION

I SOFT PLASTIC HOOKS I

7316 TEXAN 1X STRONG WIDE GAP



Needle Cone™



Vanadium® Steel



Forged



Extra Wide Gap



Ringed



1X Strong



Z Lock Bend

SHARPNESS

CORROSION


BLACK NICKEL BN

STRENGTH



LURE SINGLE

| Forged worm hook with a ring | An extremely versatile model | Ideal with slugs, worms, finesse lures and creature baits



	Pcs.	▼ Pkg. Size ►	1	1/0	2/0	3/0	4/0	5/0
BN Black Nickel	5	Bag Reference	• 148683	• 104681	• 104682	• 104683	• 104684	• 104685
	10	Blister Reference	• 148682	• 148684	• 148685	• 148686	• 148687	• 148688

M.O.Q.

Blister (10) Bag (5)

I SOFT PLASTIC HOOKS I

LURE SINGLE

7316LD LEADED TEXAN



Needle Cone™



Vanadium® Steel



Forged



Extra Wide Gap



Ringed



1X Strong



Z Lock Bend


SHARPNESS

STRENGTH

CORROSION

BLACK NICKEL BN

| 7316 worm hook with leaded shank | Extremely sharp Needle Cone™ point



Actual size

Pkg.	Size ▶	2/0	3/0	4/0	5/0
Weight		0,8g	1g	1,5g	2,2g
BN	Pcs.	5			
Reference	•	104643	•	104644	•

M.O.Q.

Bag (5)



I SOFT PLASTIC HOOKS I

7329DD DROP DEAD WEIGHTED



Needle Sharp™



Hi-Carbon Steel



2X Strong



Extra Wide Gap



Tapered Locking Spring

SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH




| A new wide gap hook designed for Finesse-style Texas Rigs, with a weighted shank for fluttering action. | With a tapered locking spring to securely hold the bait in place after cast and a long shank to reduce short bites.

▼ Pkg. Size ►	3/0	4/0	5/0
Weight	2g	2.7g	3.5g
Pcs.	4		
Reference	104898	104899	104900

M.O.Q.

Blister (4)



7344WK WACKY



Needle Sharp™



Hi-Carbon Steel



Extra Wide Gap



Resin Closed Eye™



1X Strong

SHARPNESS


CORROSION

BLACK NICKEL BN

STRENGTH



| Wider bite area plus round shape for easy wacky worm rigging.



▼ Pkg. Size ►	2	1	1/0
Pcs.	6		
Reference	104861	104860	104863

M.O.Q.

Blister (6)

I SOFT PLASTIC HOOKS I


LURE SINGLE

7198 NEKO



| Versatile use for modern Neko technique and live baiting for freshwater predators (zander, perch,...)

▼ Pkg. Size ►		4	2	1	1/0
BN Black Nickel	Pcs.	10			9
	Reference	•	148959	•	148958
M.O.Q.			Bag (10) [6]	Bag (9) [6]	




Actual size

7258TL TRAILER



| Eliminates short bites on spinner and buzz baits. | Pre-assembled surgical tubing.



Actual size

▼ Pkg. Size ►		1/0	2/0	3/0	4/0
BN Black Nickel	Pcs.	6			
	Reference	•	104916	•	104917
M.O.Q.			Blister (6) [6]		

I SOFT PLASTIC HOOKS I

7547F FINESS FLUORO STINGER



Needle Sharp™



Hi-Carbon Steel



Forged



Inline Rotated Ring



Short Shank



1X Strong


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Typical zander stinger dedicated to finesse fishing | Two different ways of rigging it: on the back of the softbait or through the softbait



TUTO

Reference	Size	Diameter	Length:	M.O.Q.	10
148673	10	35/100	54mm		
148674	8	40/100	75mm		
148675	6	40/100	95mm		

7554W WIRE STINGER



Needle Sharp™



Hi-Carbon Steel



Forged



2X Strong



Inline Rotated Ring


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Typical pike stinger that can be positioned in two different ways: on the back of the softbait or through the softbait



TUTO

Reference	Size	Strength	Length	M.O.Q.	10
119837	8	7 kg	54 mm		
119838	8		75 mm		
119839	6		90 mm		
119840	2	12 kg	110 mm		
119841	1		140 mm		

PIKE RIG LIGHT



Forged



EWG
Extra Wide Gap

SHARPNESS

CORROSION

COASTAL BLACK CB


STRENGTH



| A premium 1X strong hook (size 2/0) dedicated to PIKE fishing. The gap, length and shape are especially designed to FIGHT pikes. | Tested & Approved for years on many Rapala lures such as Peto or Haku. | This Rig features a premium heavy duty split ring, a 49 wire strands (60Lb) for optimal flexibility during the fight and an exclusive spikepin (designed by VMC) to firmly fix the rig into the softplastic! | The entire system is connected to a high quality swivel for an ultimate 360° rotation to avoid leverage during the fight. | High quality hooks and high quality rig mean more fish in your net, and so, much more fun. | The pack includes: 3 weights: 5, 10, 15g (2 matte black, 1 Firetiger) + one additional screw (size L). | Ideal for 6"-8" (16cm to 25cm) softplastics.



VIDEO



PIKE RIG HEAVY



Forged



EWG
Extra Wide Gap

SHARPNESS

CORROSION

COASTAL BLACK CB


STRENGTH



| A premium 1X strong hook (size 2/0) dedicated to PIKE fishing. The gap, length and shape are especially designed to FIGHT pikes. | Tested & Approved for years on many Rapala® lures such as Peto or Haku. | This Rig features a premium heavy duty split ring, a 49 wire strands (60Lb) for optimal flexibility during the fight and an exclusive spikepin (designed by VMC®) to firmly fix the rig into the softplastic! | The entire system is connected to a high quality swivel for an ultimate 360° rotation to avoid leverage during the fight. | High quality hooks and high quality rig mean more fish in your net, and so, much more fun. | The pack includes: 3 weights: 15, 20, 25g (2 matte black, 1 Firetiger) + one additional screw (size L) | Ideal for 6"-8" (16cm à 25cm) softplastics.



VIDEO



PIKE RIG STINGER




Forged

Extra Wide Gap



| A premium 1X strong hook (size 2/0) dedicated to PIKE fishing. The gap, length and shape are especially designed to FIGHT pikes. | Tested & Approved for years on many Rapala® lures such as Peto or Haku. | This Rig features a premium heavy duty split ring, a 49 wire strands (60Lb) for optimal flexibility during the fight and an exclusive spikepin (designed by VMC®) to firmly fix the rig into the softplastic! | The entire system is connected to a high quality swivel for an ultimate 360° rotation to avoid leverage during the fight. | High quality hooks and high quality rig mean more fish in your net, and so, much more fun. | To be equipped with: Refill Screw (Size L or M) + Refill Weight (tungsten or Lead /matte Black or Firetiger).



BELLY PIKE RIG



| A premium 2X strong hook (size 2/0) dedicated to PIKE fishing. The gap, length and shape are especially designed to FIGHT pikes. | Tested & Approved for years on many Rapala® lures such as Peto or Haku. This Rig features a premium heavy duty split ring, a 49 wire strands (60Lb) for optimal flexibility during the fight and an exclusive spikepin (designed by VMC®) to firmly fix the rig into the softplastic! | The entire system is connected to a high quality swivel for an ultimate 360° rotation to avoid leverage during the fight. | High quality hooks and high quality rig mean more fish in your net, and so, much more fun. | The pack includes: 3 weights: 5, 10, 15g (2 matte black, 1 Firetiger) and one additional screw (size M). | Ideal for 4" - 6" (12cm - 18cm) softplastics.




VIDÉO

Pkg.	Size ▶	2/0
CB Coastal Black	Pcs.	1
Reference 137394		

M.O.Q.

Blister (1) ⑤



REFILL SCREW L



| Optimal size for 15cm to 25cm softplastics. | Fix firmly your softplastic, cast after cast. | Length 5,8cm. | Stainless Steel Wire

Pcs.	▼ Pkg.	
5	Blister Reference	• 137395
M.O.Q.	Blister (5)	6



Actual size

REFILL SCREW M



| Optimal size for 12cm to 15cm softplastics. | Fix firmly your softplastic, cast after cast. | Length: 4,4cm. | Stainless Steel Wire

Pcs.	▼ Pkg.	
5	Blister Reference	• 137396
M.O.Q.	Blister (5)	6



Actual size

SWIMMING DEPTH ADAPTER



| Add weight to your hard bait and modify the swimming depth! | Just clip the «Swimming Depth Adapter» to the eyelet of your hard bait, add the appropriate Refill Weight to the Adapter and attach your line or leader to the Adapter. | Changing the weight and modifying the swimming depth is now easy and quick.

Pcs.	▼ Pkg.	
5	Blister Reference	• 137397
M.O.Q.	Blister (5)	6



Actual size

SPIKE PIN

NEW



| Corrosion-resistant Coastal Black® coating, improving salinity resistance of some soft lures. | Barb and bend designed for an optimized hold of a soft lure, even with the softest materials. | XXL Eye to ease assembly with split rings and hooks.

Pcs.	10
Reference	• 149000
M.O.Q.	Blister (10)



Actual size

REFILL BLACK WEIGHT

| 10, 15, 20 and 25g available in Black Mat or Firetiger. | Adapt the swimming depth of your softplastic by adjusting the weight. | Please note that there is an up and down position on the weights. | Gram engraved for easy storage.

	Weight	10g	15g	25g
BLACK	Pcs.	2		
	Reference	137398	137399	137401

M.O.Q.

Blister (2) 



REFILL FIRETIGER WEIGHT

| 10, 15, 20 and 25g available in Black Mat or Firetiger. | Adapt the swimming depth of your softplastic by adjusting the weight. | Please note that there is an up and down position on the weights. | Gram engraved for easy storage.

	Weight	10g	15g	20g
FIRETIGER	Pcs.	21		
	Reference	137402	137403	137404

M.O.Q.

Blister (2) 



REFILL TUNGSTEN

| 5, 10, 15 and 20g. | Tungsten material. | Gram engraved for easy storage.

	Weight	5g	10g	15g	20g
TUNGSTEN	Pcs.	2			1
	Reference	137406	137407	137408	137409

M.O.Q.

Blister (1) 



DROPSHOT TUNGSTEN

NEW

| Extreme hardness provides better feel for structure and light bites. | 35% smaller profile for fewer snags and better cover penetration. | Easy connect line pinch.



April 2023

Weight	3.5g	5g	7g	10g	14g	21g
Pcs.	4	4	3	2	2	1
NATURAL	Reference	•	•	•	•	•
M.O.Q.	Blister (4)	Blister (3)	Blister (2)	Blister (1)		



SLIM DROPHOT TUNGSTEN

NEW



April 2023

Weight	3.5g	5g	7g	10g	14g
Pcs.	4	4	3	2	2
NATURAL	Reference	•	•	•	•
M.O.Q.	Blister (4)	Blister (3)	Blister (2)		



FLIPPING TUNGSTEN

NEW



April 2023

Weight	7g	10g	14g	17g	21g
Pcs.	3	3	2	2	1
NATURAL	Reference	•	•	•	•
M.O.Q.	Blister (3)	Blister (2)	Blister (1)		



FAST LOK TUNGSTEN

NEW



April 2023

Weight	3.5g	5.3g	7.2g	10.6g	14g
Pcs.	4	4	3	2	2
NATURAL	Reference	142430	142431	142432	142433

M.O.Q.

Blister (4)

Blister (3)

Blister (2)



LURE SINGLE





JIG HEADS



FROG JIG

Technically sexy



NATURAL

FIRETIGER

7 - 10 - 14 - 17 - 21G

SUPER SHARP TECHNICAL LOCKING CURVE HOOK

EXTRA LARGE EYELET

LARGE 3D EYES

FROG JIG


NEW



| A technical Jig head with delicate finishing touches designed for vertical fishing as well as linear. | XXL Eye allowing natural swimming action. | A slightly inward oriented point and a Technical Locking Curve to reduce unhooking. | High-end Needle Sharp™ point.




April 2023



Actual size

7g 10g



14g

17g

21g

Pcs. 3

▼ Pkg. Size ►		1/0		2/0		
Weight		7g	10g	14g	17g	21g
FIRETIGER	Référence	• 142304	• 142305	• 142306	• 142307	• 142308
NATURAL	Référence	• 142309	• 142310	• 142311	• 142312	• 142313

M.O.Q.

Blister (3)



FIRETIGER



NATURAL




CAVITY JIG

NEW



| A jig head equipped with a 6/0 hook extremely sharp and sturdy point, dedicated to 14 to 25 cm lures. | The front cavity allows a higher volume of water moved compared to a regular jig head. This water movement proved efficient with big pikes. | Technical Locking Curve shape. | XXL Eye to ease the knots with the biggest fluorocarbons and allow a natural swimming action of lures. | High-end Needle Sharp™ point.



		6/0						
		Weight	5g	10g	15g	20g	25g	30g
BLACK MATT	Pkg.	Référence	142314	142315	142316	142317	142318	142319
	M.O.Q.	Blister (3)	6	Pcs.	3			

NED RIG JIG**NEW**

| Unique beveled edge conical keeper is designed to secure your presentation for prolonged use and multiple hook sets. | Optimal distance from keeper to jig head allows the plastic to remain in place on the hook shank by collapsing tightly in that area creating superior holding power.



CHARTREUSE



GREEN PUMPKIN

Pcs. 4

▼ Pkg. Size ►		1/0			
Weight		2g	3,5g	5,3g	7g
CHARTREUSE	Référence	• 142492	• 142494	• 142496	• 142498
	Référence	• 142493	• 142495	• 142497	• 142499

M.O.Q.

Blister (4)




MUSTACHE RIG

NEW



| A perfect mix between a jig head and a bucktail, designed for big pike fishing. | The generated water movement attracts bigger fishes. | A product developed with our guides and large pike experts. | Water movement is key when targeting big pikes | Lead Free product



	▼ Pkg. Size ►	S	M	L
	Weight	11g	20g	40g
BUTTERNUT	Référence	• 142333	• 142334	• 142335
CAPPUCCINO	Référence	• 142327	• 142328	• 142329
CHARTREUSE	Référence	• 142330	• 142331	• 142332
GHOST	Référence	• 142324	• 142325	• 142326
RED HOT	Référence	• 142321	• 142322	• 142323

M.O.Q. Blister (1)

Pcs. 1






MOONTAIL JIGS

NEW



| Technical Locking Curve shape (TLC) maximizes hook sets and locks fish in place | Oversized flat aspirin head shape enhances darting and rolling head motion when jigged | Low profile elongated bucktail fibers maintain shape and creates lifelike action | X Large 3D holographic eyes




BLUE FIRE UV NEW



BULL HEAD



FIRETIGER



PINK FIRE UV



REDTAIL CHUB



SHAD NEW



WHITE

NEW

	▼ Pkg. Size ▶	2/0	3/0	
	Weight	3.5g	7g	10.5g
BLUE FIRE UV	Référence	• 148933	• 148935	• 148934
BULL HEAD	Référence	• 126227	• 126237	• 126232
FIRETIGER	Référence	• 126228	• 126238	• 126233
PINK FIRE UV	Référence	• 126229	• 126239	• 126234
REDTAIL CHUB	Référence	• 126230	• 126240	• 126235
SHAD	Référence	• 142645	• 148937	• 148936
WHITE	Référence	• 126231	• 126241	• 126236

M.O.Q.

Bag (2)

Pcs.

2



7320SJ SWINGING RUGBY JIG



Needle Sharp™




Hi-Carbon Steel



2X Strong




3° Offset Point



Articulated Head

| Articulated Jig Head design allows presentation to flow and move more naturally | Extra Long Z-Bend hook leg ensures plastics will not hinder action when rigged.



Actual size

▼ Pkg. ▶	Size ▶	3/0	4/0	5/0
BLACK NICKEL	Weight	7g	10g	14g

Référence 104901 104902 104903

M.O.Q.

Blister (2)

Pcs.

2



JIG HEADS

7340RJ RUGBY JIG



Needle Sharp™



Hi-Carbon Steel



2X Strong



3° Offset Point



Extra Wide Gap


SHARPNESS

CORROSION

BLACK NICKEL BN

STRENGTH

| Universal rugby head design, perfect for fishing in heavy cover and along woodland edges. | With a recessed eye to protect against snags, weeds and abrasion from underwater obstacles.



GREEN PUMPKIN

CHARTREUSE NEW

	Pcs.	4				3
	▼ Pkg. Size ►	2/0	3/0	4/0	5/0	
	Weight	3,5g	5g	7g	9g	11g
NEW CHARTREUSE	Référence	•	•	•	•	•
		142486	142487	142488	142489	142490
GREEN PUMPKIN	Référence	•	•	•	•	•
		135363	149027	104839	149028	104840


M.O.Q.

Blister (3)

Blister (4)

7161CX JIGHEAD

SKU	Product Name
126515	7161CX Jighead 14gr 4/0
123365	7161CX Jighead 14gr 3/0
126516	7161CX Jighead 10gr 3/0
126517	7161CX Jighead 10gr 1
123366	7161CX Jighead 7gr 2
123367	7161CX Jighead 4,5gr 4
123368	7161CX Jighead 3,5gr 4
123369	7161CX Jighead 2,5gr 4



7312WJ JIGHEAD WEEDLESS

SKU	Product Name
123370	7312WJ Jighead Weedless 15gr 3/0
123371	7312WJ Jighead Weedless 10gr 3/0
123372	7312WJ Jighead Weedless 7gr 3/0
126519	7312WJ Jighead Weedless 7gr 2/0





TROUT / FLY

7054 WORM HOOK



Needle Cone™



Vanadium® Steel



Forged



Reversed (Offset)



Ringed



2 Barbs on Shank

SHARPNESS

CORROSION

TIN RED TR

STRENGTH

CORROSION

TIN RED TR




TROUT

| A strong model for big salmon-trout. | Designed for fishing with large worms such as red-worms. | Two barbs on the shank to keep bait firmly in place.

	Pcs.	▼ Pkg. Size ►	6	4	2	1	1/0	2/0
TR	10	Blister Reference	•	•	•	•	•	•
M.O.Q.		Blister (10)	111946	111947	111948	111949	111950	111951
		Bag (10)						

Blister (10)

Bag (10)



9335 NATIONAL TROUT



Cut Point



Hi-Carbon Steel



Forged



Reversed (Offset)



Spade End

SHARPNESS

CORROSION

BLUE BL

STRENGTH

CORROSION


BLUE BL

| Forged, reversed hook. | A versatile model in a wide range of sizes. | Can be used for a multitude of fishing techniques. | Also exists barbless (9335B).

	Pcs.	▼ Pkg. Size ►	10	8	6	4	2
BL	10	Bag Reference	•	•	•	•	•
M.O.Q.		Bag (10)	148956	148955	148954	148953	148952

M.O.Q.

Bag (10)



9410 CRYSTAL



Cut Point



Hi-Carbon Steel




Forged



Ringed



| All-purpose hook with a ring | Easy to rig | A versatile hook for river angling



Actual size

	Pcs.	▼ Pkg. Size ►	12	10	8	6	4
GO Gold	10	Bag	•	•	•	•	•

M.O.Q.

Bag (10)

7116 SALTWATER SPECIMEN / OCTOPUS



Needle Sharp™



Hi-Carbon Steel



Forged



2X Strong



Wide Gap




Ringed



| Versatile wide gap Octopus hook for multiple purposes : skirts for light trolling, saltwater fly, live bait... | Coastal Black Finish for extreme corrosion resistance

2/0



4/0




6/0



Actual size

8/0



	▼ Pkg. Size ►	2/0	4/0	6/0	8/0
CB Coastal Black	Pcs.	11	10	9	7
CB Coastal Black	Reference	•	•	•	•

M.O.Q.

Bag (10)

Bag (11)

Bag (7)

Bag (9)



An aerial photograph of a rugged coastline. The lower half of the image shows white, craggy rock formations with dark, vertical fissures. Above the rocks, the ocean is a deep, dark teal color with white, foamy waves crashing against the shore. The overall scene is dramatic and natural.

LIVEBAIT

7102 VANADIUM® CARP TURNED-UP EYE



Needle Cone™



Vanadium® Steel



Forged



Reversed (Offset)

SHARPNESS

STRENGTH


CORROSION

BLACK NICKEL BN



Turned-Up Eye

| Forged and reversed hook with a ring | A popular model for fishing with boilies | Extremely solid and sharp inward-point



	Pcs.	▼ Pkg. Size ►	8	6	4	2	1
BN Black Nickel	10	Bag Reference	• 149026	• 149025	• 149024	• 149023	• 149022

M.O.Q.

Bag (10)



9291 FAULTLESS BAITHOLDER

Cut Point



Hi-Carbon Steel



Curved-in Point



Reversed (Offset)



Ringed



2 Barbs on Shank

SHARPNESS

CORROSION

BRONZE BZ


NICKEL NI

PERMASTEEL® PS

TIN RED TR

STRENGTH

| Versatile model for all worm fishing techniques | 2 micro-barbs on shank hold bait firmly in place | Widely used for cod



	Pcs.	▼ Pkg. Size ▶	14	12	10	8	6	4	2	1
BZ Bronze	10		• 111953	• 111954	• 111955	• 111956	• 111957	• 111958	• 111959	• 111960
NI Nickel	10	Bag Reference	-	• 127514	• 127513	• 127512	• 127511	• 127510	• 127509	• 127508
TR Tin Red	10		-	-	-	• 104833	• 104832	• 104831	• 104830	-

M.O.Q.

Bag (10)

	Pcs.	▼ Pkg. Size ▶	1/0	2/0	3/0	4/0	5/0	6/0	7/0
BZ Bronze	10		• 120946	-	-	-	-	-	-
NI Nickel	10		• 148859	• 148860	• 148861	• 148862	• 148863	-	-
PS Permasteel®	10	Bag Reference	• 110574	• 110575	• 110576	• 110577	• 110578	• 110579	• 110580
TR Tin Red	10		• 104835	• 104836	• 104837	-	-	-	-

M.O.Q.


Bag (10)

9292 FAULTLESS BAITHOLDER



LIVEBAIT

| Turned-down eye for improved bait presentation | Two barbs on the shank hold the bait perfectly in place



BZ Bronze	Pcs.	▼ Pkg. Size ►	12	10	8	6	4	2	1	1/0	2/0	3/0	4/0
	25	Blister Reference	• 104614	• 104613	• 104612	• 104611	• 104610	• 104609	• 104608	• 104615	• 104616	• 104617	• 104618

M.O.Q.

Blister (25)



9725 KIRBY

Cut Point



Hi-Carbon Steel



Reversed (Offset)



Ringed



1X Strong

SHARPNESS


CORROSION

BRONZE BZ

STRENGTH



| A Kirby reversed hook with a ring | Perfect for eel and predator fishing | Suitable for dead bait fishing



	Pcs.	▼ Pkg. Size ►	6	4	2
BZ Bronze	10	Bag Reference	• 104511	• 104510	• 104509
M.O.Q.					Bag (10)

7145 WORM AND LURE

Spark Point®



Vanadium® Steel



Forged



Ringed



2 Barbs on Shank



Long Shank

SHARPNESS


CORROSION

BLACK NICKEL BN

STRENGTH



| Premium worm hook | Two barbs on the shank to secure bait | Spark Point® for extreme sharpness



	Pcs.	▼ Pkg. Size ►	8	6	4	2
BN Black Nickel	10	Bag Reference	• 148999	• 148998	• 148997	• 148996
M.O.Q.					Bag (10)	

7356 SURE SET® SPORT SINGLE SPECIAL BEND

Needle Cone™




Vanadium® Steel



Ringed

SHARPNESS	█ █ █ █ █
CORROSION	█ █ █ █ █
BLACK NICKEL BN	█ █ █ █ █

| Inward point | Ideal for rigging a jointed jig head | Also suitable for live-bait and drop-shot fishing | Larger sizes popular for catfish | Hi-Carbon steel for sizes 5/0, 7/0 and 9/0




Actual size

BN Black Nickel	Pcs.	▼ Pkg. Size ►	1/0	2/0	3/0	5/0	7/0	9/0
	5	Blister Reference	-	•	•	•	•	•
	10		•	149013	149014	149015	149016	149017


M.O.Q.

Blister (10)

Blister (5)



8357 CATFISH 6X STRONG




| Excellent resistance to opening | Cone Cut® point for excellent penetration | Premium smooth PTFE coating | Popular catfish hook also highly suited to saltwater livebait applications


	▼ Pkg. Size ►	5/0	7/0	9/0
NT PTFE	Pcs.	7	5	3
	Reference	• 104763	• 104761	• 104759



7136 CHINU EYED



| Modern Chinu shape with eye | Recommended to bait shells, shrimps, octopus... | Optimal resistance to opening



Actual size

▼ Pkg. Size ▶	10	8	6	4	2	1
Pcs.	16	15	14	13	12	11
BN Blank Nickel	●	●	●	●	●	●
Reference	148837	148836	148835	148834	148833	148832





9255 O'SHAUGHNESSY



Cut Point



Hi-Carbon Steel



Forged



Ringed



X Long Shank

SHARPNESS

CORROSION

NICKEL NI


STRENGTH



LIVEBAIT

| Designed for use on large spoons | Highly popular on the US West Coast

	Pcs.	Pkg.	Size ▶	1	1/0	2/0
NI Nickel	25	Blister Reference		• 107287	• 107291	• 107292
M.O.Q.		Blister (25)	(5)			



9145 ROUND



Cut Point



Hi-Carbon Steel



Ringed



Long Shank



Fine Wire

SHARPNESS

CORROSION

BLUE BL

STRENGTH




LIVEBAIT

| Extra-fine wire hook | Ideal for use with fragile sea worms | Perfect for challenging, clear-water conditions

	Pcs.	Pkg.	Size ▶	6	4	2	1
BL Blue	25	Blister Reference		• 104641	• 104640	• 104639	• 104638
M.O.Q.		Blister (25)	(5)				

Actual size



I HEAVY DUTY I



LIVEBAIT

9149 ABERDEEN



Cut Point



Hi-Carbon Steel



Forged



Ringed



X Long Shank

SHARPNESS

CORROSION

BLACK BK

STRENGTH


BLACK BK

| Single Aberdeen-shape hook | Forged, with a long shank | Ideal for baiting earth worms

	Pcs.	▼ Pkg. Size ►	8	6	4	2
BK Black	25	Blister Reference	• 110585	• 110584	• 110583	• 110582

M.O.Q.

Blister (25)



9276 CRYSTAL



Cut Point



Hi-Carbon Steel



Ringed



Short Shank

SHARPNESS

CORROSION


BRONZE BZ

GOLD GO

STRENGTH

BRONZE BZ

| All purpose crystal-shaped hook with a ring | Ideal for ice-fishing



	Pcs.	▼ Pkg. Size ►	12	10	8	6	4
BZ Bronze	25	Blister Reference	• 127506	• 127505	• 127504	• 127503	• 127502
GO Gold	10	Bag Reference	-	-	• 104563	-	-

M.O.Q.

Bag (10)

Blister (25)

7116 SALTWATER SPECIMEN / OCTOPUS

Needle Sharp™



Hi-Carbon Steel



Forged



2X Strong



Wide Gap



Ringed

SHARPNESS

CORROSION

COASTAL BLACK CB

STRENGTH




| Versatile wide gap Octopus hook for multiple purposes : skirts for light trolling, saltwater fly, live bait... | Coastal Black Finish for extreme corrosion resistance

2/0

4/0

6/0

8/0



Actual size

	Pkg.	Size ▶			
	Pcs.	2/0	4/0	6/0	8/0
CB Coastal Black		11	10	9	7
Reference		• 110630	• 110629	• 110628	• 110627

M.O.Q.

Bag (10)

Bag (11)

Bag (7)

Bag (9)



7118 OCTOPUS SPECIMEN



NEEDLE SHARP™
Needle Sharp™

Hi-Carbon Steel

Forged

2X Strong

Reversed (Offset)

Ringed

Long Shank


SHARPNESS ████ ████ ████ ████ ████ **STRENGTH** ████ ████ ████ ████

CORROSION

BLACK NICKEL BN ████ ████ ████ ████ ████

| Heavy Duty Live Bait hook | Long Shank for better bait presentation and improved hook set | Premium Needle Sharp™ point

	▼ Pkg.	Size ►	5/0	6/0	8/0	
BN Black Nickel	Pcs.	6	5	4		
	Reference	110596	110597	110598		
M.O.Q.	Bag (4)	10	Bag (5)	10	Bag (6)	10





7381 SURESET® CIRCLE



Needle Cone™



Vanadium® Steel



Forged




Reversed (Offse

SHARPNESS		STRENGTH	
CORROSION			
COASTAL BLACK CB			

| Forged, reversed hook | Suitable for boat fishing using fish and crab baits | Also very popular for fishing the flats | Hi-Carbon steel for sizes 4/0 to 8/0

	Pkg. Size ▶	1/0	2/0	3/0	4/0	5/0	6/0	7/0
CB Coastal Block	Pcs.	8		7		6		5
	Reference	● 149018	● 149019	● 110605	● 110606	● 110604	● 110602	● 110603
	M.O.Q.	Bag (5) 	Bag (6) 	Bag (7) 	Bag (8) 			



7387 TOURNAMENT CIRCLE X STRONG



Needle Cone™



Vanadium® Steel




Forged



Ringed

SHARPNESS		STRENGTH
CORROSION		
BLACK NICKEL BN		

| Der VMC® Tournament Circle Hook besitzt die weitesten Bogen in dieser Kategorie und bietet dadurch die beste Hakenrate und mehr Platz für den Köder.



Pcs.	▼ Pkg. Size ►	1	1/0	2/0	3/0	4/0
BN Black Nickel	10	Bag Reference	• 120066	• 120067	• 120068	• 120069
M.O.Q.	Bag (10)	(10)				

TERMINAL TACKLE



DROP SHOT SINKER

| Sinker designed for drop shot fishing. | Ultra-easy and fast fixing swivel to change the weight instantly.

	Weight	7g	10g	14g	17g
NATURAL	Reference	•	•	•	•
M.O.Q.	Bag (5)	6	Pcs.	5	



CHEBOO® CAMORASHKA

| A range dedicated to the Cheburashka technic with a premium stainless steel wire. | TUNGSTEN material from 2g to 5g and lead material with anti-corrosion coating from 7g to 15g. | Weight engraved for an easy and a better storage. | Dark Olive colour

	Weight	2g	3g	4g	5g
DARK OLIVE	Reference	•	•	•	•
M.O.Q.	Blister (3)	5	Pcs.	3	



CHEBOO® FLUORASHKA

| A range dedicated to the Cheburashka technic with a premium stainless steel wire. | TUNGSTEN material from 2g to 5g and lead material with anti-corrosion coating from 7g to 15g. | Weight engraved for an easy and a better storage. | Mix of 3 fluo colours: orange, yellow and pink

	Weight	2g	3g	4g	5g
Fluo	Reference	•	•	•	•
M.O.Q.	Blister (3)	5	Pcs.	3	



CHEBOO® NATURASHKA

| A range dedicated to the Cheburashka technic with a premium stainless steel wire. | Lead material with anti-corrosion coating from 7g to 15g. | Weight engraved for an easy and a better storage.

	Weight	7g	10g	12,5g	15g
NATURAL	Reference	•	•	•	•
M.O.Q.	Blister (5)	5	Pcs.	5	



3534 NO KNOT SNAP

Actual size


▼ Pkg. Size ▶		1	2	3	4	5
Strength		9kg	14kg	17kg	18kg	26kg
BK Block	Pcs.	15		14		13
	Reference	• 148748	• 148749	• 148750	• 148751	• 148752

M.O.Q.

Bag (13)

Bag (14)

Bag (15)



Actual size

3538 CRANK BAIT SNAPStainless
INOX
Steel

000



00



0



1



2

▼ Pkg. Size ▶		000	00	0	1	2
Strength		10kg	19kg	26kg	40kg	44kg
SS Stainless Steel	Pcs.	11		10		
	Reference	• 148761	• 148759	• 148758	• 148760	• 148762

M.O.Q.

Bag (10)


Bag (11)

3536 TECHSET SNAP**NEW**
**Stainless
INOX
Steel**

▼ Pkg. Size ▶		00	0	2	1
Strength	7kg	13kg	24kg	14kg	
Pcs.	10				
Reference	• 148756	• 148753	• 148755	• 148754	

M.O.Q.

Bag (10)



Actual size

3539 PIKE SNAP
**Stainless
INOX
Steel**


1



2



3



4

Actual size

▼ Pkg. Size ▶		1	2	3	4
Strength	20kg	35kg	56kg	68kg	
Pcs.	10	9	8	7	
Reference	• 148763	• 148764	• 148765	• 148766	

M.O.Q.

Bag (10)

Bag (7)

Bag (8)

Bag (9)

3253 STAINLESS CROSSLOCK SNAP
**Stainless
INOX
Steel**


▼ Pkg. Size ▶		0	1	2	3	4	5
Strength	25lbs	45lbs	50lbs	90lbs	115lbs	138lbs	
Pcs.	10			9		7	
Reference	• 148699	• 148700	• 148701	• 148702	• 148703	• 148704	

M.O.Q.


Bag (10)


Bag (7)

Bag (9)



Actual size





3565 EZ SPLIT


NEW



| NO need anymore split ring plier! | To be used as a snap: just push the eyelet of the lure through the wire to go inside. | This special shape is 2 times more resistant than classic split ring.



		▼ Pkg.	Size ▶	4	3	2	1
		Strength		189kg / 415lbs	137kg / 300lbs	111kg / 240 lbs	68kg / 150lbs
SS Stainless Steel	Pcs.		12				
	Reference	.		148787	148786	148785	148784
	M.O.Q.	Bag (12)	10				




Actual size

3257 SWITCH SNAP




		▼ Pkg.	Size ▶	3	4	5
		Strength		14kg	26kg	34kg
SS Stainless Steel	Pcs.		16			12
	Reference	.		148710	148711	148712
	M.O.Q.	Bag (12)	10			



Actual size

3531 MINUS SWIVEL WITH ITALIAN SNAP



Actual size

	Pkg.	Size ▶	1	2	3	4	5
	Strength		6kg	8kg	10kg	16kg	30kg
BK Block	Pcs.		10			7	3
	Reference	•	148735	•	148736	•	148737
NI Nickel	Pcs.		10				
	Reference	-	148740	•	148741	-	-

M.O.Q.


Bag (10)

Bag (3)

Bag (6)

Bag (7)

3532 BARREL SWIVEL WITH ITALIAN SNAP



Actual size


	Pkg.	Size ▶	16	14	12	10	8	4
	Strength		7kg		12kg	13kg		15kg
BK Block	Pcs.		10				6	
	Reference	•	148747	•	148746	•	148744	•
			148745			148743		148742

M.O.Q.

Bag (10)

Bag (6)

3254 STAINLESS CRANE SWIVEL WITH CROSSLOCK

**Stainless
INOX
Steel**


Actual size

	Pkg.	Size ►	1	2	3	5	6
SS	Strength	56lbs	70lbs	100lbs	175lbs	220lbs	
SS	Pcs.	5			4	3	
SS	Reference	148707	148708	148709	148706	148705	

M.O.Q.

Bag (3)

Bag (4)


Bag (5)

3521 TURN LOCK SNAP


	Pkg.	Size ►	10	8	6	4	2
BN	Strength	16kg	23kg	25kg	35kg	40kg	
BN	Pcs.	6	6				
BN	Reference	148726	148730	148729	148728	148727	

M.O.Q.

Bag (6)



Actual size

3522 SWITCH SNAP + SWIVEL



	▼ Pkg. Size ▶	4
BRASS SS	Strength	23kg
	Pcs.	7
Brass + Stainless Steel	Reference	• 148731

M.O.Q.

Bag (7)



Actual size

4

3523 COAST SNAP




	▼ Pkg. Size ▶	6	4	2
BRASS SS	Strength	30kg	39kg	46kg
	Pcs.	8		6
Brass + Stainless Steel	Reference	• 148734	• 148733	• 148732

M.O.Q.

Bag (6)

Bag (8)



Actual size

6

4

2



3564 DROP SOLID RING

NEW




	▼ Pkg. Size ▶	1	2	3	4
SS	Strength	50kg	95kg	130kg	210kg
	Pcs.		10		8
Inox	Reference	• 148780	• 148781	• 148782	• 148783

M.O.Q.

Bag (8)

Bag (10)



Actual size

1

2

3

4

3541 ROLLING SWIVEL

Actual size

	▼ Pkg. Size ▶	10	9	8	7	6	5	4	3	2	1
BK Block	Strength	10kg	11kg	15kg	19kg	21kg	24kg	34kg	39kg	42kg	45kg
	Pcs.	20			18	16	15		12	10	9
	Reference	• 148776	• 148775	• 148774	• 148773	• 148772	• 148771	• 148770	• 148769	• 148768	• 148767

M.O.Q.

Bag (9)

Bag (10)

Bag (12)

Bag (15)

Bag (16)

Bag (18)

Bag (20)

3127 OPEN EYE ROLLING

NEW





Actual size

Stainless INOX Steel	▼ Pkg. Size ▶	10	8	6	5	4
SS Stainless Steel	Strength	10kg / 24lbs	13kg / 29lbs	15kg / 33lbs	17kg / 38lbs	
	Pcs.	10				
	Reference	• 148698	• 148697	• 148696	• 148695	• 148694

M.O.Q.

Bag (10)



**3260 STAINLESS BALL BEARING SWIVEL
WITH 2 WELDED RINGS**


Actual size

▼ Pkg. Size ▶		1	2	3	4	5	6	7
Strength		120lbs	190lbs	210lbs	275lbs	415lbs	475lbs	560lbs
BN Black Nickel	Pcs.	3				-	-	-
	Reference	• 148713	• 148714	• 148715	• 148716	-	-	-
SS Stainless Steel	Pcs.	-	3				2	
	Reference	-	• 148717	• 148718	• 148719	• 148720	• 148721	• 148722



M.O.Q.

Bag (2)

Bag (3)

NEW
3262 TUNA HEAVY SWIVEL


| Extreme resistance, extreme reliability. The n°1 swivel in the US. An unparalleled resistance-size ratio. | Perfect stealth! Also ideal for assembly in the rollers of the rod. | Tested and approved by professional fishermen.

▼ Pkg. Size ▶		5	4	3
Strength		205kg / 450lbs	135kg / 300lbs	70kg / 150lbs
BN Black Nickel	Pcs.	5		
	Reference	• 148725	• 148724	• 148723

M.O.Q.

Bag (5)

Actual size


STAINLESS SWIVEL

SKU	Product Name
102419	Stainless Swivel Size 1 L
102420	Stainless Swivel Size 2 L
102421	Stainless Swivel Size 3 L
102422	Stainless Swivel Size 4 L
102423	Stainless Swivel Size 5 L
102424	Stainless Swivel Size 6 L
102425	Stainless Swivel Size 8 L
102426	Stainless Swivel Size 10 L
102427	Stainless Swivel Size 12 L
102428	Stainless Swivel Size 1/0 L

3549 SWIVEL PATER NOSTER SURF

Actual size

	▼ Pkg.	Size ►	12x14	10x12	7x10
BK	Block	Strength	14kg	16kg	24kg
	Pcs.		5		
Reference		•	•	•	148778

M.O.Q.

Bag (5)



3985 SINGLE BLACK SLEEVES


		▼ Pkg. ▶	0	1	2	3	3.5	4	5				
BK Block	Pcs.	25						20					
	Reference	•	148788	•	148789	•	148790	•	112015	112016	•	148791	•

M.O.Q.

Bag (20)

Bag (25)

Actual size

**3987 DOUBLE BLACK SLEEVES**


		▼ Pkg. ▶	8	10	13	16	19	
BK Block	Pcs.	20				15		
	Reference	•	112021	•	112022	•	148792	•

M.O.Q.

Bag (15)

Bag (20)

Actual size



VMC TOUCH SNAP

SKU	Product Name
102407	Touch Snap Size 1 T
102408	Touch Snap Size 2 T
102409	Touch Snap Size 3 T
102410	Touch Snap Size 4 T
102411	Touch Snap Size 5 T

VMC SWIVEL WITH HAKE TOURNAMENT

SKU	Product Name
102429	Swivel with Snap Tournament Size 1 L
102430	Swivel with Snap Tournament Size 2 L
102431	Swivel with Snap Tournament Size 3 L
102432	Swivel with Snap Tournament Size 4 L
102433	Swivel with Snap Tournament Size 5 L
102434	Swivel with Snap Tournament Size 6 L
102435	Swivel with Snap Tournament Size 1/0 L

VMC SWIVEL WITH DUOLOCK

SKU	Product Name
102414	Swivel with Duolock Size 2 L
102415	Swivel with Duolock Size 4 L
102416	Swivel with Duolock Size 6 L
102417	Swivel with Duolock Size 8 L
102418	Swivel with Duolock Size 10 L

VMC DUOLOCK SNAP

SKU	Product Name
148757	Duo Snap Size 0000 D
102402	Duo Snap Size 00 D
102403	Duo Snap Size 0 D
102404	Duo Snap Size 1 D
102405	Duo Snap Size 2 D



VMC SPLIT RING


SKU	Product Name
102441	Split Ring 4mm F
102442	Split Ring 5mm F
102443	Split Ring 6mm F
102444	Split Ring 7mm F
102445	Split Ring 8mm F
102446	Split Ring 9mm F
102447	Split Ring 11mm F



VMC SPLIT RING ROSTFRITT

SKU	Product Name
102448	Split Ring Rostfri 8mm F
102449	Split Ring Rostfri 9mm F
102450	Split Ring Rostfri 12mm F
102451	Split Ring Rostfri 14mm F

WIRE LEADER



C703 NYLFLEX C703

Reference	Size	Strength	Diameter	Length:
148962	8	5kg	0,45mm	
148961	6			
148963	6	7kg	0,48mm	
148965	4	9kg	0,52mm	
148964	2	9kg	0,52mm	
148967	2	12kg	0,55mm	

40cm

M.O.Q. 5
Qty/Pack 3

Actual size



Stainless
INOX
Steel


BZ

C705 NYLFLEX C705

Reference	Strength	Diameter	Length
148969	5kg	0,45mm	
148970	7kg	0,48mm	
148971	9kg	0,52mm	
148972	12kg	0,55mm	
148973	5kg	0,45mm	
148974	7kg	0,48mm	
148975	9kg	0,52mm	
148976	12kg	0,55mm	


27cm

M.O.Q. 5
Qty/Pack 3

40cm

Actual size



C708 BLACKFLEX C708

Actual size

Reference	Strength	Diameter	Length
148813	7kg	0,48mm	
148814	9kg	0,52mm	
148815	12kg	0,55mm	
148816	5kg	0,45mm	
148817	7kg	0,48mm	
148818	9kg	0,52mm	
148819	12kg	0,55mm	

M.O.Q.	5
Qty/Pack	3

blackflex

**C718 BLACKFLEX C718**

Reference	Strength	Diameter	Length
148820	5kg	0,45mm	
148821	7kg	0,48mm	
148822	9kg	0,52mm	
148823	12kg	0,55mm	
148824	18kg	0,62mm	

M.O.Q.	1
Qty/Pack	1



C721 MULTIFLEX C721

Reference	Size	Strength	Diameter	Length
148938	2	7kg	0,28 mm	
148939	1/0			40cm
148940	2/0	9kg	0,30 mm	

M.O.Q.	5
Qty/Pack	3

Actual size


Stainless
INOX
Steel**C723 MULTIFLEX C723**

Reference	Size	Strength	Diameter	Length
148941	6	5kg	0,25mm	
148942		7kg	0,28mm	
148943	4		0,28mm	40cm
148944		9kg	0,30 mm	

M.O.Q.	5
Qty/Pack	3

Actual size

BZ

C724 MULTIFLEX C724

Reference	Strength	Diameter	Length:
148945	5kg	0,25mm	
148946	7kg	0,28mm	
148947	9kg	0,30mm	
148948	12kg	0,38mm	10m

M.O.Q.	1
Qty/Pack	1

**C728 MULTIFLEX C728**

Actual size

Reference	Strength	Diameter	Length
148949	7kg	0,28mm	
148950	9kg	0,30mm	
148951	12kg	0,38mm	27cm

M.O.Q.	5
Qty/Pack	3

C733 MEGAFLEX C733

Reference	Size	Strength	Diameter	Length:	M.O.Q.	5
148921	6	5kg	0,2mm	40cm	Qty/Pack	3
148924	2	11kg	0,3mm			

Actual size

BZ


C738D MEGAFLEX C738D

Actual size

Reference	Strength	Diameter	Length	M.O.Q.	5
148929	5kg	0,20 mm		Qty/Pack	3
148930	7,5kg	0,25 mm			
148931	11kg	0,30 mm			
148932	14,5kg	0,36mm	31cm		

C736 MEGAFLEX C736

Reference	Strength	Diameter	Length	Price €	M.O.Q.	1
148925	5kg	0,20mm			Qty/Pack	1
148926	7,5kg	0,25mm				
148927	11kg	0,30mm	5m	•		
148928	14,5kg	0,36mm				



C756 SUPRAFLEX C756

Reference	Strength	Diameter	Length
149005	6kg	0,23 mm	
149006	9kg	0,28mm	2,5m
149007	12kg	0,36mm	
149008	6kg	0,23mm	
149009	9kg	0,28mm	
149010	12kg	0,36mm	
149011	20kg	0,46 mm	

M.O.Q.	1
Qty/Pack	1


**FLUOR FLUOROCARBON LEADERS**

Reference	Diameter	Length
148900	0,35 mm	
148901	0,68 mm	
148902	0,81mm	
148903	1mm	
148904	0,35mm	
148905	0,68mm	
148906	0,81 mm	
148907	1mm	
148908	0,35 mm	
148909	0,68mm	
148910	0,81mm	

M.O.Q.	5
Qty/Pack	2

Actual size

STRIKE CAT**NEW**

| THE reference since ten years among all wire leaders for strong fishing: catfish, sturgeon and sea species ! | Now available under the VMC brand !

Reference	Strength	Diameter
149003	50 kg / 110,25 Lbs	0,50 mm
149004	75 kg / 165,37 Lbs	0,75 mm
149001	100 kg / 220,50 Lbs	1,00 mm
149002	150 kg / 330,75 Lbs	1,50 mm

M.O.Q.	1
Qty/Pack	1



VMC FLUOCARBON LEADER



SKU	Product Name
102454	Fluocarbon Leaders 30cm F
102455	Fluocarbon Leaders 45cm F



VMC TITANIUM LEADERS



SKU	Product Name
102456	Titanium Leaders 30cm 22kg
102457	Titanium Leaders 30cm 34kg
102458	Titanium Leaders 30cm 45kg



A photograph of a serene, misty landscape. In the foreground, a dark, textured rock formation sits on a shoreline. Beyond it is a calm body of water with a light blue-green tint. The middle ground is dominated by a dense forest of tall, thin evergreen trees, their dark silhouettes standing out against a hazy, light-colored sky. The overall atmosphere is quiet and mysterious.

SNELLED HOOKS

CARP BN

CARP BN

Hook: 7110

Line: NYLON 70 cm
Pcs: 10

Reference	Size	Diameter
148831	8	0,22mm
148830	6	0,25mm
148829	4	
148828	2	0,30mm
148827	1	



FEEDER BN

FEEDER BN

Hook: 7005

Line: NYLON 100 cm
Pcs: 10

Reference	Size	Diameter
148867	14	0,18 mm
148866	12	0,20mm
148865	10	0,22mm
148864	8	0,25mm



MAGGOT

MAGGOT

Hook: 7038

Line: NYLON 70 cm
Pcs: 10

Reference	Size	Diameter
148920	16	0,10mm
148919	14	
148918	12	0,12mm
148917	10	0,14mm

