



# **INDEX**


| BAITCASTING REELS     | <b>28</b> 6 |
|-----------------------|-------------|
| CONCEPT TX3           | 288         |
| CONCEPT TX2           | 289         |
| CONCEPT Z SLD         | 290         |
| CONCEPT A3            | 291         |
| CONCEPT A2            | 292         |
| CONCEPT C2            | 293         |
| INCEPTION SLD2        | 294         |
| MODUS SZ2             | 295         |
| MODUS C2              | 296         |
| MODUSTX2              | 297         |
| MODUS RP2             | 297         |
| ORIGIN F1             | 298         |
| ORIGIN O1             | 298         |
| ORIGIN R1             | 299         |
|                       |             |
| SPINNING REELS        | 300         |
| <b>NEW</b> AL13       | 301         |
| NEW AXUM              | 302         |
| NEW AERIOS            | 303         |
|                       |             |
| RODS                  | 304         |
| NEW META FEATHER      | 305         |
| NEW META SNIPER       |             |
| NEW META SPRING       |             |
| NEW META CHAT-R-CRANK | 306         |
| NEW META BEAST        | 307         |
| NEW META HELL BENT    |             |
| MUSE BLACK            | 308         |
| OMEN BLACK            | 309         |
| OMEN GOLD             | 310         |
| OMEN QUEST            | 311         |
| OMEN DEEP SEA BOAT    | 311         |
| FATE BLACK            | 312         |
| FATE V3               | 314         |
| FATE TROUT            | 314         |
| FATE QUEST            | 318         |
| DEFY BLACK            | 316         |
| DEFY QUEST            | 316         |
| RELY BLACKTELE SPIN   | 317         |
| REEL ACCESSORIES      | 318         |
|                       |             |











# MET/ RODS







# THE FUTURE IS HERE. ITS TIME TO RETHINK EVERYTHING YOU KNOW ABOUT BEARINGS...





Made from our proprietary space-age polymer material, the CZB is here to replace traditional ball bearings. Unparalleled smooth operation with elite-level performance equal to high-priced specialty ball bearings. Typical ball bearings have extreme performance loss over time due to debris, environmental wear, and corrosion... the CZB does not. It is 100% corrosion-proof and will maintain high-level performance day after day.





The "Next Level" CZB competition bearing takes bearing design to the max. The CZB Comp is precision machined to reduce contact area with the spool shaft. This process creates higher spool spin capabilities by lowering the frictional torque, resulting in measurable performance gains. Install these spool bearings for pro-level performance and extreme longevity.





# **CONCEPT TX3**

The heir to the saltwater throne, the Concept TX Gen III is all you loved in the TX II – and more. Designed to thrive in harsh environments, this baitcaster delivers both power and endurance. The guts of this saltwater beast are awe-inspiring, to say the least: H.A.M Hardened Brass Precision Cut main gear, Black Seal Corrosion resistant ball bearings, matched with Zero Corrosion High-Speed CZB Comp Spool Bearings and a Carbon Fiber Bull Drag capable of 18kg of pure strength. All housed in the reel's muscular, zerocorrosion chassis. To top it off, the Concept TX III comes with two handles - an oversized power handle and casting handle, making it the sovereign ruler of the salt.

- 40LB (18.14kg) Carbon Fiber Bull Drag
- CZB COMP 100% Corrosion Proof Spool Bearings
- Aluminum Frame and Gear Side Cover
- · Ocean Armor 2 Protection Process
- Arrowhead Line Guide
- · Beetle Wing Rapid Access Side Plate
- Alert Drag Clicker
- Casting Handle & Oversized Power Handle w/2 length adjustments
- Recommended Casting Range: 15-250 g
- Maximum Drag: 18,14 kg











| Product Number | Model      | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN     | Barcode      |  |
|----------------|------------|--------|------------|----------|---------------|---------------|---------|--------------|--|
| 135651         | TX3-8.1-LH | 279 g  | 8.1:1      | 7        | 94 cm         | 0.33mm / 220m | 1839.60 | 810068294040 |  |
| 135652         | TX3-8.1-RH | 279 g  | 8.1:1      | 7        | 94 cm         | 0.33mm / 220m | 1835.40 | 810068294033 |  |



# **CONCEPT TX2**

Continuing its bloodline of being the most durable saltwater low-profile baitcasting platform, the all NEW Concept TX Gen II is ready for the harshest environment you can throw at it. Its new ZERO corrosion Cast Iron Carbon chassis houses the BOSS H.A.M. Hardened Brass Precision Cut main gear. Black Seal Hyper Corrosion resistant ball bearings matched with Zero Corrosion High-Speed CZB Comp Spool Bearings deliver peak performance and longevity. The all-new Advanced Polymer Drag will withstand the use and abuse any angler can apply. The new standard in the salt has arrived and the new integrated drag alarm politely alerts you that the battle is on!



- Hi-Tech Cast Iron Carbon Frame and Side Plate
- Boss H.A.M. Japanese Hamai Cut Precision Drive Gear
- 20 lb / 9 kg Advanced Polymer Drag System
- Alert Drag Clicker
- 10 Total Bearings (2 CZB Comp Spool Bearings, 7 Black Seal Anti-Corrosion BB, 1 Dead Stop Anti-Reverse)
- Arrowhead Line Guide
- Reinforced Clutch Cam
- KeepR Integrated Hook Keeper
- Generation II Hard Anodized Worm Shaft
- **CZB Bearing Technology**
- Low-Friction 6-Way Braking System
- Beetle Wing Rapid Access Side Plate
- Delivered with a green Skull Cap Reel Guard
- Recommended Casting Range: 7-80 g
- Maximum Drag: 9 kg







| F | Product Number | Model      | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN     | Barcode      |  |
|---|----------------|------------|--------|------------|----------|---------------|---------------|---------|--------------|--|
|   | 125105         | TX2-6.8-LH | 174 g  | 6.8:1      | 10       | 68 cm         | 0.33mm / 123m | 1651.40 | 850013152179 |  |
|   | 125103         | TX2-6.8-RH | 174 g  | 6.8:1      | 10       | 68 cm         | 0.33mm / 123m | 1651.40 | 850013152148 |  |
|   | 125106         | TX2-7.5-LH | 174 g  | 7.5:1      | 10       | 75 cm         | 0.33mm / 123m | 1651.40 | 850013152186 |  |
|   | 125104         | TX2-7.5-RH | 174 g  | 7.5:1      | 10       | 75 cm         | 0.33mm / 123m | 1651.40 | 850013152155 |  |





# **CONCEPT Z SLD**

The original Concept Z rocked the industry with its groundbreaking CZB technology. Pushing the edge of design, engineering, and materials forward is what the Z SLD is all about. The NEW Concept Z SLD doesn't disappoint, it starts with the new SLIDE magnetic cast control system located in the perfect place for anglers to adjust without missing a single cast. Control casting downwind and then upwind on alternating casts with a flick of the thumb. Pitch, flip, or just let it fly by combining or isolating the Low-Friction Centrifugal braking with the magnetic SLIDE braking. Zero Corrosion CZB Bearings and an Advanced Polymer drag system are placed within the new rock-solid Cast Iron Carbon frame and side plates. This design sets the new bar for material innovation.

- Slide Magnetic Cast Control System
- CZB Bearing Technology
- Hi-Tech Cast Iron Carbon Frame and Side Plate Construction
- Ti-Armor Aluminum Hamai Cut Drive Gear
- 20 lb / 9 kg Advanced Polymer Drag System
- Alert Drag Clicker
- Zero Ball Bearings (6 CZB Bearings, 1 Dead Stop Anti-Reverse)
- Arrowhead Line Guide
- Reinforced Clutch Cam
- KeepR Integrated Hook Keeper
- Generation II Hard Anodized Worm Shaft
- Low-Friction 6-Way Braking System
- Beetle Wing Rapid Access Side Plate
- Delivered with an orange Skull Cap Reel Guard
- Recommended Casting Range: 7-80 g
- Maximum Drag: 9 kg













| Product Number   | Model         | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN     | Barcode      |  |
|------------------|---------------|--------|------------|----------|---------------|---------------|---------|--------------|--|
| CONCEPT Z SLD    |               |        |            |          |               |               |         |              |  |
| 126019           | ZSLD2-6.8-RH  | 191 g  | 6.8:1      | 0        | 68 cm         | 0.33mm / 123m | 1605.40 | 850013152087 |  |
| 126022           | ZSLD2-6.8-LH  | 190 g  | 6.8:1      | 0        | 68 cm         | 0.33mm / 123m | 1605.40 | 850013152117 |  |
| 126023           | ZSLD2-7.5-LH  | 190 g  | 7.5:1      | 0        | 75 cm         | 0.33mm / 123m | 1605.40 | 850013152124 |  |
| CONCEPT Z SLD PO | OWER HANDLE   |        |            |          |               |               |         |              |  |
| 142508           | TS4-44-KPH-LH | -      | -          | -        | -             | -             | 206.60  | 810104111782 |  |



# **CONCEPT A3**

Everything you want in a big low-profile reel. Drag and Power is the focus of the new A3 design, H.A.M. Hardened brass gearing cut with Japanese Hamai precision is the engine that drives the machine. The 40 lb. / 18 kg Carbon Bull Drag has the stopping power to land your trophy. The 13 Fishing Concept A3 Gen II Casting Reel with HD Aluminum Construction and Ocean Armor 2 Saltwater Protection is the perfect choice for targeting monster pretadors in fresh and saltwaters.

- HD Aluminum Frame with Ocean Armor 2 Protection Process
- H.A.M. Japanese Hamai Cut Hardened Brass Drive Gear
- 40 lb / 18 kg Carbon Bull Drag System
- 7 BB (2 High Spin Corrosion Resistant BB, 4 Stainless BB, 1 Dead Stop Anti-reverse)
- Arrowhead Line Guide
- Reinforced Clutch Cam
- Alert Drag
- KeepR Integrated Hook Keeper
- Generation II Hard Anodized Worm Shaft
- Low-Friction 6-Way Braking System Beetle Wing Rapid Access Side Plate
- Recommended Casting Range: 15-250 g
- Maximum Drag: 18 kg













| Product Number  | Model        | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN     | Barcode      |  |
|-----------------|--------------|--------|------------|----------|---------------|---------------|---------|--------------|--|
| CONCEPT A3      |              |        |            |          |               |               |         |              |  |
| 125112          | CA3-5.5-LH   | 290 g  | 5.1:1      | 7        | 64 cm         | 0.33mm / 220m | 1513.40 | 810039116678 |  |
| 125114          | CA3-6.3-LH   | 290 g  | 6.3:1      | 7        | 73 cm         | 0.33mm / 220m | 1513.40 | 850013152216 |  |
| 126028          | CA3-8.1-LH   | 290 g  | 8.1:1      | 7        | 94 cm         | 0.33mm / 220m | 1513.40 | 850013152230 |  |
| 125113          | CA3-6.3-RH   | 290 g  | 6.3:1      | 8        | 73 cm         | 0.33mm / 220m | 1513.40 | 850013152209 |  |
| CONCEPT A POWER | HANDLE       |        |            |          |               |               |         |              |  |
| 142098          | TS4-5-KPH-LH | -      | -          | -        | -             | -             | 220.40  | 810104111744 |  |
| 142273          | TS4-5-KPH-RH | -      | -          | -        | -             | -             | 220.40  | 810104111768 |  |
|                 |              |        |            |          |               |               |         |              |  |



# **CONCEPT A2**

The new Bulldog Carbon Drag System packs 25 lbs. / 11 kg of stopping power. Equipped with H.A.M. brass main gear and cut with Japanese Hamai Precision, it's a formidable weapon. The ultra-low palm fitting profile features 25% more line capacity while maintaining a manageable size. The Concept A Gen II proves design intelligence through features like its Railed Clutch Cam, Gen II Line Guide, and new water channeling frame. The new Low-Friction Braking System provides anglers with finer, more relevant adjustments for all lure weights. The reel is packed with unique and patented 13 Fishing only features like the Arrowhead Line Guide, Beetle Wing Rapid Access Side Plate, and KeepR Integrated Hook Keeper.

- HD Aluminum Frame with Ocean Armor 2 Treatment Anti-Electrolysis Screw Pads
- H.A.M. Japanese Hamai Cut Hardened Brass Drive Gear
- 25 lb / 11 kg Bulldog Drag System
- 7 BB (2 High Spin Corrosion Resistant BB, 4 Stainless BB, 1 Dead Stop Anti-Reverse)
- Arrowhead Line Guide
- Reinforced Clutch Cam
- KeepR Integrated Hook Keeper
- Generation II Hard Anodized Worm Shaft
- Low-Friction 6-Way Braking System
- Beetle Wing Rapid Access Side Plate System
- Recommended Casting Range: 10-120 g
- Maximum Drag: 11 kg









| Product Number | Model     | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN     | Barcode      |  |
|----------------|-----------|--------|------------|----------|---------------|---------------|---------|--------------|--|
| 125116         | A2-5.6-LH | 211 g  | 5.6:1      | 7        | 56 cm         | 0.33mm / 114m | 1191.40 | 850007590734 |  |
| 125118         | A2-6.8-LH | 211 g  | 6.8:1      | 7        | 68 cm         | 0.33mm / 114m | 1191.40 | 850007590758 |  |
| 125117         | A2-6.8-RH | 211 g  | 6.8:1      | 7        | 68 cm         | 0.33mm / 114m | 1191.40 | 850007590741 |  |
| 125119         | A2-7.5-LH | 211 g  | 7.5:1      | 7        | 75 cm         | 0.33mm / 114m | 1191.40 | 850007590772 |  |
| 125120         | A2-8.3-LH | 211 g  | 8.3:1      | 7        | 83 cm         | 0.33mm / 114m | 1191.40 | 850007590796 |  |





# **CONCEPT C2**

Exceptionally light, the Concept C Gen II weighs 5.89 oz/167 g! Loaded with new tech and designed for performance, this is the reel you will want to cast all day and never put down. You will find yourself re-tying your lures, instead of grabbing the other combos you prepared. Cast Iron Carbon material is a major advancement in material technology that delivers on our goal of building a zero-corrosion frame that fishes like it was metal. This High Strength extremely low-flex material matched with genius engineering and design elements is the key to the rock-solid feel and performance. The all NEW butter-smooth Ti-Armor Aluminum drive gear is 3X more resistant to environmental wear. The Concept C Gen II features include an Arrowhead Line Guide, Beetle Wing Rapid Access Side Plate, KeepR Integrated Hook Keeper, 25 lb. / 11 kg Bulldog Drag, High-Spin Anti Corrosion Bearings, Railed Clutch Cam, and much much more.



- Hi-Tech Cast Iron Carbon Frame and Side Plate Construction
- High Spin Spool System
- Ti-Armor Aluminum Hamai Cut Drive Gear
- 25 lb / 11 kg Bulldog Drag System
- 9 BB (2 High Spin Corrosion Resistant BB, 5 Stainless BB, 1 Dead Stop Anti-Reverse)
- Arrowhead Line Guide
- Reinforced Clutch Cam
- KeepR Integrated Hook Keeper
- Generation II Hard Anodized Worm Shaft
- Low-Friction 6-Way Braking System
- Beetle Wing Rapid Access Side Plate Recommended Casting Range: 7-80 g
- Maximum Drag: 11 kg









| Product Number | Model     | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN     | Barcode      |  |
|----------------|-----------|--------|------------|----------|---------------|---------------|---------|--------------|--|
| 126025         | C2-7.5-RH | 167 g  | 7.5:1      | 9        | 75 cm         | 0.33mm / 114m | 1375.40 | 850007590949 |  |
| 125109         | C2-6.8-LH | 167 g  | 6.8:1      | 9        | 68 cm         | 0.33mm / 114m | 1375.40 | 850007590932 |  |
| 125110         | C2-7.5-LH | 167 g  | 7.5:1      | 9        | 75 cm         | 0.33mm / 114m | 1375.40 | 850007590956 |  |
| 125111         | C2-8.3-LH | 167 g  | 8.3:1      | 9        | 83 cm         | 0.33mm / 114m | 1375.40 | 850007590970 |  |





# **INCEPTION SLD2**

Reborn with massive upgrades, the Inception A2 SLD is a gem in our line-up. The SLIDE Magnetic Cast Control and our advanced Low-Friction 6-way braking system give anglers ultimate control in every situation. If you're looking for a reel with a trophy-stopping 22lb Bulldog drag, elite casting, and a bloodline of durability, look no further. The Inception specification is the new industry bar for price level and quality. Tour Pro-level performance, DELIVERED.

- Patent-Pending SLIDE Magnetic Cast Control System HD Aluminum Frame
- 10 kg Bulldog Drag
  Alert Drag Clicker
- Aluminum Star Drag Arrowhead Line Guide
- KeepR Integrated Hook Keeper Gen II Hard Anodized Worm Gear
- Ti Armor Aluminum Drive Gear
- Low friction 6-Way Braking System
  Beetle Wing Rapid Access Side Plate
- 8 Total Bearings EVA Tech Knobs (7 SS BB + 1 Anti-Reverse Bearing) Recommended Casting Range: 7-80 g
- Maximum Drag: 10 kg











| Product Number | Model         | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|---------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 142096         | INSLD2-8.1-RH | 203 g  | 8.1:1      | 8        | 86 cm         | 0.32mm / 123m | 869.40 | 810068299885 |  |
| 142097         | INSLD2-8.1-LH | 203 g  | 8.1:1      | 8        | 86 cm         | 0.32mm / 123m | 869.40 | 810068299915 |  |



# **MODUS SZ2**

Emanating performance and beauty, the Modus SZ2 has the silent performance of CZB spool bearings. This top-spec Modus sizzles with the seamlessly meshing Japanese Hamai Cut gearing. Available with a standard capacity spool or a specialty Whisper Shallow Spool for finesse application. Proprietary technologies include our Arrowhead Line Guide and the patented KeepR hook keeper. At home in power fishing or finesse fishing, the Modus SZ2 is ready for anything.

- CZB Spool Bearings (5 SS BB + 2 CZB + 1 Anti-Reverse Bearing)
- Japanese Hamai Cut
- Aluminum Drive Gear
- Arrowhead Line Guide
- 6-Way Centrifugal Braking

- 8 kg Multi-Material Drag System
  KeepR Integrated Hook Keeper
  Ported Aluminum Whisper Shallow Spool (F-version)
- Dead Stop Anti-Reverse
- Translucent Modus Hand Knobs
- Recommended Casting Range: 7-80 g
- · Maximum Drag: 8 kg







| Product Number | Model           | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|-----------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 142092         | MODSZ2-7.3-RH   | 204 g  | 7.3:1      | 8        | 78 cm         | 0.32mm / 120m | 823.40 | 810068299823 |  |
| 142093         | MODSZ2-7.3-LH   | 204 g  | 7.3:1      | 8        | 78 cm         | 0.32mm / 120m | 823.40 | 810068299830 |  |
| 142094         | MODSZ2-8.1-RH-F | 204 g  | 8.1:1      | 8        | 86 cm         | 0.32mm / 61m  | 823.40 | 810068299847 |  |
| 142095         | MODSZ2-8.1-LH-F | 204 g  | 8.1:1      | 8        | 86 cm         | 0.32mm / 61m  | 823.40 | 810068299854 |  |





# **MODUS C2**

You know the little brother that makes the Little League Baseball team a year before he's old enough – because he is too good for Tee-Ball? This is the Modus C2. Outperforming its peers, the C2 features high-spin spool bearings, 6-way centrifugal braking, and many other features found in our higher-priced models. The HD Aluminum Chassis creates a super solid feel under pressure and houses a Japanese Hamai Cut aluminum drive gear and an 8kg Multi-Material  $\label{eq:continuous} \textit{Drag System. Don't underestimate this Modus when you are looking for a bait caster that}$ over-delivers.

- HD Aluminum Frame
- High-Spin Spool Bearings Japanese Hamai Cut

- Japanese Hamai Cut
  Aluminum Drive Gear
  Arrowhead Line Guide
  6-Way Centrifugal Braking
  8 kg Multi-Material Drag System
  KeepR Integrated Hook Keeper
  Ported Aluminum Spool
  Dead Stop Anti-Reverse
  7 Total Bearings (2 High Spin SS BB + 4 SS BB + 1 Anti-Reverse Bearing)
  Recommended Casting Range: 7-100 g
  Maximum Drag: 8 kg
- Maximum Drag: 8 kg











| Product Number | Model        | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|--------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 142088         | MODC2-6.6-RH | 210 g  | 6.6:1      | 7        | 78 cm         | 0.32mm / 120m | 621.00 | 810104111713 |  |
| 142089         | MODC2-6.6-LH | 210 g  | 6.6:1      | 7        | 78 cm         | 0.32mm / 120m | 621.00 | 810104111706 |  |
| 142090         | MODC2-8.1-RH | 210 g  | 8.1:1      | 7        | 86 cm         | 0.32mm / 120m | 621.00 | 810068299809 |  |
| 142091         | MODC2-8.1-LH | 210 g  | 8.1:1      | 7        | 86 cm         | 0.32mm / 120m | 621.00 | 810068299816 |  |

#### **MODUS TX2**

Designed and built for saltwater fishing, the Modus TX2 has earned its "TX" designation with 100 % corrosion-proof chassis construction, all saltwater-grade bearings, and an inshore fishstopping 8 kg max drag. With more line capacity than its freshwater counterpart, the Modus TX2 is outfitted with Japanese Hamai Cut gearing, our dead stop anti-reverse system, and our classic cork handle knobs. This sleek feature-rich assassin continues the TX legacy of raising the bar for saltwater quality in low-profile baitcasting gear.

#### **FEATURES**

- Anti-Corrosion Saltwater Bearings (6 Anti-Corrosion BB + 1 Anti-Reverse Bearing)
- Zero Corrosion Frame
- Japanese Hamai Cut Aluminum Drive Gear
- Arrowhead Line Guide
- 6-Way Centrifugal braking
- 8 kg Multi-Material Drag System
- KeepR Integrated Hook Keeper
- Dead Stop Anti-Reverse
- Cork Handle Knobs
- Ported Aluminum Spool
- Recommended Casting Range: 7-80 g
- Maximum Drag: 8 kg









| Product Number | Model         | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|---------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 142086         | MODTX2-7.3-RH | 206 g  | 7.3:1      | 7        | 78 cm         | 0.32mm / 123m | 593.40 | 810068299762 |  |
| 142087         | MODTX2-7.3-LH | 206 g  | 7.3:1      | 7        | 78 cm         | 0.32mm / 123m | 593.40 | 810068299779 |  |

# BAITCASTING

#### **MODUS RP2**

The whole dill with this fresh-green reel is its feature-rich platform for anglers who look for performance without breaking the bank. The seriously smooth 7-bearing system will turn as many heads as the eye-melting cosmetics. The all-new 13 Fishing Radioactive Pickle Modus is loaded with proprietary features like the Arrowhead line guide, Beetle Wing Side Plate, and centrifugal brake control.

- High-Spin Spool Bearings
- Japanese Hamai Cut Aluminum Drive Gear
- Arrowhead Line Guide
- 6-Way Centrifugal Braking
- 6 kg Multi-Material Drag System
- KeepR Integrated Hook Keeper
- Ported Aluminum Finesse Spool
- Dead Stop Anti-Reverse 7 Total Bearings (6 SS BB + 1 Anti-Reverse Bearing)
- Recommended Casting Range: 5-60 g
- Maximum Drag: 6 kg









| Product Number | Model           | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|-----------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 142084         | MODRP2-8.1-RH-F | 209 g  | 8.1:1      | 7        | 86 cm         | 0.32mm / 61m  | 547.40 | 810068299731 |  |
| 142085         | MODRP2-8.1-LH-F | 209 g  | 8.1:1      | 7        | 86 cm         | 0.32mm / 61m  | 547.40 | 810068299755 |  |



#### **ORIGIN F1**

The F1 takes pole position in its category of reels, its sleek and low fastback body shape is a departure from outdated reel designs. The Venti 20LB 6 Disk Carbon Drag System works in conjunction with the Instant Stop Anti Reverse to put down the power and stamp out any hope a fish has at escape before being photographed. The F1 carries features never seen before in its category like the long casting Arrowhead Casting System, and Beetle Wing Side-plate that allows for rapid spool exchanges. If you want more for less this 7 bearing reel claims the top spot on the podium.

#### **FEATURES**

- · Beetle Wing Side-Plate
- Venti 20 lb 6 Disc Carbon Drag System
- MCS Magnet Control System
- Instant Stop Anti-Reverse
- Arrowhead Casting System
- 7 Total Ball Bearings
- Trick Shop Compatible
- Recommended Casting Range: 7-80 g
- Maximum Drag: 9,8 kg









| Product Number | r Model    | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 135636         | OF1-6.6-LH | 225 g  | 6.6:1      | 7        | 64 cm         | 0.33mm / 100m | 460.00 | 810068291452 |  |
| 135637         | OF1-6.6-RH | 225 g  | 6.6:1      | 7        | 64 cm         | 0.33mm / 100m | 460.00 | 810068291414 |  |
| 135639         | OF1-8.1-RH | 225 g  | 8.1:1      | 7        | 78,8 cm       | 0.33mm / 100m | 460.00 | 810068291421 |  |
| 135638         | 0F1-8.1-LH | 225 g  | 8.1:1      | 7        | 78,8 cm       | 0.33mm / 100m | 460.00 | 810068291469 |  |

# BAITCASTING

#### **ORIGIN 01**

A tournament ready product, the O1 combines 18lbs of drag on a murdered-out Fastback Frame Design clapped with Blackout Components. The Multi-Material Drag System means you have the power of a will crushing hammer in your hands. Backing up the Charcoal and Onyx appeal is the MCS - Magnet Control System and 5 Total Ball Bearings providing smooth performance. Trick Shop Compatible and Arrowhead Casting System equipped, the O1 turns heads.

- · Blackout Components
- Fastback Frame Design
- Multi-Material 18Lb Drag
- MCS Magnet Control System
- Instant Stop Anti-Reverse
   Arrowhead Casting System
- 5 Total Ball Bearings
- Trick Shop Compatible
- Recommended Casting Range: 7-80 g
- Maximum Drag: 8,16 kg









| Product Number | Model       | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|-------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 135640         | 0B01-7.3-LH | 213 g  | 7.3:1      | 5        | 71 cm         | 0.33mm / 100m | 460.00 | 810068291483 |  |
| 135641         | OBO1-7.3-RH | 213 g  | 7.3:1      | 5        | 71 cm         | 0.33mm / 100m | 460.00 | 810068291476 |  |



# **ORIGIN R1**

 $\label{thm:condition} The \ Origin \ R1 \ is \ our \ newest \ addition \ to \ our \ performance-driven, reasonably \ priced \ line \ up \ of$ casting reels. With 18lbs of Max Drag, and Fastback Frame Design the R1 sacrifices nothing and puts all the features in your hand to put fish in the boat. The R1 is a highly capable caster with the MCS - Magnet Control System and a fierce fighter with Instant Stop Anti-Reverse and reliable heart of 5 Total Ball Bearings.

- Fastback Frame Design
- Multi-Material 18 lb Drag
- MCS Magnet Control System
- Instant Stop Anti-Reverse
- Arrowhead Casting System 5 Total Ball Bearings
- Trick Shop Compatible
- Recommended Casting Range: 7-80 g
- Maximum Drag: 8,16 kg












| Product Number | Model      | Weight | Gear Ratio | Bearings | Line Retrieve | Line Capacity | PLN    | Barcode      |  |
|----------------|------------|--------|------------|----------|---------------|---------------|--------|--------------|--|
| 135642         | OR1-6.6-LH | 226 g  | 6.6:1      | 5        | 64 cm         | 0.33mm / 100m | 363.40 | 810068291438 |  |
| 135643         | OR1-6.6-RH | 226 g  | 6.6:1      | 5        | 64 cm         | 0.33mm / 100m | 363.40 | 810068291391 |  |
| 135708         | OR1-8.1-LH | 226 g  | 8.1:1      | 5        | 78,8 cm       | 0.33mm / 100m | 363.40 | 810068291445 |  |







# SPINNING SALT WATER

# **AL13**

The AL13 is a professional-grade saltwater spinning reel. It's not made with wimpy plastic. From top to bottom it's built with Tank Tough ALUMINUM Construction. Full of features to keep salt out, the AL13 includes a sealed aluminum gearbox, and ceramic line roller. When you hook up enjoy the smooth patent-pending Coolstop drag system that will demoralize what you hook. We understand what it takes to be a pro, you need a tool strong enough to handle fishing day after day, week after week, year after year. Tested in the harshest saltwater conditions and designed to last with minimal maintenance.

- All Aluminum Construction
- Coolstop Drag System Sealed Gearbox
- Ceramic Line Roller
- Z Cast + CNC Machined Drive Gear
- Oversized Handle Knob
- 9 Total Ball Bearings
- Instant Anti-Reverse
- Speed and Power Gear Ratio Options
- Bearings: 8+1SS BB











|   | Product Number | Model        | Weight | Gear Ratio | Line Retrieve | Max Drag | Line Capacity    | PLN    | Barcode      |  |
|---|----------------|--------------|--------|------------|---------------|----------|------------------|--------|--------------|--|
| • | 135644         | AL13-5.2-2.0 | 310 g  | 5.2:1      | 74 cm         | 7,5 kg   | 0.26 mm / 180 m  | 873.60 | 810039119976 |  |
| • | 135645         | AL13-5.2-3.0 | 324 g  | 5.2:1      | 94 cm         | 7,5 kg   | 0.26 mm / 200 m  | 873.60 | 810039119983 |  |
| • | 135646         | AL13-5.2-4.0 | 355 g  | 5.2:1      | 84 cm         | 7,5 kg   | 0.285 mm / 247 m | 873.60 | 819065016167 |  |
| • | 135648         | AL13-6.2-3.0 | 324 g  | 6.2:1      | 94 cm         | 7,5 kg   | 0.26 mm / 200 m  | 873.60 | 810039119990 |  |
| • | 135647         | AL13-5.2-6.0 | 619 g  | 5.2:1      | 97 cm         | 20 kg    | 0.31 mm / 393 m  | 919.60 | 817063026614 |  |
| • | 135649         | AL13-6.2-6.0 | 619 g  | 6.2:1      | 116 cm        | 20 kg    | 0.31 mm / 393 m  | 919.60 | 817063026621 |  |



# SPINNING ALLROUND

# **AXUM**

Ready for combat, the 13 Fishing AXUM showcases our silky smooth Ultimate Cut Drive gear with Hyper Brass Pinion. The precision CNC gearing gracefully glides when the handle is turned. The many performance upgrades include a sealed rotor, Ceramic Line roller with 100% corrosion-proof CZB bearing, and Black Seal Performance ball bearings. Tested in fresh and saltwater theatres around the world, the AXUM is fully certified to take on any challenge.

- · Cast Iron Carbon Frame and Rotor

- Patent Pending Coolstop Drag System
  Hyper Brass Pinion Gear
  Ceramic Line Roller with ZERO Corrosion CZB Bearing
- Ultimate Cut CNC Aluminum Drive Gear
- · Hybrid T-Handle Knob
- Black Seal Saltwater Ball Bearings
- 9 Total Ball Bearings Glide Oscillation
- Sealed Rotor
- · Dead Stop Anti-Reverse
- Advanced CNC Spool Design
- Bearings: Rubber











|   | Product Number | Model      | Weight | Gear Ratio | Line Retrieve | Max Drag | Line Capacity    | PLN    | Barcode      |  |
|---|----------------|------------|--------|------------|---------------|----------|------------------|--------|--------------|--|
| • | 151126         | AX-6.2-1.0 | 231 g  | 6.2:1      | 81 m          | 7 kg     | 0.26 mm / 130 m  | 735.60 | 817063021701 |  |
| • | 151209         | AX-6.2-2.0 | 237 g  | 6.2:1      | 87 m          | 7 kg     | 0.285 mm / 155 m | 735.60 | 817063021718 |  |
| • | 151210         | AX-6.2-3.0 | 241 g  | 6.2:1      | 89 m          | 7 kg     | 0.285 mm / 170 m | 735.60 | 817063021725 |  |
| • | 151127         | AX-6.2-4.0 | 290 g  | 6.2:1      | 93 m          | 10 kg    | 0.285 mm / 220 m | 735.60 | 817063021732 |  |
| • | 151128         | AX-6.2-5.0 | 298 g  | 6.2:1      | 98 m          | 10 kg    | 0.285 mm / 245 m | 781.60 | 817063021749 |  |



# SPINNING ALLROUND

# **AERIOS**

Representing years of development, the AERIOS series spinning reels vault 13 Fishing into an elite class of manufacturers. You will instantly be impressed with our CNC Ultimate Cut gearing paired with our super-smooth Glide Oscillation system. This model is pro-tuned for top-level tournament use with our Coolstop Drag system, and Dead Stop anti-reverse. Cast Iron Carbon construction houses 9 bearings for effortless performance.

- · Cast Iron Carbon Frame and Rotor

- Patent Pending Coolstop Drag System
  Hyper Brass Pinion Gear
  Ceramic Line Roller with ZERO Corrosion CZB Bearing
- Ultimate Cut CNC Aluminum Drive Gear
- · Hybrid T-Handle Knob
- Black Seal Saltwater Ball Bearings
- 9 Total Ball Bearings
- Glide Oscillation
- Sealed Rotor
- Dead Stop Anti-ReverseAdvanced CNC Spool Design
- · Bearings: Rubber












|   | Product Number | Model      | Weight | Gear Ratio | Line Retrieve | Max Drag | Line Capacity    | PLN    | Barcode      |  |
|---|----------------|------------|--------|------------|---------------|----------|------------------|--------|--------------|--|
| • | 151121         | AE-6.2-1.0 | 235 g  | 6.2:1      | 81 m          | 7 kg     | 0.26 mm / 130 m  | 823.40 | 817063021640 |  |
| • | 151122         | AE-6.2-2.0 | 241 g  | 6.2:1      | 87 m          | 7 kg     | 0.285 mm / 155 m | 823.40 | 817063021657 |  |
| • | 151123         | AE-6.2-3.0 | 243 g  | 6.2:1      | 89 m          | 7 kg     | 0.285 mm / 170 m | 823.40 | 817063021664 |  |
| • | 151124         | AE-6.2-4.0 | 292 g  | 6.2:1      | 93 m          | 10 kg    | 0.285 mm / 220 m | 823.40 | 817063021688 |  |
| • | 151125         | AE-6.2-5.0 | 300 g  | 6.2:1      | 98 m          | 10 kg    | 0.285 mm / 245 m | 777.40 | 817063021695 |  |






SPINNING

#### **META FEATHER**

Step into the world of finesse fishing with Feather, a rod that lives up to its name. Impossibly light and effortlessly convenient, it becomes an extension of your casting hand as you pursue fish like perch and trout.

#### **FEATURES**

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- · Premium Japanese Split Grip EVA Handle
- · Evolve Custom Reel Seat
- · Stainless Steel American Tackle Guides With DuraLite Inserts
- · Evolve Open End Hook Keeper




SPINNING

#### **META SNIPER**

Unleash the power of Meta Sniper and witness your soft bait soar like a bullet. With an extra fast action tip designed for heightened sensitivity and casting precision, this rod is a force to be reckoned with. The blank is fully loaded with hooking power, ensuring you feel everything when hooking into wily zander.

- · Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- Premium Japanese Split Grip EVA Handle
- Evolve Custom Reel Seat
- Stainless Steel American Tackle Guides With DuraLite Inserts
- · Evolve Open End Hook Keeper






CASTING NEW

# **META SPRING**

Embrace the spring-like magic of this remarkable rod. With a graceful bend during retrieve, lightning-fast response during casts, and unwavering tenacity to keep your catch hooked, it is the ultimate companion for crankbait fishing. Prepare yourself to dominate big fish with Spring in your hand.

#### **FEATURES**

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- Premium Japanese Split Grip EVA Handle
- **Evolve Custom Reel Seat**
- Stainless Steel American Tackle Guides With DuraLite Inserts
- Evolve Open End Hook Keeper



CASTING NEW

# **META CHAT-R-CRANK**

Crafted by the best 13 Fishing pro staff in the USA, Chat-R-Crank stands as a testament to expertise. This rod is designed to be wielded with chatter lures and spinnerbaits, channeling their vibrant energy into every cast.

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- Premium Japanese Split Grip EVA Handle
- **Evolve Custom Reel Seat**
- Stainless Steel American Tackle Guides With DuraLite Inserts
- Evolve Open End Hook Keeper





CASTING

NEW

#### **META BEAST**

A new sheriff has arrived on the lake, and its name is Beast. This pike rod possesses a dual nature, transforming from a delicate and precise workhorse to an untamable force when faced with larger prey.

#### **FEATURES**

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- Premium Japanese Split Grip EVA Handle
- PLS Reel Seat with backstop
- Stainless Steel American Tackle Guides With DuraLite Inserts
- Evolve Open End Hook Keeper



CASTING

**NEW** 

#### META HELL BENT

Prepare yourself for the ultimate test of strength with Hell Bent. Big Mama will push this rod to its limits, bending it like never before. Designed for the most dedicated pike anglers who relentlessly pursue trophy-sized monsters, Hell Bent is a testament to unwavering determination.

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- Premium Japanese Split Grip EVA Handle
- PLS Reel Seat with backstop
- Stainless Steel American Tackle Guides With DuraLite Inserts
- Evolve Open End Hook Keeper



# **MUSE BLACK**

Lighter, tighter, and more sensitive - you've heard it a million times, but this rod is it. It's not just the tech that makes the Muse Black one of the baddest rods out there, it's also the attitude that we put into each hand constructed taper. From 40 ton graphite to Fuji guides it conquers the gnarliest fish out there. The Evolve Airfoil Carbon reel seat transmits kinetic energy directly into the anglers' palm while anchoring the anglers' hand to the rod. Since its beginning, the Muse series has been designed around technique specific applications that provide anglers the elite piece of equipment they've come to expect.

- Japanese PVG40T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT1)
- Evolve Snag-less Hook Keeper
- Evolve Carbon Divide Reel Seat
- · Fuji K-Frame Stainless SteelGuides with Alconite Inserts
- High Density EVA/4A Portuguese Cork Split Grip Handle
- Evolve Fox Hole



125161

| Product Number  | Model       | Power          | Action        | Length         | Sections | Casting Weight | PLN     | Barcode      |  |
|-----------------|-------------|----------------|---------------|----------------|----------|----------------|---------|--------------|--|
| MUSE BLACK CAS  | TING        |                |               |                |          |                |         |              |  |
| 126042          | MB2C68L2    | Medium         | Fast          | 203 cm / 6'8"  | 1+1      | 10-30g         | 1241.60 | 810039117408 |  |
| 126043          | MB2C68M2BJ  | Medium         | Fast          | 203 cm / 6'8"  | 1+1      | 10-30g         | 1241.60 | 810039117415 |  |
| 125164          | MB2C610L2   | Light          | Fast Moderate | 208 cm / 6'10" | 2        | 3-15g          | 1241.60 | 810039117422 |  |
| 125166          | MB2C70MH2   | Medium Heavy   | Fast          | 213 cm / 7'0"  | 2        | 15-40g         | 1287.60 | 810039117446 |  |
| 125165          | MB2C70MLC2  | Medium Light   | Cranking      | 213 cm / 7'0"  | 2        | 5-20g          | 1287.60 | 810039117439 |  |
| 135615          | MB2C71MH2BJ | Medium Heavy   | Fast          | 216 cm / 7'1"  | 1+1      | 15-40g         | 1287.60 | 810068295429 |  |
| 126044          | MB2C74H2BJ  | Heavy          | Fast          | 224 cm / 7'4"  | 1+1      | 20-80g         | 1379.60 | 810039117453 |  |
| 126045          | MB2C78XH2BJ | Extra Heavy    | Fast          | 234 cm / 7'8"  | 1+1      | 40-130g        | 1379.60 | 810039117460 |  |
| 125167          | MB2C86XH2   | 2X Extra Heavy | Fast          | 259 cm / 8'6"  | 2        | 40-130g        | 1609.60 | 810039117477 |  |
| 125168          | MB2C91XXH2  | 2X Extra Heavy | Mod fast      | 277 cm / 9'1"  | 2        | 56-170g        | 1485.40 | 810039117484 |  |
| MUSE BLACK SPIN | INING       |                |               |                |          |                |         |              |  |
| 125161          | MB2S69ML2   | Medium Light   | Extra Fast    | 206 cm / 6'9"  | 2        | 5-20g          | 1241.60 | 810039117354 |  |
| 125162          | MB2S610L2   | Light          | Fast          | 208 cm / 6'10" | 2        | 3-15g          | 1241.60 | 810039117361 |  |
| 125163          | MB2S71L2    | Light          | Extra Fast    | 216 cm / 7'1"  | 2        | 3-15g          | 1287.60 | 810039117378 |  |
| 125918          | MB2S84H2    | Heavy          | Extra Fast    | 254 cm / 8'4"  | 2        | 20-80g         | 1379.60 | 810039117385 |  |
| 125917          | MB2S86XH2   | Extra Heavy    | Fast          | 259 cm / 8'6"  | 2        | 40-130g        | 1609.60 | 810039117392 |  |

# **OMEN BLACK**

Long respected as the O.G. of the 13 Fishing lineup, our Omen Black series continues to lead our domination of the new school. With lengths, actions and powers that cover techniques both current and emerging, every stick in this tournament-proven series features Japanese 36 ton Toray blanks with Poly Vector Graphite technology. Translation: Lighter and more sensitive without sacrificing durability. Add full cork 4A Portuguese handles, diamond coated ALPS 316 Stainless Steel Guides with Zirconia Inserts, Evolve custom ported reel seat and you'll find no better balance or value in its class.

#### **FEATURES**

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT1)
- High Density 4A Portuguese Cork Split Grip Handle
- Evolve Snag-less Hook Keeper
- Evolve Custom Ported Reel Seat
- Fuji K-Frame Stainless SteelGuides with Alconite Inserts
- Evolve Fox Hole





#### 126046

| Product Number  | Model      | Power        | Action     | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|-----------------|------------|--------------|------------|----------------|----------|----------------|--------|--------------|--|
| OMEN BLACK CAST | TING       |              |            |                |          |                |        |              |  |
| 125182          | OBC68ML2   | Medium Light | Extra Fast | 203 cm / 6'8"  | 2        | 5-20g          | 827.60 | 810039117620 |  |
| 127155          | OBC68ML2BJ | Medium Light | Fast       | 203 cm / 6'8"  | 1+1      | 5-20g          | 827.60 | 810039117637 |  |
| 126048          | OBC68M2BJ  | Medium       | Fast       | 203 cm / 6'8"  | 1+1      | 10-30g         | 827.60 | 810039117644 |  |
| 126049          | OBC71MH2BJ | Medium Heavy | Fast       | 216 cm / 7'1"  | 1+1      | 15-40g         | 827.60 | 810039117651 |  |
| 126050          | OBC74H2BJ  | Heavy        | Fast       | 224 cm / 7'4"  | 1+1      | 20-80g         | 827.60 | 810039117668 |  |
| 126051          | OBC78XH2BJ | Extra Heavy  | Fast       | 234 cm / 7'8"  | 1+1      | 40-120g        | 919.60 | 810039117675 |  |
| 125183          | OBC86XH2   | Extra Heavy  | Fast       | 259 cm / 8'6"  | 2        | 40-130g        | 873.60 | 810039117682 |  |
| 136004          | OBC86M2    | Medium       | Moderate   | 259 cm / 8'6"  | 2        | 10-30g         | 873.60 | 810068295672 |  |
| OMEN BLACK SPIN | NING       |              |            |                |          |                |        |              |  |
| 126046          | OBS64M2BJ  | Medium       | Extra Fast | 193 cm / 6'4"  | 1+1      | 10-30g         | 795.40 | 810039117491 |  |
| 125169          | OBS66L2    | Light        | Fast       | 198 cm / 6'6"  | 2        | 3-15g          | 781.60 | 810039117507 |  |
| 125170          | OBS68ML2   | Medium Light | Fast       | 203 cm / 6'8"  | 2        | 5-20g          | 827.60 | 810039117514 |  |
| 125172          | OBS70M2    | Medium       | Fast       | 213 cm / 7'10" | 2        | 10-30g         | 827.60 | 810039117538 |  |
| 125171          | OBS70ML2   | Medium Light | Fast       | 213 cm / 7'10" | 2        | 5-20g          | 827.60 | 810039117521 |  |
| 125173          | OBS71MH2   | Medium Heavy | Fast       | 216 cm / 7'1"  | 2        | 15-40g         | 827.60 | 810039117545 |  |
| 125177          | OBS80H2    | Heavy        | Fast       | 244 cm / 8'0"  | 2        | 20-80g         | 827.60 | 810039117576 |  |
| 125175          | OBS80M2    | Medium       | Fast       | 244 cm / 8'0"  | 2        | 10-30g         | 827.60 | 810039117552 |  |
| 125176          | OBS80MH2   | Medium Heavy | Fast       | 244 cm / 8'0"  | 2        | 15-40g         | 827.60 | 810039117569 |  |
| 135555          | OBS86M2    | Medium       | Moderate   | 259 cm / 8'6"  | 2        | 10-30g         | 873.60 | 810068296044 |  |
| 125181          | OBS86XH2   | Extra Heavy  | Fast       | 259 cm / 8'6"  | 2        | 40-130g        | 873.60 | 810039117613 |  |
| 125180          | OBS90H2    | Heavy        | Fast       | 274 cm / 9'0"  | 2        | 20-80g         | 873.60 | 810039117606 |  |
| 125178          | OBS90M2    | Medium       | Fast       | 274 cm / 9'0"  | 2        | 10-30g         | 873.60 | 810039117583 |  |
| 125179          | OBS90MH2   | Medium Heavy | Fast       | 274 cm / 9'0"  | 2        | 15-40g         | 873.60 | 810039117590 |  |

# SPINNING

# **OMEN GOLD**

It's not unusual for greatness to come in small shapes. A descendant of the acclaimed Omen series, Omen Gold is for those who want mobility – without compromising quality. These rods come in lengths and actions suitable for freshwater and saltwater fishing. The shorter rods are ideal for targeting trout with spinners, soft baits and hardbody lures, while the larger range provides actions heavy enough to take on sea trout and other saltwater species. The Omen Gold rods come with a rod tube, ensuring effortless and safe transportation.

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT2)
- Japanese 36 Ton Toray Graphite
- Hand Selected Premium Portuguese 3A Split Grip Handle
- Evolve Skeleton Reel Seat
- Fuji Stainless Steel K Frame Guides with Alconite Inserts



| Product Number  | Model    | Power        | Action | Length        | Sections | Casting Weight | PLN     | Barcode      |  |
|-----------------|----------|--------------|--------|---------------|----------|----------------|---------|--------------|--|
| OMEN GOLD TRAVE | L        |              |        |               |          |                |         |              |  |
| 135608          | OGS70L5  | Light        | Fast   | 210 cm / 7'0" | 5        | 3-15g          | 965.60  | 810068295849 |  |
| 135609          | OGS80L5  | Light        | Fast   | 244 cm / 8'0" | 5        | 3-15g          | 1011.60 | 810068295856 |  |
| 135610          | OGS90ML5 | Medium Light | Fast   | 277 cm / 9'0" | 5        | 5-20g          | 1057.60 | 810068295863 |  |
| 135611          | OGS90MH5 | Medium Heavy | Fast   | 277 cm / 9'0" | 5        | 15-40g         | 1103.60 | 810068295870 |  |
| OMEN GOLD TELE  |          |              |        |               |          |                |         |              |  |
| 135604          | OGTS70L  | Light        | Fast   | 210 cm / 7'0" | Tele-2   | 3-15g          | 965.60  | 810068295801 |  |
| 135605          | OGTS80L  | Light        | Fast   | 244 cm / 8'0" | Tele-2   | 3-15g          | 1011.60 | 810068295818 |  |
| 135607          | OGTS90MH | Medium Light | Fast   | 277 cm / 9'0" | Tele-2   | 5-20g          | 1149.60 | 810068295832 |  |
| 135606          | OGTS90ML | Medium Heavy | Fast   | 277 cm / 9'0" | Tele-2   | 15-40g         | 1103.60 | 810068295825 |  |



#### **OMEN QUEST**

The Omen Quest series continues to lead our domination of the new school. This 4pcs Travel Rod series have lengths, actions and powers that cover techniques both current and emerging. Each rod is custom designed for either trout, seatrout, coast, or salmon fishing with high quality Japanese Toray blanks, and will fulfill the needs and desire of an angler. The 4pcs travel series contain custom made models for different species and type of fishing.

#### **FEATURES**

- Japanese PVG36T Blank Construction
- Taper Designed with Zonal Action Technology (ZAT1)
- 4A Portuguese Full Cork Handle
- Evolve Snag-less Hook Keeper
- **Evolve Custom Ported Reel Seat**
- Evolve Tangle Free Stainless Steel Guides with Zirconia Inserts
- Evolve Fox Hole



| Product Number   | Model     | Power        | Action         | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|------------------|-----------|--------------|----------------|----------------|----------|----------------|--------|--------------|--|
| OMEN QUEST CAST  | ING       |              |                |                |          |                |        |              |  |
| 135622           | OQC91MH4  | Medium Heavy | Fast           | 277 cm / 9'1"  | 4        | 15-40g         | 689.60 | 810068295757 |  |
| 135624           | OQC96MLH4 | MLH          | Fast           | 290 cm / 9'6"  | 4        | 7-28g          | 689.60 | 810068295764 |  |
| 135625           | OQC101M4  | Medium       | Fast           | 308 cm / 10'1" | 4        | 10-30g         | 744.80 | 810068295771 |  |
| 135626           | OQC11XH4  | XXH          | Fast/Parabolic | 335 cm / 11'0" | 4        | 56-170g        | 781.60 | 810068295740 |  |
| OMEN QUEST SPINI | NING      |              |                |                |          |                |        |              |  |
| 125190           | OQS80L4   | Light        | Fast           | 244 cm / 8'0"  | 4        | 3-15g          | 597.60 | 810039117743 |  |
| 125192           | OQS90MH4  | Medium Heavy | Fast           | 277 cm / 9'0"  | 4        | 15-40g         | 643.60 | 810039117750 |  |
| 135623           | OQS92MLH4 | MLH          | Fast           | 280 cm / 9'2"  | 4        | 7-28g          | 689.60 | 810068295788 |  |
| 125193           | OQS10MLH4 | MLH          | Fast           | 280 cm / 9'2"  | 4        | 7-28g          | 689.60 | 810039117767 |  |
| 125194           | 0QS11H4   | Heavy        | Fast           | 335 cm / 11'0" | 4        | 20-50g         | 781.60 | 810039117774 |  |
| 135627           | 0QS111M4  | Medium       | Fast           | 338 cm / 11'1" | 4        | 10-30g         | 781.60 | 810068295795 |  |
| 125195           | OQS12XH4  | ХН           | Fast           | 365 cm / 12'0" | 4        | 40-80g         | 827.60 | 810039117781 |  |

# **JIGGING**

#### **OMEN DEEP SEA BOAT**

In the depths, there's no room for compromise. Extreme strength and sensitivity turn from luxury to necessity. Designed for the modern boat angler, the Omen Deep Sea Boat packs unmatched strength in its slim and light rod. Elevate your senses with the resilient, yet sensitive, action provided by the soft and sensitive tip. Even the smallest bites in the darkest depths turn into clear calls for action. A superb choice for all types of boat fishing, the Omen Deep Sea Boat is the weapon of choice when hunting the giants of the deep.

#### **FEATURES**

- PVG36T Japanese Blank
- Fuji DPS-H Reel Seat
- Alps MXN SIC Ceramic Ring Guides
- Split Grip High Density EVA



#### 125222

| Product Number | Model          | Length        | Sections | Casting Weight | PLN     | Barcode      |  |
|----------------|----------------|---------------|----------|----------------|---------|--------------|--|
| 125222         | ODS63-1540-2BJ | 191 cm / 6'3" | 1+1      | 15-40lbs       | 873.60  | 810039118047 |  |
| 125223         | ODS76-2030-2BJ | 229 cm / 7'6" | 1+1      | 20-30lbs       | 965.60  | 810039118054 |  |
| 125224         | ODS76-3050-2BJ | 229 cm / 7'6" | 1+1      | 30-50lbs       | 1011.60 | 810039118061 |  |

# **FATE BLACK**

If you don't know the Fate Black series by now, it's time to get acquainted. This widely recognized series is back to make another bold statement. The continuing legacy of sensitivity and reactive spline on the PVG30T blank gives this rod an unmatched feeling. Through the Evolve Soft Touch ported reel seat and custom-wrapped stainless steel Alconite guides, this rod relays the most subtle of fish intentions by harnessing the energy and transferring it straight to your palm. The lighter setup of the new edition improves the overall feel while maintaining the custom-tuned tapers the series is known for.

#### **FEATURES**

- PVG30T Graphite Blank
- Evolve Custom Ported Soft Touch Rell Seat
- Evolve Tangle Free Stainless Steel Guides with Zirconia Inserts
- High Density EVA Split Grip Handle
- Evolve Snag-less Hook Keeper



#### 135619

| Product Number  |              | Power           | Action        | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|-----------------|--------------|-----------------|---------------|----------------|----------|----------------|--------|--------------|--|
| FATE BLACK CAS  |              | Marathana Limba | Ford          | 100 / 6/6"     | 0        | F 00           | 067.60 | 010000115640 |  |
| 125210          | FTBC66ML2    | Medium Light    | Fast          | 198 cm / 6'6"  | 2        | 5-20g          | 367.60 | 810039115640 |  |
| 125211          | FTBC66M2     | Medium          | Fast          | 198 cm / 6'6"  | 2        | 10-30g         | 367.60 | 810039115657 |  |
| 125213          | FTBC610ML2   | Medium Light    | Fast          | 208 cm / 6'10" | 2        | 5-20g          | 367.60 | 810039115664 |  |
| 125214          | FTBC70MH2    | Medium Heavy    | Fast          | 213 cm / 7'10" | 2        | 15-40g         | 413.60 | 810039115671 |  |
| 125215          | FTBC70H2     | Heavy           | Fast          | 213 cm / 7'10" | 2        | 20-80g         | 413.60 | 810039115688 |  |
| 125216          | FTBC74XH2    | Extra Heavy     | Fast          | 224 cm / 7'4"  | 2        | 40-130g        | 551.60 | 810039115695 |  |
| 125217          | FTBC86XH2    | Extra Heavy     | Fast          | 259 cm / 8'6"  | 2        | 40-130g        | 551.60 | 810039115701 |  |
| 125218          | FTBC91XH2    | Extra Heavy     | Fast          | 277 cm / 9'1"  | 2        | 56-170g        | 597.60 | 810039115718 |  |
| 135621          | FTBC10MH2    | Medium Heavy    | Moderate Fast | 305 cm / 10'0" | 2        | 15-40g         | 597.60 | 810068295696 |  |
| FATE BLACK GAT  | EKEEPER      |                 |               |                |          |                |        |              |  |
| 141642          | FTBC91XXXH2  | XXXH            | -             | 300 cm / 9'10" | 2        | 100-300g       | 643.60 | 810104110969 |  |
| FATE BLACK SPII | NNING        |                 |               |                |          |                |        |              |  |
| 135619          | FTBS60XXXUL2 | XXXUL           | Fast          | 183 cm / 6'0"  | 2        | 0,5-3,5g       | 367.60 | 810068295702 |  |
| 135620          | FTBS60XXUL2  | XXUL            | Fast          | 183 cm / 6'0"  | 2        | 1-4g           | 367.60 | 810068295719 |  |
| 125196          | FTBS60L2     | Light           | Fast          | 183 cm / 6'0"  | 2        | 3-15g          | 367.60 | 810039115497 |  |
| 135702          | FTBS66M2     | Medium          | Fast          | 198 cm / 6'6"  | 2        | 10-30g         | 367.60 | 810068295689 |  |
| 125197          | FTBS70L2     | Light           | Fast          | 213 cm / 7'10" | 2        | 3-15g          | 413.60 | 810039115503 |  |
| 125198          | FTBS70ML2    | Medium Light    | Fast          | 213 cm / 7'10" | 2        | 5-20g          | 413.60 | 810039115510 |  |
| 125199          | FTBS70M2     | Medium          | Fast          | 213 cm / 7'10" | 2        | 10-30g         | 413.60 | 810039115527 |  |
| 125200          | FTBS70MH2    | Medium Heavy    | Fast          | 213 cm / 7'10" | 2        | 15-40g         | 413.60 | 810039115534 |  |
| 125201          | FTBS70H2     | Heavy           | Fast          | 213 cm / 7'10" | 2        | 20-80g         | 413.60 | 810039115541 |  |
| 125202          | FTBS80ML2    | Medium Light    | Fast          | 244 cm / 8'0"  | 2        | 5-20g          | 459.60 | 810039115558 |  |
| 125203          | FTBS80M2     | Medium          | Fast          | 244 cm / 8'0"  | 2        | 10-30g         | 459.60 | 810039115565 |  |
| 125204          | FTBS80MH2    | Medium Heavy    | Fast          | 244 cm / 8'0"  | 2        | 15-40g         | 459.60 | 810039115572 |  |
| 125205          | FTBS80H2     | Heavy           | Fast          | 244 cm / 8'0"  | 2        | 20-80g         | 459.60 | 810039115589 |  |
| 125206          | FTBS86XH2    | Extra Heavy     | Fast          | 259 cm / 8'6"  | 2        | 40-130g        | 551.60 | 810039115596 |  |
| 125207          | FTBS90H2     | Heavy           | Fast          | 274 cm / 9'0"  | 2        | 20-80g         | 597.60 | 810039115602 |  |
| 125209          | FTBS100H2    | Heavy           | Fast          | 305 cm / 10'0" | 2        | 20-80g         | 597.60 | 810039115626 |  |
| 125208          | FTBS100MH2   | Medium Heavy    | Fast          | 305 cm / 10'0" | 2        | 15-40g         | 597.60 | 810039115619 |  |



#### FATE V3

Fresh from the lab, Fate V3 has broken out of its test tube and is here. Without trying to re-invent the wheel, we added Evolve Soft Touch custom reel seat and Airfoil Carbon grips to manufacture grip and feel at absurd levels. The PVG 36T graphite blank decreases the weight and increases the sensitivity pushing the blank to be that much better'er. This rod is 100% gluten-free in order to be lightweight but we also managed to include tangle free guides with Zirconia inserts. Most importantly, we added the Snaggletooth hook keeper because it turns out that people like to store the baits in between uses.

#### **FEATURES**

- PVG36T Graphite Blank
- Evovle Soft Touch Engage Reel Seat
- Evolve Tangle Free Stainless Steel Guides with Zirconia Inserts
- Evolve Soft Touch Air Foil Carbon Handles
- Evolve Snag-less Hook Keeper



#### 125184

| Product Number   | Model      | Power        | Action | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|------------------|------------|--------------|--------|----------------|----------|----------------|--------|--------------|--|
| FATE V3 CASTING  |            |              |        |                |          |                |        |              |  |
| 136003           | FV3C68M2   | Medium       | Fast   | 203 cm / 6'8"  | 2        | 10-30g         | 505.60 | 810068295726 |  |
| 125189           | FV3C610ML2 | Medium Light | Fast   | 208 cm / 6'10" | 2        | 5-20g          | 505.60 | 810039115480 |  |
| 135618           | FV3C610MH2 | Medium Heavy | Fast   | 208 cm / 6'10" | 2        | 15-40g         | 505.60 | 810068295733 |  |
| FATE V3 SPINNING |            |              |        |                |          |                |        |              |  |
| 125184           | FV3S66L2   | Light        | Fast   | 198 cm / 6'6"  | 2        | 3-15g          | 505.60 | 810039115435 |  |
| 125185           | FV3S68ML2  | Medium Light | Fast   | 203 cm / 6'8"  | 2        | 5-20g          | 505.60 | 810039115442 |  |
| 125186           | FV3S70M2   | Medium       | Fast   | 213 cm / 7'10" | 2        | 10-30g         | 551.60 | 810039115459 |  |
| 125187           | FV3S71MH2  | Medium Heavy | Fast   | 216 cm / 7'1"  | 2        | 15-40g         | 551.60 | 810039115466 |  |
| 125188           | FV3S80MH2  | Medium Heavy | Fast   | 244 cm / 8'0"  | 2        | 15-40g         | 551.60 | 810039115473 |  |

# SPINNING

#### **FATE TROUT**

The designated trout-catching machine, the Fate Trout takes ultralight and adds a handful of X's to it. The rod's parabolic action offers responsivity needed when taking on agile and wild-spirited fish and the XXXUL extra-long solid tip maximizes sensitivity. The reactive spline of the PVG30T blank gives this rod a feeling familiar to the Fate series - unmatched.

- PVG30T Graphite Blank
- Skeleton Reel Seat
- ALPS SS with Zirconia Insert Guides
- Parabolic Action Optimized for Ultralight Use
- XXXUL Extra-Long Solid Tip



| Product Number | Model        | Power | Action    | Length        | Sections | Casting Weight | PLN    | Barcode      |  |
|----------------|--------------|-------|-----------|---------------|----------|----------------|--------|--------------|--|
| 135633         | FTTS63XXXUL2 | XXXUL | Parabolic | 191 cm / 6'6" | 2        | 0,5-3,5g       | 505.60 | 810068296648 |  |
| 135634         | FTTS66XXUL2  | XXUL  | Parabolic | 198 cm / 6'8" | 2        | 1-4g           | 505.60 | 810068296655 |  |
| 135635         | FTTS68XUL2   | XUL   | Parabolic | 203 cm / 6'8" | 2        | 1,5-5g         | 505.60 | 810068296662 |  |



# **FATE QUEST**

Fate Quest travel rods rely on the widely recognized legacy of sensitivity and reactiveness the Fate rods are known for – in an easy-to-transport, multi-piece format to travel with you on your adventures. PVG30T blank gives these rods a feeling that is unmatched. The rods are able to harness energy for accurate casts and transfer every move of the lure straight to your hands through the Evolve soft touch ported reel seat and SS Zirconia guides. The new edition is lighter with improved feel while maintaining the custom-tuned tapers Fate rods are known for.

- Japanese 30Ton HTC 3 Low Resin Blank Construction
- Evolve Seamless Reel Seat
- Tangle Free Guides with Zirconia Inserts
- · Hand Selected 3A Portuguese Cork Handle



| Product Number    | Model               | Power        | Action | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|-------------------|---------------------|--------------|--------|----------------|----------|----------------|--------|--------------|--|
| FATE QUEST CASTII | NG                  |              |        |                |          |                |        |              |  |
| 126056            | FQC66M4             | Medium       | Fast   | 198 cm / 6'6"  | 4        | 10-30g         | 505.60 | 810039117798 |  |
| 126057            | FQC68MH4            | Medium Heavy | Fast   | 203 cm / 6'8"  | 4        | 15-40g         | 505.60 | 810039117804 |  |
| 126058            | FQC70H4             | Heavy        | Fast   | 213 cm / 7'10" | 4        | 20-80g         | 505.60 | 810039117811 |  |
| FATE QUEST SPINN  | FATE QUEST SPINNING |              |        |                |          |                |        |              |  |
| 126052            | FQS60L4             | Light        | Fast   | 183 cm / 6'0"  | 4        | 3-15g          | 505.60 | 810039117699 |  |
| 126053            | FQS66ML4            | Medium Light | Fast   | 198 cm / 6'6"  | 4        | 5-20g          | 505.60 | 810039117705 |  |
| 126054            | FQS70M4             | Medium       | Fast   | 213 cm / 7'10" | 4        | 10-30g         | 505.60 | 810039117712 |  |
| 126055            | FQS80MH4            | Medium Heavy | Fast   | 244 cm / 8'0"  | 4        | 15-40g         | 551.60 | 810039117729 |  |
| 126647            | FQS90H4             | Heavy        | Fast   | 274 cm / 9'0"  | 4        | 20-80g         | 643.60 | 810039117736 |  |

# SPINNING

#### **DEFY BLACK**

Giant fish? Hell yes. Taking nods from the elite rods in the 13 Fishing line up this series delivers performance well beyond what you'd expect. Each taper is crafted to provide the best presentation and fighting ability possible.

#### **FEATURES**

- PVG24T Graphite Blank
- **Evolve Custom Seamless Reel Seat**
- Evolve Single Foot Stainless Steel Guides with Zirconia Inserts
- High Density EVA Split Grip Handle
- Evolve Snag-less Hook Keeper



#### 125231

| Product Number | Model      | Power        | Action    | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|----------------|------------|--------------|-----------|----------------|----------|----------------|--------|--------------|--|
| 125231         | DEFBS60L2  | Light        | Parabolic | 183 cm / 6'0"  | 2        | 3-15g          | 298.60 | 810039115725 |  |
| 125232         | DEFBS70ML2 | Medium Light | Fast      | 213 cm / 7'10" | 2        | 5-20g          | 321.60 | 810039115732 |  |
| 125233         | DEFBS70M2  | Medium       | Fast      | 213 cm / 7'10" | 2        | 10-30g         | 321.60 | 810039115749 |  |
| 125234         | DEFBS70MH2 | Medium Heavy | Fast      | 213 cm / 7'10" | 2        | 15-40g         | 321.60 | 810039115756 |  |
| 125235         | DEFBS70H2  | Heavy        | Fast      | 213 cm / 7'10" | 2        | 20-80g         | 321.60 | 810039115763 |  |
| 125236         | DEFBS80ML2 | Medium Light | Fast      | 244 cm / 8'0"  | 2        | 5-20g          | 367.60 | 810039115770 |  |
| 125237         | DEFBS80M2  | Medium       | Fast      | 244 cm / 8'0"  | 2        | 10-30g         | 367.60 | 810039115787 |  |
| 125238         | DEFBS80MH2 | Medium Heavy | Fast      | 244 cm / 8'0"  | 2        | 15-40g         | 367.60 | 810039115794 |  |
| 125239         | DEFBS80H2  | Heavy        | Fast      | 244 cm / 8'0"  | 2        | 20-80g         | 367.60 | 810039115800 |  |
| 125240         | DEFBS90ML2 | Medium Light | Fast      | 274 cm / 9'0"  | 2        | 5-20g          | 413.60 | 810039115817 |  |
| 125241         | DEFBS90M2  | Medium       | Fast      | 274 cm / 9'0"  | 2        | 10-30g         | 413.60 | 810039115824 |  |
| 125242         | DEFBS90MH2 | Medium Heavy | Fast      | 274 cm / 9'0"  | 2        | 15-40g         | 413.60 | 810039115831 |  |
| 125243         | DEFBS90H2  | Heavy        | Fast      | 274 cm / 9'0"  | 2        | 20-80g         | 413.60 | 810039115848 |  |

# SPINNING

#### **DEFY QUEST**

For those who want it all. Strength, sensitivity, versatility and transportability – all in one affordable package. The Defy Quest is our answer to your desire for a single rod to do it all. This travel rod features a slim but powerful blank that offers the sensitivity and strength required to take on the big challenges. The Defy Quest's 3pcs rod is easy to carry along, eliminating boundaries from your fishing. With custom-made tapers for different species and different types of fishing, this series is for the all-rounders. But make no mistake: having it all is not about compromising. It's about balance.

#### **FEATURES**

- PVG24T Japanese Blank
- **Evolve Custom Seamless Reel Seat**
- Evolve Tangle-Free Zirconia Ring Guides
- Split Grip High Density EVA
- Evolve Snag-less Hook Keeper



#### **DEFY QUEST TROUT** 125219 DOS80L3 Light Fast 244 cm / 8' 3 3-15g 381.40 810039117828 DEFY QUEST COAST 125221 DQS90MH3 Medium Heavy Fast 274 cm / 9'0" 3 15-40g 436.60 810039117842 DEFY OUEST SEA TROUT 125220 DQS90ML3 Medium Light Fast 275 cm / 9'0" 5-20g 404.40 810039117835

# **RELY BLACK TELE SPIN**

Known for punching above its weight, the Rely series delivers finesse at an affordable price. The series features multi-species rods suitable for all anglers. The Rely Spin handles spinning techniques with ease, while the Rely Spincast is perfect for those just starting out. And for those wild in spirit, the Rely Tele Spin is the perfect companion on the road. Effortless, convenient, yet effective – the Rely series is the perfect choice for those taking their first casts.

#### **FEATURES**

- · PVG24T Graphite Blank
- Evolve Custom Reel Seat
- Stainless Steel Guides with Stainless Inserts
- High Density Japanese EVA Grips
- Evolve Snagless Hook Keeper



#### 135581

| Product Number      | Model   | Power        | Length         | Sections | Casting Weight | PLN    | Barcode      |  |
|---------------------|---------|--------------|----------------|----------|----------------|--------|--------------|--|
| RELY BLACK TELE SPI | INNING  |              |                |          |                |        |              |  |
| 135581              | RTS60L  | Light        | 183 cm / 6'0"  | TELE-5   | 3-15g          | 298.60 | 810068295214 |  |
| 135582              | RTS70L  | Light        | 213 cm / 7'0"  | TELE-5   | 3-15g          | 298.60 | 810068295221 |  |
| 135583              | RTS70M  | Medium       | 213 cm / 7'0"  | TELE-5   | 10-30g         | 298.60 | 810068295238 |  |
| 135584              | RTS80L  | Light        | 244 cm / 8'    | TELE-6   | 3-15g          | 321.60 | 810068295245 |  |
| 135585              | RTS80M  | Medium       | 244 cm / 8'    | TELE-6   | 10-30g         | 321.60 | 810068295252 |  |
| 135586              | RTS80MH | Medium Heavy | 244 cm / 8'    | TELE-6   | 15-40g         | 321.60 | 810068295269 |  |
| 135587              | RTS90ML | Medium Light | 274 cm / 9'0"  | TELE-6   | 5-20g          | 344.60 | 810068295276 |  |
| 135588              | RTS90MH | Medium Heavy | 274 cm / 9'0"  | TELE-6   | 15-40g         | 344.60 | 810068295283 |  |
| 135589              | RTS10M  | Medium       | 305 cm / 10'0" | TELE-6   | 10-30g         | 344.60 | 810068295290 |  |
| 135590              | RTS10MH | Medium Heavy | 305 cm / 10'0" | TELE-6   | 15-40g         | 367.60 | 810068295306 |  |







# **SKULL CAP**

Protect your favorite reels from dings, dirt and grime without having to remove them from the rod. Skull Cap Reel Guard is designed to snap into place around the rod. Fits both right- and left-handed reels. Constructed of high-impact durable rubber, the Skull Cap Reel Guard will keep your reels protected and reliable for years.

- · Durable rubber construction
- Snaps into place around rod
  Fits right- and left-handed reels
  Fits combo while rigged





| Product Number    | Model     | Color    | Features                             | Pack | PLN     | Barcode      |  |
|-------------------|-----------|----------|--------------------------------------|------|---------|--------------|--|
| SKULL CAP         |           |          |                                      |      |         |              |  |
| 126545            | SC-C2-BLK | Black    | Low-Profile Casting Reel Cover RH/LH | x1   | 73.20   | 850013329489 |  |
| 126546            | SC-C2-L   | Lime     | Low-Profile Casting Reel Cover RH/LH | x1   | 73.20   | 850013329496 |  |
| 126547            | SC-C2-0   | Orange   | Low-Profile Casting Reel Cover RH/LH | x1   | 73.20   | 850013329502 |  |
| 126548            | SC-C2-TX  | Tx Green | Low-Profile Casting Reel Cover RH/LH | x1   | 73.20   | 850013329519 |  |
| SKULL CAP DISPLAY |           |          |                                      |      |         |              |  |
| 126549            | SC-C2-CD  | -        | -                                    | x24  | 1651.40 | 850013152513 |  |