



INDEX

BRAIDED LINE COLLECTION 322

131 G-CORE	323
91 G-CORE	324
832 ADVANCED SUPERLINE®	326
832 ADVANCED SUPERLINE® WITH SCISSORS.....	329
X8	330
MATRIX PRO	332

FLUOROCARBON COLLECTION 334

INVISILINE® LEADER.....	335
ADVANCE FC	336
SUPER 21® FC	337

MONOFILAMENT LINE COLLECTION 338

RECYCLINE	339
ADVANCE	340
DURAFLEX	341
SIEGE	342
SUPER 21	343
XL STRONG	344
ULTRA KNOT	346

BIG GAME COLLECTION..... 346

SUPERIOR LEADER	346
ZIPPY SHOCK LEADER	347

FEEDER FISHING LINE COLLECTION 348

FEEDER MONO	348
-------------------	-----

BRAIDED LINE COLLECTION 348

SFX 4 CARRIER BRAID.....	348
SFX 8 CARRIER BRAID.....	350

WITH SUFIX®, THERE'S NOTHING YOU CAN'T CATCH.



12+1

12 carrier UHMPE braided line wrapped around a single-strand GORE® Performance Fiber for optimal roundness and reduced internal abrasion.



R8 BRAIDING

Tightly weaved consistency of 8 fibers (carriers) provides lines with superior strength, roundness, and line consistency.



GORE® PERFORMANCE FIBERS

Gore® Performance Fibers improve abrasion resistance, increase durability, casting length/accuracy and knot resistance. This makes the braid become a sinking line.



WA BRAID

Wide Angle Braiding Technology that creates higher tension on the braiding process, resulting in a tight weave and super strong, silky smooth line.



PE WAX SHIELD

Proprietary wax coating for braided lines offers incredible toughness and abrasion resistance.



ADVANCED TEMPERING PROCESS

Custom tempering process for high viscosity nylon creates long molecular chains that give the line toughness and resilience, resulting in a very low stretch line without losing its strength and low memory properties.



HIGH TENACITY POLYESTER

Increases breaking strength and abrasion resistance while adding density for faster sinking speeds.



PRECISION WINDING / G2 PRECISION WINDING

Eliminates line memory and prevents line-weakening cutting and nicking that can occur during the spooling process.



DIGITAL Y6 BRAIDING

Braiding system with higher pic count that makes Suffix braids rounder and thinner.



UHMPE FIBER

Ultra High Modulus Polyethylene fiber. Extremely strong fiber used in premium braided lines.



SUPER BOND POLYMER TECHNOLOGY

10X SUPER TOUGH/15X SUPER TOUGH

Proprietary polymer technology that creates line abrasion resistance from 10X to 15X better than most nylon monofilaments in the same diameter.



J7 MICRO RESIN

Exclusive polymer resin that provides superior strength and toughness with easy casting.



PVDF FLUOROCARBON


Polyvinylidene fluoride with high specific gravity for fast sinking. Near zero reflection under the water makes the line nearly invisible to the fish.

CORONA FUSION COLORING TECHNOLOGY

Coloring technology that assures optimal color retention on the UHMPE fiber. Also maximizes the color intensity and brightness.

JAPANESE LINE SPECIFICATIONS

Japan #	Diameter
0.1.....	0.053 mm
0.15.....	0.064 mm
0.2.....	0.074 mm
0.25.....	0.083 mm
0.3.....	0.090 mm
0.35.....	0.097 mm
0.4.....	0.104 mm
0.5.....	0.117 mm
0.6.....	0.128 mm
0.8.....	0.148 mm
1.....	0.165 mm
1.2.....	0.185 mm
1.5.....	0.205 mm
1.75.....	0.220 mm
2.....	0.235 mm
2.25.....	0.248 mm
2.5.....	0.260 mm
2.75.....	0.274 mm
3.....	0.285 mm
3.5.....	0.310 mm
4.....	0.330 mm
5.....	0.370 mm
6.....	0.405 mm
7.....	0.435 mm
8.....	0.470 mm
10.....	0.520 mm
12.....	0.570 mm
14.....	0.620 mm
16.....	0.660 mm
18.....	0.700 mm
20.....	0.740 mm
22.....	0.780 mm
24.....	0.810 mm
26.....	0.840 mm
28.....	0.870 mm
30.....	0.910 mm
40.....	1.050 mm
50.....	1.170 mm
60.....	1.280 mm
70.....	1.390 mm
80.....	1.480 mm
90.....	1.570 mm
100.....	1.660 mm
110.....	1.740 mm
120.....	1.810 mm
150.....	2.030 mm
200.....	2.340 mm



BRAIDS

BRAIDED LINE COLLECTION

131 G-CORE

Sufix 131 G-Core is the most reliable superline during casting, strikes and fighting action! It is built with 13 fibers (12 HMPE fibers + 1 GORE® Performance Fiber in core). A single strand of GORE® Performance Fiber is surrounded by 12 precision braided HMPE fibers. The construction has no weak points which leads to strength consistency. The GORE® Performance Fiber is the most abrasion resistant textile fiber. It is solid and round like a monofilament but has the same low stretch as the PE fibers. No more problems with gliding or knots opening! In addition, the 13-carrier construction increases the number of fibers at the knot resulting in better knot tying and stronger holding power. The structure of the Sufix 131 G-Core is much rounder than any other competitor's 12 or 16 carrier braid. The rounder line reduces the resistance in water (while retrieving) and the abrasion caused by rod guides and obstacles in the water. The core fiber (GORE® Performance Fiber) prevents the line from internal fraying making the line more durable. A rounder line casts further, more silent and more accurate. The cancelled center hole does not allow water to enter – no water means lighter line and longer casting distances. The Sufix 131 G-Core is braided line that is great for casting and jigging, when you need a relatively thin line.



SUFIX
BRAIDED LINE
COLLECTION

FEATURES

- Built with 13 fibers (12 HMPE fibers + 1 GORE® Performance Fiber in core)
- The most reliable superline
- Improved knot resistance
- Unmatched strength consistency and roundness



IZANAS



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
131 G-CORE - LO-VIS GREEN 150 m							
125404	150 m	0,104 mm	5,40 kg / 12 lbs	LO-VIS GREEN	x6	183.80	024777728714
100400	150 m	0,128 mm	6,8 kg / 15 lbs	LO-VIS GREEN	x6	183.80	024777712850
100401	150 m	0,148 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	183.80	024777712867
119654	150 m	0,165 mm	9,1 kg / 20 lbs	LO-VIS GREEN	x6	183.80	024777712874
119655	150 m	0,185 mm	11,4 kg / 25 lbs	LO-VIS GREEN	x6	183.80	024777712881
100402	150 m	0,205 mm	12,7 kg / 28 lbs	LO-VIS GREEN	x6	183.80	024777712898
119656	150 m	0,235 mm	13,6 kg / 30 lbs	LO-VIS GREEN	x6	183.80	024777712904
100403	150 m	0,285 mm	15,9 kg / 35 lbs	LO-VIS GREEN	x6	183.80	024777712911
100404	150 m	0,330 mm	18,2 kg / 40 lbs	LO-VIS GREEN	x6	202.20	024777712928
131 G-CORE - NEON CHARTREUSE 150 m							
125405	150 m	0,104 mm	5,40 kg / 12 lbs	NEON CHARTREUSE	x6	183.80	024777728721
125406	150 m	0,128 mm	6,8 kg / 15 lbs	NEON CHARTREUSE	x6	183.80	024777713079
125407	150 m	0,148 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	183.80	024777713086
125408	150 m	0,165 mm	9,1 kg / 20 lbs	NEON CHARTREUSE	x6	183.80	024777713093
125409	150 m	0,185 mm	11,4 kg / 25 lbs	NEON CHARTREUSE	x6	183.80	024777713109
125410	150 m	0,205 mm	12,7 kg / 28 lbs	NEON CHARTREUSE	x6	183.80	024777713116
125411	150 m	0,235 mm	13,6 kg / 30 lbs	NEON CHARTREUSE	x6	183.80	024777713123
125412	150 m	0,285 mm	15,9 kg / 35 lbs	NEON CHARTREUSE	x6	183.80	024777713130
125413	150 m	0,330 mm	18,2 kg / 40 lbs	NEON CHARTREUSE	x6	202.20	024777713147



LO-VIS GREEN



NEON CHARTREUSE

RED = New 2024

BRAIDED LINE COLLECTION

91 G-CORE

The Sufix 91 G-Core continues Sufix's range of braid lines with ultra-reliable performance when casting and fighting the fish. With an abrasion-resistant GORE® Performance Fiber in the core and 8 precision-braided UHMPE fibers surrounding it, the 91 G-Core's 9-carrier construction results in low stretch, better knot tying, and stronger holding power. The silky smooth 91 G-Core's super-slick coating allows for long casting distance and superior sinking ratio.

FEATURES

- Built with 9 Fibers (8 UHMPE Fibers + 1 GORE® Performance Fiber in Core)
- Superior Sinking Ratio & Roundness
- Super-Slick Coating
- Low-Stretch



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
91 BRAID - LO-VIS GREEN 150 m							
142103	150 m	0,104 mm	4,9 kg / 11 lbs	LO-VIS GREEN	x6	137.80	024777735576
142104	150 m	0,128 mm	6,3 kg / 14 lbs	LO-VIS GREEN	x6	128.60	024777735606
142105	150 m	0,148 mm	7,2 kg / 16 lbs	LO-VIS GREEN	x6	128.60	024777735644
142106	150 m	0,165 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	128.60	024777735682
142107	150 m	0,185 mm	9,5 kg / 21 lbs	LO-VIS GREEN	x6	128.60	024777735729
142108	150 m	0,205 mm	11,3 kg / 25 lbs	LO-VIS GREEN	x6	128.60	024777735767
142109	150 m	0,235 mm	14,5 kg / 32 lbs	LO-VIS GREEN	x6	128.60	024777735804
142110	150 m	0,285 mm	20,4 kg / 45 lbs	LO-VIS GREEN	x6	137.80	024777735842
142111	150 m	0,330 mm	27,2 kg / 60 lbs	LO-VIS GREEN	x6	137.80	024777735880
91 BRAID - LO-VIS GREEN 300 m							
142115	300 m	0,128 mm	6,3 kg / 14 lbs	LO-VIS GREEN	x6	252.80	024777735613
142116	300 m	0,148 mm	7,2 kg / 16 lbs	LO-VIS GREEN	x6	252.80	024777735651
142117	300 m	0,165 mm	8,1 kg / 18 lbs	LO-VIS GREEN	x6	252.80	024777735699
142118	300 m	0,185 mm	9,5 kg / 21 lbs	LO-VIS GREEN	x6	252.80	024777735736
142119	300 m	0,205 mm	11,3 kg / 25 lbs	LO-VIS GREEN	x6	252.80	024777735774
142120	300 m	0,235 mm	14,5 kg / 32 lbs	LO-VIS GREEN	x6	252.80	024777735811
142121	300 m	0,285 mm	20,4 kg / 45 lbs	LO-VIS GREEN	x6	252.80	024777735859
142122	300 m	0,330 mm	27,2 kg / 60 lbs	LO-VIS GREEN	x6	252.80	024777735897
142123	300 m	0,370 mm	33 kg / 73lbs	LO-VIS GREEN	x6	252.80	024777735934
142124	300 m	0,405 mm	39 kg / 86 lbs	LO-VIS GREEN	x6	266.60	024777735972
142125	300 m	0,470 mm	43 kg / 95 lbs	LO-VIS GREEN	x6	266.60	024777736016
91 BRAID - NEON CHARTREUSE 150 m							
142126	150 m	0,104 mm	4,9 kg / 11 lbs	NEON CHARTREUSE	x6	137.80	024777735569
142127	150 m	0,128 mm	6,3 kg / 14 lbs	NEON CHARTREUSE	x6	128.60	024777735583
142128	150 m	0,148 mm	7,2 kg / 16 lbs	NEON CHARTREUSE	x6	128.60	024777735620
142129	150 m	0,165 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	128.60	024777735668
142130	150 m	0,185 mm	9,5 kg / 21 lbs	NEON CHARTREUSE	x6	128.60	024777735705
142131	150 m	0,205 mm	11,3 kg / 25 lbs	NEON CHARTREUSE	x6	128.60	024777735743
142132	150 m	0,235 mm	14,5 kg / 32 lbs	NEON CHARTREUSE	x6	128.60	024777735781
142133	150 m	0,285 mm	20,4 kg / 45 lbs	NEON CHARTREUSE	x6	137.80	024777735828
142134	150 m	0,330 mm	27,2 kg / 60 lbs	NEON CHARTREUSE	x6	137.80	024777735866
91 BRAID - NEON CHARTREUSE 300 m							
142138	300 m	0,128 mm	6,3 kg / 14 lbs	NEON CHARTREUSE	x6	252.80	024777735590
142139	300 m	0,148 mm	7,2 kg / 16 lbs	NEON CHARTREUSE	x6	252.80	024777735637

RED = New 2024

Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
91 BRAID - NEON CHARTREUSE 300 m							
142140	300 m	0,165 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x6	252.80	024777735675
142141	300 m	0,185 mm	9,5 kg / 21 lbs	NEON CHARTREUSE	x6	252.80	024777735712
142142	300 m	0,205 mm	11,3 kg / 25 lbs	NEON CHARTREUSE	x6	252.80	024777735750
142143	300 m	0,235 mm	14,5 kg / 32 lbs	NEON CHARTREUSE	x6	252.80	024777735798
142144	300 m	0,285 mm	20,4 kg / 45 lbs	NEON CHARTREUSE	x6	252.80	024777735835
142145	300 m	0,330 mm	27,2 kg / 60 lbs	NEON CHARTREUSE	x6	252.80	024777735873
142146	300 m	0,370 mm	33 kg / 73lbs	NEON CHARTREUSE	x6	252.80	024777735910
142147	300 m	0,405 mm	39 kg / 86 lbs	NEON CHARTREUSE	x6	266.60	024777735958
142148	300 m	0,470 mm	43 kg / 95 lbs	NEON CHARTREUSE	x6	266.60	024777735996
91 BRAID - NEON CHARTREUSE BULK							
151194	1500 m	0,104 mm	5,40 kg / 12 lbs	NEON CHARTREUSE	x1	1789.40	024777736504
151195	1500 m	0,128 mm	6,8 kg / 15 lbs	NEON CHARTREUSE	x1	1559.40	024777736511
151196	1500 m	0,148 mm	8,1 kg / 18 lbs	NEON CHARTREUSE	x1	1559.40	024777736528
151197	1500 m	0,185 mm	11,4 kg / 25 lbs	NEON CHARTREUSE	x1	1559.40	024777736542
151198	1500 m	0,205 mm	12,7 kg / 28 lbs	NEON CHARTREUSE	x1	1375.40	024777736559



LO-VIS GREEN



NEON CHARTREUSE



BRAIDED LINE COLLECTION

832 ADVANCED SUPERLINE®

Sufix 832 Advanced Superline® is the strongest, most durable small diameter braid. It is built with 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch. Due to its high-pitch count, it is also hydrophobic (water-repellent). The R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency. By adding GORE® Performance Fibers we improve abrasion resistance, increase casting length/accuracy and reduce line vibration. HMPE fibers provide the high strength and sensitivity, hydrophobic water-repellent protection and small diameter. All of this makes Sufix 832 Advanced Superline® 30x more abrasion-resistant than other braids. This line is great for casting, trolling and jigging, when high abrasion-resistance is needed. It is ideal for medium to large lures and brutal and intense casting techniques. Are you targeting zander, pike, perch or carp? Then you have to try this line out!

FEATURES

- The strongest, most durable small diameter braid
- R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency
- Constructed of 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch.
- Gore® Performance Fibers improve abrasion resistance, increase casting length/accuracy & reduce line vibration
- HMPE fibers provide high strength & sensitivity, hydrophobic water-repellent protection & small diameter.



NEW SIZE




Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
832 ADVANCED SUPERLINE® - BLACK MAMBA 150 m							
123345	150 m	0,24 mm	17,7 kg / 39 lbs	BLACK MAMBA	x6	137.80	024777718951
123346	150 m	0,28 mm	22,8 kg / 50 lbs	BLACK MAMBA	x6	137.80	024777720121
123347	150 m	0,33 mm	28,5 kg / 63 lbs	BLACK MAMBA	x6	137.80	024777720138
123348	150 m	0,38 mm	36 kg / 79 lbs	BLACK MAMBA	x6	137.80	024777720145
832 ADVANCED SUPERLINE® - BLACK MAMBA BULK							
135672	1500 m	0,24 mm	17,7 kg / 39 lbs	BLACK MAMBA	x1	1265.00	024777732698
135673	1500 m	0,28 mm	22,8 kg / 50 lbs	BLACK MAMBA	x1	1265.00	024777732704
135674	1500 m	0,33 mm	28,5 kg / 63 lbs	BLACK MAMBA	x1	1265.00	024777732711
135675	1500 m	0,38 mm	36 kg / 79 lbs	BLACK MAMBA	x1	1265.00	024777732728
832 ADVANCED SUPERLINE® - FIRE CAMO 150 m							
123340	150 m	0,10 mm	5,9 kg / 13 lbs	FIRE CAMO	x6	105.60	024777720060
123341	150 m	0,13 mm	8,2 kg / 18 lbs	FIRE CAMO	x6	105.60	024777720077
123342	150 m	0,15 mm	9,2 kg / 20 lbs	FIRE CAMO	x6	105.60	024777720084
123343	150 m	0,18 mm	12 kg / 26 lbs	FIRE CAMO	x6	105.60	024777720091
123344	150 m	0,20 mm	13,5 kg / 30 lbs	FIRE CAMO	x6	105.60	024777718944
832 ADVANCED SUPERLINE® - CAMO 120 m							
100459	120 m	0,13 mm	36 kg / 79 lbs	CAMO	x6	101.00	024777677746
100460	120 m	0,15 mm	9,2 kg / 20 lbs	CAMO	x6	101.00	024777677753
100461	120 m	0,18 mm	12 kg / 26 lbs	CAMO	x6	101.00	024777677760
100462	120 m	0,20 mm	13,5 kg / 30 lbs	CAMO	x6	101.00	024777677777
100463	120 m	0,24 mm	17,7 kg / 39 lbs	CAMO	x6	101.00	024777677784
100464	120 m	0,28 mm	22,8 kg / 50 lbs	CAMO	x6	101.00	024777677791
100465	120 m	0,33 mm	28,5 kg / 63 lbs	CAMO	x6	105.60	024777677807
100466	120 m	0,38 mm	36 kg / 79 lbs	CAMO	x6	105.60	024777677814
832 ADVANCED SUPERLINE® - COASTAL CAMO 120 m							
120096	120 m	0,13 mm	8,2 kg / 18 lbs	COASTAL CAMO	x6	101.00	024777709799
120097	120 m	0,15 mm	9,2 kg / 20 lbs	COASTAL CAMO	x6	101.00	024777709805
120098	120 m	0,18 mm	12 kg / 26 lbs	COASTAL CAMO	x6	101.00	024777709812
120099	120 m	0,20 mm	13,5 kg / 30 lbs	COASTAL CAMO	x6	101.00	024777709829

RED = New 2024

Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
832 ADVANCED SUPERLINE® - GHOST 120 m							
100470	120 m	0,10 mm	5,9 kg / 13 lbs	GHOST	x6	105.60	024777672000
100471	120 m	0,13 mm	8,2 kg / 18 lbs	GHOST	x6	101.00	024777672017
100472	120 m	0,15 mm	9,2 kg / 20 lbs	GHOST	x6	101.00	024777672024
100473	120 m	0,18 mm	12 kg / 26 lbs	GHOST	x6	101.00	024777672031
100474	120 m	0,20 mm	13,5 kg / 30 lbs	GHOST	x6	101.00	024777672048
100475	120 m	0,24 mm	17,7 kg / 39 lbs	GHOST	x6	101.00	024777672055
120003	120 m	0,28 mm	22,8 kg / 50 lbs	GHOST	x6	101.00	024777672062
120002	120 m	0,33 mm	28,5 kg / 63 lbs	GHOST	x6	105.60	024777672079
120004	120 m	0,38 mm	36 kg / 79 lbs	GHOST	x6	105.60	024777672086
832 ADVANCED SUPERLINE® - LO-VIS GREEN 120 m							
142150	120 m	0,08 mm	4,6 kg / 10 lbs	LO-VIS GREEN	x6	105.60	024777735545
100476	120 m	0,10 mm	5,9 kg / 13 lbs	LO-VIS GREEN	x6	91.80	024777664395
100477	120 m	0,13 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x6	91.80	024777664401
100478	120 m	0,15 mm	9,2 kg / 20 lbs	LO-VIS GREEN	x6	91.80	024777664418
100479	120 m	0,18 mm	12 kg / 26 lbs	LO-VIS GREEN	x6	91.80	024777664425
100480	120 m	0,20 mm	13,5 kg / 30 lbs	LO-VIS GREEN	x6	91.80	024777664432
100481	120 m	0,24 mm	17,7 kg / 39 lbs	LO-VIS GREEN	x6	91.80	024777664449
100482	120 m	0,28 mm	22,8 kg / 50 lbs	LO-VIS GREEN	x6	91.80	024777664456
100483	120 m	0,33 mm	28,5 kg / 63 lbs	LO-VIS GREEN	x6	91.80	024777664463
100484	120 m	0,38 mm	36,0 kg / 79 lbs	LO-VIS GREEN	x6	105.60	024777664470
832 ADVANCED SUPERLINE® - LO-VIS GREEN 250 m							
110713	250 m	0,13 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x6	183.80	024777664517
110714	250 m	0,15 mm	9,2 kg / 20 lbs	LO-VIS GREEN	x6	183.80	024777664524
110715	250 m	0,18 mm	12 kg / 26 lbs	LO-VIS GREEN	x6	183.80	024777664531
110716	250 m	0,20 mm	13,5 kg / 30 lbs	LO-VIS GREEN	x6	183.80	024777664548
110717	250 m	0,24 mm	17,7 kg / 39 lbs	LO-VIS GREEN	x6	183.80	024777664555
110718	250 m	0,28 mm	22,8 kg / 50 lbs	LO-VIS GREEN	x6	183.80	024777664562
110719	250 m	0,33 mm	28,5 kg / 63 lbs	LO-VIS GREEN	x6	183.80	024777664579
832 ADVANCED SUPERLINE® - LO-VIS GREEN 1500 m BULK							
100498	1500 m	0,13 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x1	1265.00	024777664623
100499	1500 m	0,15 mm	9,2 kg / 20 lbs	LO-VIS GREEN	x1	1265.00	024777664630
100500	1500 m	0,18 mm	12 kg / 26 lbs	LO-VIS GREEN	x1	1265.00	024777664647
100502	1500 m	0,24 mm	17,7 kg / 39 lbs	LO-VIS GREEN	x1	1265.00	024777664661
100503	1500 m	0,28 mm	22,8 kg / 50 lbs	LO-VIS GREEN	x1	1265.00	024777664678
100504	1500 m	0,33 mm	28,5 kg / 63 lbs	LO-VIS GREEN	x1	1265.00	024777664685
832 ADVANCED SUPERLINE® - LO-VIS GREEN 3200 m BULK							
110742	3200 m	0,10 mm	5,9 kg / 13 lbs	LO-VIS GREEN	x1	3077.40	024777706736
110743	3200 m	0,13 mm	8,2 kg / 18 lbs	LO-VIS GREEN	x1	2571.40	024777706743
110744	3200 m	0,15 mm	9,2 kg / 20 lbs	LO-VIS GREEN	x1	2663.40	024777706750
110745	3200 m	0,18 mm	12 kg / 26 lbs	LO-VIS GREEN	x1	2755.40	024777706767
110747	3200 m	0,24 mm	17,7 kg / 39 lbs	LO-VIS GREEN	x1	2203.40	024777706781
110749	3200 m	0,33 mm	28,5 kg / 63 lbs	LO-VIS GREEN	x1	2341.40	024777710627
832 ADVANCED SUPERLINE® - MULTICOLOR 300 m							
110731	300 m	0,24 mm	17,7 kg / 39 lbs	MULTICOLOR	x6	202.20	024777696594
110732	300 m	0,28 mm	22,8 kg / 50 lbs	MULTICOLOR	x6	202.20	024777696617
110733	300 m	0,33 mm	28,5 kg / 63 lbs	MULTICOLOR	x6	211.40	024777696631
832 ADVANCED SUPERLINE® - MULTICOLOR BULK							
110737	3200 m	0,28 mm	22,8 kg / 50 lbs	MULTICOLOR	x1	2341.40	024777706064
110738	3200 m	0,33 mm	28,5 kg / 63 lbs	MULTICOLOR	x1	2479.40	024777707641
110739	3200 m	0,38 mm	36,0 kg / 79 lbs	MULTICOLOR	x1	2479.40	024777706057
110740	3200 m	0,42 mm	39 kg / 86 lbs	MULTICOLOR	x1	2479.40	024777707801
832 ADVANCED SUPERLINE® - NEON LIME 120 m							
142149	120 m	0,08 mm	4,6 kg / 10 lbs	NEON LIME	x6	105.60	024777735552



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
832 ADVANCED SUPERLINE® - NEON LIME 120 m							
138291	120 m	0,10 mm	5,9 kg / 13 lbs	NEON LIME	x6	91.80	024777664838
119200	120 m	0,13 mm	8,2 kg / 18 lbs	NEON LIME	x6	91.80	024777664845
138293	120 m	0,15 mm	9,2 kg / 20 lbs	NEON LIME	x6	91.80	024777664852
138294	120 m	0,18 mm	12 kg / 26 lbs	NEON LIME	x6	91.80	024777664869
138295	120 m	0,20 mm	13,5 kg / 30 lbs	NEON LIME	x6	91.80	024777664876
138296	120 m	0,24 mm	17,7 kg / 39 lbs	NEON LIME	x6	91.80	024777664883
138297	120 m	0,28 mm	22,8 kg / 50 lbs	NEON LIME	x6	101.00	024777664890
138298	120 m	0,33 mm	28,5 kg / 63 lbs	NEON LIME	x6	105.60	024777664906
832 ADVANCED SUPERLINE® - NEON LIME BULK							
100507	1500 m	0,13 mm	8,2 kg / 18 lbs	NEON LIME	x1	1265.00	024777665057
100508	1500 m	0,15 mm	9,2 kg / 20 lbs	NEON LIME	x1	1265.00	024777665064
100509	1500 m	0,18 mm	12 kg / 26 lbs	NEON LIME	x1	1265.00	024777665071
100510	1500 m	0,20 mm	13,5 kg / 30 lbs	NEON LIME	x1	1265.00	024777665088
100511	1500 m	0,24 mm	17,7 kg / 39 lbs	NEON LIME	x1	1265.00	024777665095
100512	1500 m	0,28 mm	22,8 kg / 50 lbs	NEON LIME	x1	1265.00	024777665101
100513	1500 m	0,33 mm	28,5 kg / 63 lbs	NEON LIME	x1	1265.00	024777665118
832 ADVANCED SUPERLINE® - YELLOW 120 m							
127333	120 m	0,10 mm	5,9 kg / 13 lbs	YELLOW	x6	105.60	024777677999
127334	120 m	0,13 mm	8,2 kg / 18 lbs	YELLOW	x6	101.00	024777678002
127335	120 m	0,15 mm	9,2 kg / 20 lbs	YELLOW	x6	101.00	024777678019
127336	120 m	0,18 mm	12,0 kg / 26 lbs	YELLOW	x6	101.00	024777678026
127337	120 m	0,20 mm	13,5 kg / 30 lbs	YELLOW	x6	101.00	024777678033
127338	120 m	0,24 mm	17,7 kg / 39 lbs	YELLOW	x6	101.00	024777678040
127339	120 m	0,28 mm	22,8 kg / 50 lbs	YELLOW	x6	91.80	024777678057



BRAIDED LINE COLLECTION

832 ADVANCED SUPERLINE® WITH SCISSORS

Sufix 832 Advanced Superline® is the strongest, most durable small diameter braid. It is built with 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch. Due to its high-pitch count, it is also hydrophobic (water-repellent). The R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency. By adding GORE® Performance Fibers we improve abrasion resistance, increase casting length/accuracy and reduce line vibration. HMPE fibers provide the high strength and sensitivity, hydrophobic water-repellent protection and small diameter. All of this makes Sufix 832 Advanced Superline® 30x more abrasion-resistant than other braids. This line is great for casting, trolling and jigging, when high abrasion-resistance is needed. It is ideal for medium to large lures and brutal and intense casting techniques. Are you targeting zander, pike, perch or carp? Then you have to try this line out! Packaging comes with scissors.

FEATURES

- The strongest, most durable small diameter braid
- R8 Precision Braiding and fiber technology provide superior strength, roundness and line consistency
- Constructed of 8 fibers (7 HMPE plus 1 GORE® Performance Fiber) and 32 weaves (pics) per inch.
- Gore® Performance Fibers improve abrasion resistance, increase casting length/accuracy & reduce line vibration
- HMPE fibers provide high strength & sensitivity, hydrophobic water-repellent protection & small diameter.



SUFIX
BRAIDED LINE
COLLECTION



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
100486	120 m	0,13 mm	8,2 kg / 18 lbs	NEON LIME	x6	137.80	024777707399
100487	120 m	0,15 mm	9,2 kg / 20 lbs	NEON LIME	x6	137.80	024777707382
100488	120 m	0,18 mm	12 kg / 26 lbs	NEON LIME	x6	137.80	024777707375
100489	120 m	0,20 mm	13,5 kg / 30 lbs	NEON LIME	x6	137.80	024777707368
100490	120 m	0,24 mm	17,7 kg / 39 lbs	NEON LIME	x6	137.80	024777707351
100491	120 m	0,28 mm	22,8 kg / 50 lbs	NEON LIME	x6	137.80	024777707344
100492	120 m	0,33 mm	28,5 kg / 63 lbs	NEON LIME	x6	137.80	024777707337



RED = New 2024

BRAIDED LINE COLLECTION

X8

Sufix x8 is a round, easy to handle and silky-smooth Japanese-style braided line. It has an 8-carrier construction of thin HMPE fibers making it a super strong, thin line with high abrasion-resistance and superb knot and shock strength. The R8 Precision Braiding technology with a high-tension weaving process gives this line its distinct supple and smooth qualities that have consistent diameter and quality plus an excellent strength to diameter ratio. The materials and construction mean that the line has low friction when passing through the rod guides. This results in silent performance and long, accurate casts. Sufix x8 is designed for both casting and spinning reels. It is a great option for smaller lures, light soft plastics (jigging), perch, trout, rainbow trout and finesse fishing.

FEATURES

- 8-carrier construction (thin HMPE fibers)
- R8 Precision Braiding technology
- Round and smooth braided line
- Excellent strength to diameter ratio



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
X8 BRAID - NEON CHARTREUSE 150 m							
148494	150 m	0,104 mm	5 kg / 11 lbs	NEON CHARTREUSE	x6	105.60	024777729520
148495	150 m	0,128 mm	6,9 kg / 15 lbs	NEON CHARTREUSE	x6	101.00	024777729537
148496	150 m	0,148 mm	7,5 kg / 17 lbs	NEON CHARTREUSE	x6	91.80	024777729544
148498	150 m	0,165 mm	10,5 kg / 23 lbs	NEON CHARTREUSE	x6	91.80	024777729568
148500	150 m	0,185 mm	15,5 kg / 35 lbs	NEON CHARTREUSE	x6	91.80	024777729582
148502	150 m	0,205 mm	17,5 kg / 39 lbs	NEON CHARTREUSE	x6	91.80	024777729605
148504	150 m	0,235 mm	20 kg / 44 lbs	NEON CHARTREUSE	x6	91.80	024777729629
X8 BRAID - STEALTH GREEN 150 m							
142294	150 m	0,08 mm	4,1 kg / 9 lbs	STEALTH GREEN	x6	110.20	024777734869
142296	150 m	0,104 mm	5 kg / 11 lbs	STEALTH GREEN	x6	101.00	024777714281
142295	150 m	0,128 mm	6,9 kg / 15 lbs	STEALTH GREEN	x6	105.60	024777714274
120033	150 m	0,148 mm	7,5 kg / 17 lbs	STEALTH GREEN	x6	91.80	024777714298
120034	150 m	0,165 mm	10,5 kg / 23 lbs	STEALTH GREEN	x6	91.80	024777714304
120035	150 m	0,185 mm	15,5 kg / 35 lbs	STEALTH GREEN	x6	91.80	024777714311
120036	150 m	0,205 mm	17,5 kg / 39 lbs	STEALTH GREEN	x6	91.80	024777714328
120037	150 m	0,235 mm	20 kg / 44 lbs	STEALTH GREEN	x6	91.80	024777714335
120038	150 m	0,285 mm	22,5 kg / 50 lbs	STEALTH GREEN	x6	101.00	024777714342
X8 BRAID - STEALTH GREEN 300 m							
142297	300 m	0,148 mm	7,5 kg / 17 lbs	STEALTH GREEN	x6	183.80	024777714731
142298	300 m	0,165 mm	10,5 kg / 23 lbs	STEALTH GREEN	x6	183.80	024777714748
142299	300 m	0,185 mm	15,5 kg / 35 lbs	STEALTH GREEN	x6	183.80	024777714755
142300	300 m	0,205 mm	17,5 kg / 39 lbs	STEALTH GREEN	x6	183.80	024777714762
142301	300 m	0,235 mm	20 kg / 44 lbs	STEALTH GREEN	x6	183.80	024777714779
142302	300 m	0,285 mm	22,5 kg / 50 lbs	STEALTH GREEN	x6	183.80	024777714786
142303	300 m	0,330 mm	22,5 kg / 50 lbs	STEALTH GREEN	x6	179.20	024777714793



NEON CHARTREUSE



STEALTH GREEN

BRAIDED LINE COLLECTION

NANOBRAID®

• Strong and thin nanofilament braid • Sufix® NanoBraid® is built with a Wide Angle Braiding Technology that creates higher tension on the braiding process, resulting in a tight weave and super strong, silky smooth line. • The densely braided HMPE fibers and a high pitch-count - up to twice as high as on most braided lines - gives consistent quality, uniform diameter and increased abrasion resistance, improving the line's performance. • Sufix® NanoBraid® is up to three times stronger than other lines in the category and also features superior knot and shock strength unmatched by any other ultra thin line. The silky soft line is extremely sensitive and runs quietly through the guides.



NEW SIZE







Sufix
BRAIDED LINE
COLLECTION



IZANAS



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
NANOBRAID® NEON CHARTREUSE							
148374	100 m	0,03 mm	1,9 kg / 4 lbs	NEON CHARTREUSE	x6	101.00	024777716445 
148375	100 m	0,04 mm	2,8 kg / 6 lbs	NEON CHARTREUSE	x6	101.00	024777716476 
148376	100 m	0,06 mm	3,3 kg / 7 lbs	NEON CHARTREUSE	x6	101.00	024777716483 
151202	100 m	0,08 mm	3,7 kg / 8 lbs	NEON CHARTREUSE	x6	96.40	024777738607 



NEON CHARTREUSE



RED = New 2024

BRAIDED LINE COLLECTION

MATRIX PRO

A unique, high performance braid with all of the qualities that anglers search for: high strength, ease in handling, near zero stretch and easy casting. Our special matrix braiding process creates a rounder line which performs much better than traditional flat braids. A rounder braid makes your casts smoother, therefore enhancing your casting accuracy and distance. Made with 100% HMPE fibers to ensure that your line achieves the highest strength to diameter ratio while offering high sensitivity and quick hook-sets. Matrix Pro features a PE WaxShield that offers incredible toughness and abrasion resistance.

FEATURES

- Sufix Matrix Pro is Erä Magazine's double TEST WINNER.



IZANAS



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
MATRIX PRO - MIDNIGHT GREEN 135 m							
123353	135 m	0,10 mm	5,0 kg / 11lbs	MIDNIGHT GREEN	x6	73.40	024777720046
100422	135 m	0,12 mm	8,1 kg / 18 lbs	MIDNIGHT GREEN	x6	73.40	024777698741
100423	135 m	0,15 mm	10 kg / 20 lbs	MIDNIGHT GREEN	x6	73.40	024777698697
100424	135 m	0,18 mm	13,5 kg / 30 lbs	MIDNIGHT GREEN	x6	73.40	024777698796
100425	135 m	0,20 mm	18 kg / 40 lbs	MIDNIGHT GREEN	x6	73.40	024777698840
100426	135 m	0,25 mm	22,5 kg / 50 lbs	MIDNIGHT GREEN	x6	73.40	024777698895
100427	135 m	0,30 mm	27 kg / 60 lbs	MIDNIGHT GREEN	x6	78.00	024777698949
100428	135 m	0,35 mm	36,0 kg / 80 lbs	MIDNIGHT GREEN	x6	87.20	024777698994
MATRIX PRO - MIDNIGHT GREEN 250 m							
148340	250 m	0,18 mm	13,5 kg / 30 lbs	MIDNIGHT GREEN	x6	124.00	024777698802
148341	250 m	0,20 mm	18 kg / 40 lbs	MIDNIGHT GREEN	x6	124.00	024777698857
148342	250 m	0,25 mm	22,5 kg / 50 lbs	MIDNIGHT GREEN	x6	124.00	024777698901
148343	250 m	0,30 mm	27 kg / 60 lbs	MIDNIGHT GREEN	x6	133.20	024777698956
151203	250 m	0,35 mm	36,0 kg / 80 lbs	MIDNIGHT GREEN	x6	142.40	024777699007
151204	250 m	0,40 mm	45,0 kg / 100 lbs	MIDNIGHT GREEN	x6	151.60	024777699052
MATRIX PRO - NEON GREEN 135 m							
127342	135 m	0,10 mm	5,0 kg / 11lbs	NEON GREEN	x6	73.40	024777711389
127343	135 m	0,12 mm	8,1 kg / 18 lbs	NEON GREEN	x6	73.40	024777711396
127344	135 m	0,15 mm	10 kg / 20 lbs	NEON GREEN	x6	73.40	024777711402
127345	135 m	0,18 mm	13,5 kg / 30 lbs	NEON GREEN	x6	73.40	024777711419
127346	135 m	0,20 mm	18 kg / 40 lbs	NEON GREEN	x6	73.40	024777711426
127347	135 m	0,25 mm	22,5 kg / 50 lbs	NEON GREEN	x6	73.40	024777711433
127348	135 m	0,30 mm	27 kg / 60 lbs	NEON GREEN	x6	73.40	024777711440



MIDNIGHT GREEN



NEON GREEN
















FLUOROCARBON

FLUOROCARBON COLLECTION

INVISILINE® LEADER

Invisiline is a leader material made from 100% fluorocarbon that offers incredible abrasion resistance and shock absorption. Due to its light refraction properties it is virtually invisible in water and sinks four times faster than standard nylon line. Invisiline has incredibly low stretch and is highly durable making it the perfect choice for the most demanding fishing situations.



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
INVISILINE® Predator Leader							
148370	30 m	0,62 mm	23,2 kg / 50 lbs	CLEAR	x6	110.20	024777712270 
148371	30 m	0,71 mm	29,5 kg / 65 lbs	CLEAR	x6	114.80	024777712287 
127419	25 m	0,79 mm	36,2 kg / 80 lbs	CLEAR	x6	114.80	024777712294 
127420	12 m	1,06 mm	60,8 kg / 130 lbs	CLEAR	x6	114.80	024777712256 
127421	10 m	1,17 mm	79,9 kg / 175 lbs	CLEAR	x6	114.80	024777712263 
INVISILINE® 20 m							
127415	20 m	0,30 mm	7,4 kg / 15 lbs	CLEAR	x6	55.00	024777707498 
151205	20 m	0,33 mm	8,6 kg / 18 lbs	CLEAR	x6	61.00	024777707511 
127416	20 m	0,37 mm	10,6 kg / 20 lbs	CLEAR	x6	72.00	024777707535 
127417	20 m	0,44 mm	14,6 kg / 30 lbs	CLEAR	x6	77.60	024777707559 
151206	20 m	0,47 mm	15,7 kg / 35 lbs	CLEAR	x6	82.60	024777697157 
127418	20 m	0,52 mm	17,7 kg / 40 lbs	CLEAR	x6	89.10	024777697164 



CLEAR



RED = New 2024

FLUOROCARBON COLLECTION

ADVANCE FC

Building on the proprietary Gel Phase Technology for unmatched clarity, the Sufix Advance FC m. 50 is a virtually invisible fluorocarbon leader with superior abrasion resistance compared to any nylon line. The fast-sinking Advance FC m. 50 is soft and has minimized memory, making it perfect for both baitcasters and spinning reels.

FEATURES

- Supple
- Virtually Invisible
- Excellent Abrasion Resistance
- Top-Quality Raw Material for Maximum Strength
- Fast-Sinking |
- Environmentally Friendly Packaging



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
ADVANCE FC 50 m							
142151	50 m	0,148 mm	1,4 kg / 3 lbs	CLEAR	x6	45.80	024777736023
142152	50 m	0,165 mm	1,9 kg / 4 lbs	CLEAR	x6	45.80	024777736030
142153	50 m	0,185 mm	2,4 kg / 5,5 lbs	CLEAR	x6	50.40	024777736047
142154	50 m	0,205 mm	3,5 kg / 8 lbs	CLEAR	x6	50.40	024777736054
142155	50 m	0,235 mm	4,5 kg / 10 lbs	CLEAR	x6	50.40	024777736061
142156	50 m	0,260 mm	4,9 kg / 11 lbs	CLEAR	x6	55.00	024777736078
142157	50 m	0,280 mm	5,6 kg / 12 lbs	CLEAR	x6	55.00	024777736085
142158	50 m	0,310 mm	6,3 kg / 14 lbs	CLEAR	x6	59.60	024777736092
142159	50 m	0,330 mm	8,4 kg / 17 lbs	CLEAR	x6	64.20	024777736108
142160	50 m	0,405 mm	9,2 kg / 20 lbs	CLEAR	x6	68.80	024777736115



RED = New 2024

FLUOROCARBON COLLECTION

SUPER 21® FC

100% fluorocarbon line is virtually invisible in the water and is ideal for stealthy presentations. Low stretch index improves line control, presentation and bite detection, and optimizes hook setting power. Extremely abrasion resistant and durable for fishing rough structure and for tough-mouthed fish, yet supple enough for subtle presentations. Fluorocarbon line sinks four times faster than traditional nylon lines allowing the presentation to sink to the strike zone faster. 100% fluorocarbon line that casts like a regular monofilament and offers exceptional handling on spinning & casting reels. Invisible.

FEATURES

- Low Stretch
- Super Strong
- Fast sinking
- Easy Handling



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
SUPER 21® FC 50 m							
100305	50 m	0,18 mm	2,9 kg / 7 lbs	CLEAR	x6	55.00	024777695122
100306	50 m	0,20 mm	3,7 kg / 8 lbs	CLEAR	x6	55.00	024777695153
100307	50 m	0,25 mm	5,9 kg / 12 lbs	CLEAR	x6	55.00	024777695184
100308	50 m	0,28 mm	6,5 kg / 14 lbs	CLEAR	x6	55.00	024777695214
100309	50 m	0,30 mm	7,5 kg / 17 lbs	CLEAR	x6	55.00	024777695245
100310	50 m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	61.00	024777697676
100311	50 m	0,35 mm	9 kg / 20 lbs	CLEAR	x6	66.50	024777695276
100312	50 m	0,40 mm	12,4 kg / 28 lbs	CLEAR	x6	72.00	024777695306
100313	50 m	0,50 mm	16,9 kg / 38 lbs	CLEAR	x6	77.60	024777695337
100314	50 m	0,60 mm	26,1 kg / 58 lbs	CLEAR	x6	82.60	024777695344
SUPER 21® FC 150 m							
119640	150 m	0,20 mm	3,7 kg / 8 lbs	CLEAR	x6	78.00	024777695160
119641	150 m	0,25 mm	5,9 kg / 12 lbs	CLEAR	x6	78.00	024777695191
119642	150 m	0,28 mm	6,5 kg / 14 lbs	CLEAR	x6	85.80	024777695221
119643	150 m	0,30 mm	7,5 kg / 17 lbs	CLEAR	x6	91.80	024777695252
119644	150 m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	97.30	024777697713
119645	150 m	0,35 mm	9 kg / 20 lbs	CLEAR	x6	105.60	024777695283
119646	150 m	0,40 mm	12,4 kg / 28 lbs	CLEAR	x6	133.20	024777695313



RED = New 2024



MONOFILAMENTS



MONOFILAMENT LINE COLLECTION

RECYCLINE

100% premium recycled monofilament: The first monofilament of its kind steps towards a sustainable existence by using 100% Econyl®, regenerated nylon coming from waste such as fishing nets from the oceans and from the fishing industry. Recycled plastic spool: The spool is made of fully recycled plastic and can be recycled again. Recycled paper board package: Construction with recycled paperboard allows this carton to be recycled again and again, critical in the future of our resources and environment.



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
RECYCLINE 150 m							
125373	150 m	0,18 mm	2,5 kg / 5 lbs	GREEN	x6	50.40	024777729063
125374	150 m	0,20 mm	3 kg / 6 lbs	GREEN	x6	50.40	024777729070
125375	150 m	0,25 mm	4,5 kg / 9 lbs	GREEN	x6	50.40	024777729087
125376	150 m	0,30 mm	6 kg / 12 lbs	GREEN	x6	52.70	024777729094
125377	150 m	0,35 mm	7 kg / 14 lbs	GREEN	x6	55.00	024777729100
125378	150 m	0,40 mm	9 kg / 18 lbs	GREEN	x6	57.80	024777729117
RECYCLINE 300 m							
125381	300 m	0,18 mm	2,5 kg / 5 lbs	GREEN	x6	65.60	024777729148
125382	300 m	0,20 mm	3 kg / 6 lbs	GREEN	x6	65.60	024777729155
125383	300 m	0,25 mm	4,5 kg / 9 lbs	GREEN	x6	65.60	024777729162
125384	300 m	0,30 mm	6 kg / 12 lbs	GREEN	x6	70.70	024777729179
125385	300 m	0,35 mm	7 kg / 14 lbs	GREEN	x6	75.70	024777729186
125386	300 m	0,40 mm	9 kg / 18 lbs	GREEN	x6	85.80	024777729193
125387	300 m	0,45 mm	11 kg / 22 lbs	GREEN	x6	90.90	024777729209
125388	300 m	0,50 mm	14 kg / 28 lbs	GREEN	x6	96.00	024777729216



MONOFILAMENT LINE COLLECTION

ADVANCE

The most abrasion resistant, supple and sensitive monofilament. HMPE molecules blended in with the polyamides are drawn to the line's surface through Sufix's proprietary Magnetic Extrusion Process, creating a durable layer that provides superior, long-lasting protection against abrasion. Unlike other tough lines, Sufix Advance is very supple and sensitive, which allows for subtle and precision presentations. With 50% lower stretch than standard monofilament line, Sufix Advance offers exceptional lure control, ultimate bite detection and firm hook setting power. Thanks to the line's inherent qualities and the Sufix G2 Precision Winding, Sufix Advance is virtually memory free and long casting. G2 Precision Winding in all spool sizes.

FEATURES

- Super low-stretch - maximal hook-up rate
- 40% less stretch than on monofilament lines in general
- Excellent abrasion resistance but still very soft and supple



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
ADVANCE - CLEAR 150 m							
100542	150 m	0,16 mm	2,9 kg / 6 lbs	CLEAR	x6	45.80	024777708129
100543	150 m	0,18 mm	3,4 kg / 8 lbs	CLEAR	x6	45.80	024777708136
100544	150 m	0,20 mm	4,5 kg / 10 lbs	CLEAR	x6	45.80	024777708143
100545	150 m	0,25 mm	6,1 kg / 13 lbs	CLEAR	x6	45.80	024777708167
100546	150 m	0,30 mm	8,2 kg / 18 lbs	CLEAR	x6	50.40	024777708181
100547	150 m	0,35 mm	11,3 kg / 25 lbs	CLEAR	x6	50.40	024777708204
100548	150m	0,40 mm	15 kg / 33 lbs	CLEAR	x6	59.60	024777708228
ADVANCE - CLEAR 300 m							
100556	300 m	0,16 mm	2,9 kg / 6 lbs	CLEAR	x6	55.00	024777708235
100557	300 m	0,18 mm	3,4 kg / 8 lbs	CLEAR	x6	55.00	024777708242
100558	300 m	0,20 mm	4,5 kg / 10 lbs	CLEAR	x6	55.00	024777708259
100559	300 m	0,23 mm	5 kg / 11 lbs	CLEAR	x6	61.90	024777708266
100560	300 m	0,25 mm	6,1 kg / 13 lbs	CLEAR	x6	61.90	024777708273
100561	300 m	0,28 mm	6,7 kg / 15 lbs	CLEAR	x6	67.90	024777708280
100562	300 m	0,30 mm	8,2 kg / 18 lbs	CLEAR	x6	67.90	024777708297
120118	300m	0,33 mm	8,2 kg / 18 lbs	CLEAR	x6	73.40	024777708303
100563	300 m	0,35 mm	11,3 kg / 25 lbs	CLEAR	x6	73.40	024777708310
100564	300 m	0,40 mm	15 kg / 33 lbs	CLEAR	x6	85.80	024777708334
100565	300 m	0,45 mm	18,1 kg / 40 lbs	CLEAR	x6	90.90	024777708341
100566	250 m	0,50 mm	21,8 kg / 48 lbs	CLEAR	x6	101.00	024777708358
ADVANCE - HI-VIS YELLOW 150 m							
127366	150 m	0,20 mm	4,5 kg / 10 lbs	HI-VIS YELLOW	x6	45.80	024777709089
127367	150 m	0,25 mm	6,1 kg / 13 lbs	HI-VIS YELLOW	x6	45.80	024777709102
127368	150 m	0,30 mm	8,2 kg / 18 lbs	HI-VIS YELLOW	x6	50.40	024777709126
127369	150 m	0,35 mm	11,3 kg / 25 lbs	HI-VIS YELLOW	x6	50.40	024777709140
127370	150 m	0,40 mm	15,0 kg / 33 lbs	HI-VIS YELLOW	x6	59.60	024777709164
ADVANCE - HI-VIS YELLOW 300 m							
135045	300 m	0,20 mm	4,5 kg / 10 lbs	HI-VIS YELLOW	x6	55.00	024777709195
127371	300 m	0,25 mm	6,1 kg / 13 lbs	HI-VIS YELLOW	x6	61.90	024777709218
127372	300 m	0,30 mm	8,2 kg / 18 lbs	HI-VIS YELLOW	x6	67.90	024777709232
127373	300 m	0,35 mm	11,3 kg / 25 lbs	HI-VIS YELLOW	x6	73.40	024777709256
127374	300 m	0,40 mm	15,0 kg / 33 lbs	HI-VIS YELLOW	x6	85.80	024777709270



RED = New 2024

MONOFILAMENT LINE COLLECTION

DURAFLEX

• Advanced next generation monofilament line. With our exclusive NX Nano Resin™ formula, we are able to achieve extra sensitivity without giving up superior strength, handling & durability. Near-zero memory • Ultra premium monofilament • G2 Precision Winding



Sufix
MONOFILAMENT
LINE COLLECTION



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
DURAFLEX - AQUA CLEAR 300 m							
110668	300 m	0,16 mm	3,1 kg / 6,7 lbs	AQUA BLUE	x6	65.60	024777371477
110669	300 m	0,18 mm	3,7 kg / 8 lbs	AQUA BLUE	x6	65.60	024777371484
110670	300 m	0,20 mm	4,5 kg / 9,9 lbs	AQUA BLUE	x6	65.60	024777371491
110671	300 m	0,22 mm	5,6 kg / 12,3 lbs	AQUA BLUE	x6	70.60	024777371507
110672	300 m	0,25 mm	7,0 kg / 15,4lbs	AQUA BLUE	x6	75.70	024777371514
110673	300 m	0,30 mm	9,7 kg / 21,3 lbs	AQUA BLUE	x6	80.80	024777371521
110674	300 m	0,33 mm	10,8 kg / 23.8 lbs	AQUA BLUE	x6	85.80	024777371538
110675	300 m	0,35 mm	13,0 kg / 29 lbs	AQUA BLUE	x6	90.90	024777371545
110676	300 m	0,40 mm	15,5 kg / 34,1 lbs	AQUA BLUE	x6	96.40	024777371569
110677	300 m	0,45 mm	18,2 kg / 40 lbs	AQUA BLUE	x6	105.60	024777371583
110678	300 m	0,50 mm	23,0 kg / 50,6 lbs	AQUA BLUE	x6	116.20	024777371590
DURAFLEX - CLEAR 150 m							
138314	150 m	0,20 mm	4,5 kg / 9,9 lbs	CLEAR	x6	50.40	024777690738
138316	150 m	0,25 mm	7 kg / 15,4 lbs	CLEAR	x6	55.00	024777690752
138317	150 m	0,30 mm	9,7 kg / 21,3 lbs	CLEAR	x6	60.50	024777690769
148336	150 m	0,35 mm	13 kg / 28,6 lbs	CLEAR	x6	66.70	024777690776
148337	150 m	0,40 mm	15,5 kg / 34,1 lbs	CLEAR	x6	71.30	024777690783
DURAFLEX - CLEAR BULK							
110679	9260 m	0,20 mm	4,5 kg / 9,9 lbs	CLEAR	x1	505.80	024777710528
110680	6740 m	0,25 mm	7 kg / 15,4 lbs	CLEAR	x1	459.80	024777710535
110681	5460 m	0,30 mm	9,7 kg / 21,3 lbs	CLEAR	x1	459.80	024777710542
110682	4020 m	0,35 mm	13 kg / 28,6 lbs	CLEAR	x1	459.80	024777710559
110683	3080 m	0,40 mm	15,5 kg / 34,1 lbs	CLEAR	x1	459.80	024777710566
110684	2440 m	0,45 mm	18,2 kg / 40 lbs	CLEAR	x1	459.80	024777710573
110685	1960 m	0,50 mm	23 kg / 50,6 lbs	CLEAR	x1	413.80	024777710580



AQUA BLUE



CLEAR

RED = New 2024



MONOFILAMENT LINE COLLECTION

SIEGE

For longer, more accurate casts and unmatched toughness, Sufix Siege® belongs on your reel. Superior casting distance with pinpoint accuracy make this a monofilament line with exceptional knot strength and smooth handling. Due to the new XV2 technology, it has up to 15 times greater abrasion resistance than most standard monofilament lines with the same diameter. G2 Precision Winding has been used with Sufix Siege®. It eliminates the line memory and prevents line-weakening cutting and nicking that can occur during the spooling process.

FEATURES

- Tough monofilament line
- Exceptional knot strength
- Long casting, accurate, smooth to handle
- Abrasion resistant due to XV2 technology
- G2 Precision Winding



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
SIEGE - CLEAR							
127380	300 m	0,25 mm	5,0 kg / 11lbs	CLEAR	x6	50.40	024777362420
127381	300 m	0,30 mm	7,2 kg / 16 lbs	CLEAR	x6	55.50	024777362444
127382	300 m	0,35 mm	9,4 kg / 20,7 lbs	CLEAR	x6	58.00	024777362468
127383	300 m	0,40 mm	12,0 kg / 26,4 lbs	CLEAR	x6	60.50	024777362482
127384	300 m	0,45 mm	15,0 kg / 33 lbs	CLEAR	x6	65.60	024777362505



RED = New 2024

MONOFILAMENT LINE COLLECTION

SUPER 21

Sufix Super 21® is a super low-stretch monofilament line that is supple and easy to handle. The high-viscosity nylon combined with the Advanced Tempering production process results in a super low stretch – approximately 40% less than other monofilament lines. Long molecular chains combined with the toughness and resilience achieved in the Advanced Tempering Process give Super 21® excellent tensile, shock and knot strength. This highly sensitive line allows for exceptional lure control and helps to detect even the wariest bites, this means quick hook sets for a better hook-up rate. Recommended for pike, zander, perch and sea trout.

FEATURES

- Super low-stretch monofilament line due to Advanced Tempering
- 40% less stretch than on monofilament lines in general
- Excellent tensile, shock and knot strength
- Easy to control and handle
- Maximal hook-up rate



SUFIX
MONOFILAMENT
LINE COLLECTION



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
SUPER 21 - CLEAR 150 m							
100260	150 m	0,16 mm	2,5 kg / 5 lbs	CLEAR	x6	25.30	024777688353
100261	150 m	0,18 mm	3,1 kg / 6,7 lbs	CLEAR	x6	25.30	024777688360
100262	150 m	0,20 mm	3,5 kg / 8 lbs	CLEAR	x6	25.30	024777688377
100263	150 m	0,25 mm	6,7 kg / 15 lbs	CLEAR	x6	29.90	024777688384
100264	150 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	36.40	024777688407
100265	150 m	0,35 mm	10,7 kg / 24 lbs	CLEAR	x6	39.10	024777688414
100266	150 m	0,40 mm	14,0 kg / 31 lbs	CLEAR	x6	41.00	024777688421
SUPER 21 - CLEAR 300 m							
100321	300 m	0,18 mm	3,1 kg / 6,7 lbs	CLEAR	x6	40.30	024777689176
100322	300 m	0,20 mm	3,5 kg / 8 lbs	CLEAR	x6	40.30	024777689183
100323	300 m	0,25 mm	6,7 kg / 15 lbs	CLEAR	x6	45.30	024777689190
100324	300 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	50.40	024777689213
100325	300 m	0,35 mm	10,7 kg / 24 lbs	CLEAR	x6	55.50	024777689220
100326	300 m	0,40 mm	14,0 kg / 31 lbs	CLEAR	x6	60.50	024777689237
100327	300 m	0,45 mm	16,8 kg / 40 lbs	CLEAR	x6	65.60	024777689244
100328	300 m	0,50 mm	22,6 kg / 50 lbs	CLEAR	x6	71.30	024777689251
100329	240 m	0,60 mm	26,7 kg / 59 lbs	CLEAR	x6	80.80	024777689268
SUPER 21 - CLEAR BULK							
100333	7880 m	0,25 mm	6,7 kg / 15 lbs	CLEAR	x1	275.80	024777690936
100334	5460 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x1	275.80	024777690943
100335	4020 m	0,35 mm	10,7 kg / 24 lbs	CLEAR	x1	275.80	024777690950
100336	3080 m	0,40 mm	14,0 kg / 31 lbs	CLEAR	x1	275.80	024777690967
100337	2440 m	0,45 mm	16,8 kg / 40 lbs	CLEAR	x1	275.80	024777690974
SUPER 21 - PINK 150 m							
127376	150 m	0,25 mm	6,7 kg / 15 lbs	PINK	x6	29.90	024777690318
127377	150 m	0,30 mm	7,7 kg / 16,9 lbs	PINK	x6	36.40	024777690332
127378	150 m	0,35 mm	10,7 kg / 24 lbs	PINK	x6	39.10	024777690349
127379	150 m	0,40 mm	14,0 kg / 31 lbs	PINK	x6	40.30	024777690356



RED = New 2024

MONOFILAMENT LINE COLLECTION

XL STRONG

An exceptionally soft, smooth and supple fishing line with great tensile and knot strength. XL Strong is a very versatile monofilament fishing line that is perfect for a wide variety of fresh and salt water fishing applications. This smooth line is exceptional for casting by offering a low memory, reduced twisting, less kinks and fewer backlashes than stiffer monofilaments. Made with a super copolymer nylon formula, XL Strong offers increased toughness and excellent abrasion resistance. This low stretch nylon provides quick and controlled hook sets with high shock strength that helps you land more fish.



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
XL STRONG CLEAR 150 m							
100368	150 m	0,18 mm	2,8 kg / 6,1 lbs	CLEAR	x6	25.10	024777696044
100369	150 m	0,20 mm	3,3 kg / 7,3 lbs	CLEAR	x6	25.10	024777694880
100370	150 m	0,23 mm	4,4 kg / 9,7 lbs	CLEAR	x6	30.20	024777696051
100371	150 m	0,25 mm	5,4 kg / 12 lbs	CLEAR	x6	30.20	024777696068
100372	150 m	0,28 mm	6,6 kg / 14,5 lbs	CLEAR	x6	32.70	024777696075
100373	150 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	35.20	024777696082
100374	150 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	37.70	024777696099
100375	150 m	0,40 mm	13 kg / 29 lbs	CLEAR	x6	40.30	024777696105
XL STRONG CLEAR 300 m							
119238	300 m	0,20 mm	3,3 kg / 7,3 lbs	CLEAR	x6	40.30	024777332164
119239	300 m	0,23 mm	4,4 kg / 9,7 lbs	CLEAR	x6	40.30	024777332171
119240	300 m	0,25 mm	5,4 kg / 12 lbs	CLEAR	x6	45.30	024777332188
119241	300 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	50.40	024777332201
119242	300 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	55.50	024777332225
119243	300 m	0,40 mm	13 kg / 29 lbs	CLEAR	x6	60.50	024777332249
119244	300 m	0,45 mm	15,4 kg / 34 lbs	CLEAR	x6	65.60	024777332263
119245	300 m	0,50 mm	19,5 kg / 43 lbs	CLEAR	x6	70.60	024777332270
XL STRONG CLEAR BULK							
127404	550 m	0,60 mm	27,3 kg / 60 lbs	CLEAR	x6	101.00	024777323322
127399	600 m	0,30 mm	7,7 kg / 16,9 lbs	CLEAR	x6	60.50	024777323230
127400	600 m	0,35 mm	10,3 kg / 23 lbs	CLEAR	x6	65.60	024777323254
127401	600 m	0,40 mm	13,0 kg / 29 lbs	CLEAR	x6	70.60	024777323278
127402	600 m	0,45 mm	15,4 kg / 34 lbs	CLEAR	x6	75.70	024777323292
127403	600 m	0,50 mm	19,5 kg / 43 lbs	CLEAR	x6	82.80	024777323308
XL STRONG - NEON YELLOW							
119224	600 m	0,30 mm	7,7 kg / 16,9 lbs	NEON YELLOW	x6	60.50	024777350076
127405	600 m	0,35 mm	10,3 kg / 23 lbs	NEON YELLOW	x6	65.60	024777350090
127406	600 m	0,40 mm	13,0 kg / 29 lbs	NEON YELLOW	x6	70.60	024777350113
127407	600 m	0,45 mm	15,4 kg / 34 lbs	NEON YELLOW	x6	75.70	024777350137
127408	600 m	0,50 mm	19,5 kg / 43 lbs	NEON YELLOW	x6	85.80	024777350144
XL STRONG - PLATINUM 240 m							
100293	240 m	0,60 mm	27,3 kg / 60 lbs	PLATINUM	x6	75.70	024777303904
XL STRONG - PLATINUM 300 m							
100282	300 m	0,16 mm	2,2 kg / 4,8 lbs	PLATINUM	x6	40.30	024777303751
100283	300 m	0,18 mm	2,8 kg / 6,1 lbs	PLATINUM	x6	40.30	024777303768
100284	300 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x6	40.30	024777303775

RED = New 2024

Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
XL STRONG - PLATINUM 300 m							
100285	300 m	0,23 mm	4,4 kg / 9,7 lbs	PLATINUM	x6	40.30	024777303782
100286	300 m	0,25 mm	5,4 kg / 12 lbs	PLATINUM	x6	45.30	024777303799
100287	300 m	0,28 mm	6,6 kg / 14,5 lbs	PLATINUM	x6	47.90	024777303805
100288	300 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x6	50.40	024777303812
100289	300 m	0,35 mm	10,3 kg / 23 lbs	PLATINUM	x6	55.50	024777303836
100290	300 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x6	60.50	024777303850
100291	300 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x6	65.60	024777303874
100292	300 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x6	70.60	024777303881
XL STRONG - PLATINUM 600 m							
100294	600 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x6	50.40	024777303935
100295	600 m	0,25 mm	5,4 kg / 12 lbs	PLATINUM	x6	55.50	024777303959
100296	600 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x6	60.50	024777303973
100297	600 m	0,35 mm	10,3 kg / 23 lbs	PLATINUM	x6	66.70	024777303997
100298	600 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x6	70.60	024777304017
100299	600 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x6	75.70	024777304031
100300	600 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x6	85.80	024777304048
100301	600 m	0,60 mm	27,3 kg / 60 lbs	PLATINUM	x6	101.00	024777304062
XL STRONG - PLATINUM BULK							
100274	12300 m	0,20 mm	3,3 kg / 7,3 lbs	PLATINUM	x1	275.80	024777316201
100275	7880 m	0,25 mm	5,4 kg / 12 lbs	PLATINUM	x1	229.80	024777316225
100276	5460 m	0,30 mm	7,7 kg / 16,9 lbs	PLATINUM	x1	229.80	024777316249
100277	3080 m	0,35 mm	10,3 kg / 23 lbs	PLATINUM	x1	229.80	024777316263
100278	3080 m	0,40 mm	13,0 kg / 29 lbs	PLATINUM	x1	229.80	024777316287
100279	2440 m	0,45 mm	15,4 kg / 34 lbs	PLATINUM	x1	229.80	024777316300
100280	1960 m	0,50 mm	19,5 kg / 43 lbs	PLATINUM	x1	229.80	024777316317



MONOFILAMENT LINE COLLECTION

ULTRA KNOT

An exceptionally soft, smooth and supple fishing line with great tensile and knot strength. XL Strong is a very versatile monofilament fishing line that is perfect for a wide variety of fresh and salt water fishing applications. This smooth line is exceptional for casting by offering a low memory, reduced twisting, less kinks and fewer backlashes than stiffer monofilaments. Made with a super copolymer nylon formula, XL Strong offers increased toughness and excellent abrasion resistance. This low stretch nylon provides quick and controlled hook sets with high shock strength that helps you land more fish.



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
ULTRA KNOT - CLEAR							
127385	150 m	0,20 mm	2,8 kg / 6,1 lbs	CLEAR	x6	32.70	024777326415
127386	150 m	0,25 mm	2,8 kg / 6,1 lbs	CLEAR	x6	35.20	024777326439
127387	150 m	0,30 mm	6,6 kg / 14,5 lbs	CLEAR	x6	37.70	024777326453
127388	150 m	0,35 mm	9,4 kg / 21 lbs	CLEAR	x6	40.30	024777326477
127389	150 m	0,40 mm	10,8 kg / 23.8 lbs	CLEAR	x6	45.30	024777326491



CLEAR

BIG GAME COLLECTION

SUPERIOR LEADER

Superior Leader is a state-of-the-art 100% copolymer monofilament. It offers outstanding linear strength, knot strength and high abrasion resistance. A subtle amount of stretch allows for excellent setting of hooks, but still enough to act as a 'shock absorber' during those crucial moments of the fight when the fish is under the rod tip.



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
SUPERIOR LEADER - CLEAR							
151207	100 m	0,45 mm	10 kg / 45 lbs	CLEAR	x6	45.60	024777313170
100350	100 m	0,60 mm	20 kg / 40 lbs	CLEAR	x6	52.90	024777302266
100351	100 m	0,70 mm	27 kg / 60 lbs	CLEAR	x6	60.50	024777313194
100352	100 m	0,80 mm	37 kg / 80 lbs	CLEAR	x6	66.70	024777313200

SURF CASTING COLLECTION

FEEDER MONO

The Feeder Mono is a 100% copolymer line with an enhanced surface treatment that allows it to sink fast. It has a high knot strength and abrasion resistance. Low stretch ratio improves the bite detection, yet the line is very supple and features low memory, making it ideal for subtle presentations. The dark burgundy color is nearly invisible on the bottom.



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
FEEDER MONO - BURGUNDY							
151208	150 m	0,14 mm	1,9 kg	BURGUNDY	x6	29.90	024777382664
138318	150 m	0,16 mm	2,2 kg	BURGUNDY	x6	29.90	024777302938
138319	150 m	0,18 mm	2,8 kg	BURGUNDY	x6	29.90	024777302945
138320	150 m	0,20 mm	3,3 kg	BURGUNDY	x6	29.90	024777302952
138321	150 m	0,23 mm	4,4 kg	BURGUNDY	x6	30.20	024777302969
138322	150 m	0,25 mm	5,4 kg	BURGUNDY	x6	29.90	024777302976
138323	150 m	0,28 mm	6,6 kg	BURGUNDY	x6	29.90	024777317659



BURGUNDY

BRAIDED LINE COLLECTION

SFX 4 CARRIER BRAID

Made of Japanese UHMPE Fibers High Strength & Low Stretch A four carrier premium braided fishing line made with 100% Japanese UHMPE fibers for high breaking strength and extreme abrasion resistance for fishing in demanding conditions and large baits. Super low stretch improves sensitivity and hooksets.







FEATURES

- High strength
- High abrasion resistance
- Low stretch



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
SFX 4 CARRIER BRAID - HOT YELLOW							
148424	135 m	0,165 mm	10 kg / 22 lbs	HOT YELLOW	x6	41.20	024777723139
126714	135 m	0,128 mm	5.5 kg / 12 lbs	HOT YELLOW	x6	41.20	024777723146
126715	135 m	0,148 mm	7,0kg / 15 lbs	HOT YELLOW	x6	41.20	024777723153
126716	135 m	0,165 mm	8.6 kg / 19 lbs	HOT YELLOW	x6	41.20	024777723160
127363	135 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	41.20	024777723177
126717	135 m	0,205 mm	11.5 kg / 25 lbs	HOT YELLOW	x6	41.20	024777723184
127364	135 m	0,235 mm	13.6 kg / 30 lbs	HOT YELLOW	x6	41.20	024777723191
126718	135 m	0,285 mm	18,0kg / 40 lbs	HOT YELLOW	x6	41.20	024777723214
126719	135 m	0,330 mm	23,0kg / 50 lbs	HOT YELLOW	x6	41.20	024777723221

RED = New 2024

SFX 4 CARRIER BRAID - HOT YELLOW BULK								
135359	3200 m	0,128 mm	5.5 kg / 12 lbs	HOT YELLOW	x6	777.40	024777723702	
135360	3200 m	0,148 mm	7 kg / 15 lbs	HOT YELLOW	x6	777.40	024777723719	
135361	3200 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	777.40	024777723733	
149565	3200 m	0,330 mm	23,0kg / 50 lbs	HOT YELLOW	x6	777.40	024777723788	
SFX 4 CARRIER BRAID - LO-VIS GREEN								
138264	135 m	0,104 mm	4,5kg / 10 lbs	LO-VIS GREEN	x6	41.20	024777722996	
126707	135 m	0,128 mm	5,5kg / 12 lbs	LO-VIS GREEN	x6	41.20	024777723009	
126708	135 m	0,148 mm	7,0kg / 15 lbs	LO-VIS GREEN	x6	41.20	024777723016	
126709	135 m	0,165 mm	8,6kg / 19 lbs	LO-VIS GREEN	x6	41.20	024777723023	
127361	135 m	0,185 mm	10,0kg / 22 lbs	LO-VIS GREEN	x6	41.20	024777723030	
126710	135 m	0,205 mm	11,5kg / 26 lbs	LO-VIS GREEN	x6	41.20	024777723047	
127362	135 m	0,235 mm	13,6kg / 30 lbs	LO-VIS GREEN	x6	41.20	024777723054	
126711	135 m	0,285 mm	18,0kg / 40 lbs	LO-VIS GREEN	x6	41.20	024777723078	
126712	135 m	0,330 mm	23 kg / 50 lbs	LO-VIS GREEN	x6	41.20	024777723085	



HOT YELLOW



LO-VIS GREEN



BRAIDED LINE COLLECTION

SFX 8 CARRIER BRAID

Made of Japanese UHMPE Fibers Long Casting & High Knot Strength. An eight carrier premium braided fishing line made with 100% Japanese UHMPE fibers for smooth surface that results in long casts and quiet performance in the line guides. High knot strength combined with super low stretch offer superior handling performance and sensitivity.

FEATURES

- Smooth Surface
- Long Casting
- High Knot Strength



Product Number	Size	Diameter	Strength	Color	Pack	PLN	Barcode
SFX 8 CARRIER BRAID - HOT YELLOW							
148467	135 m	0,104 mm	4,5 kg / 10 lbs	HOT YELLOW	x6	59.60	024777724723
126726	135 m	0,128 mm	5,5 kg / 12 lbs	HOT YELLOW	x6	59.60	024777724730
126727	135 m	0,148 mm	7 kg / 15 lbs	HOT YELLOW	x6	59.60	024777724747
148468	135 m	0,165 mm	8,6 kg / 19 lbs	HOT YELLOW	x6	55.00	024777724754
126728	135 m	0,185 mm	10 kg / 22 lbs	HOT YELLOW	x6	55.00	024777724761
148469	135 m	0,205 mm	11,5 kg / 25 lbs	HOT YELLOW	x6	55.00	024777724778
126729	135 m	0,235 mm	13,6 kg / 30 lbs	HOT YELLOW	x6	55.00	024777724785
SFX 8 CARRIER BRAID - HOT YELLOW BULK							
126730	150 yds	0,285 mm	13,6 kg / 30 lbs	HOT YELLOW	x1	55.00	024777724792
126731	150 yds	0,330 mm	25.6 kg / 56.32 lbs	HOT YELLOW	x1	55.00	024777724808
SFX 8 CARRIER BRAID - LO-VIS GREEN							
138265	135 m	0,104 mm	5,0kg / 11 lbs	LO-VIS GREEN	x6	59.60	024777724617
126721	135 m	0,128 mm	7 kg / 15 lbs	LO-VIS GREEN	x6	59.60	024777724624
126722	135 m	0,148 mm	7,7kg / 16,94 lbs	LO-VIS GREEN	x6	59.60	024777724631
138266	135 m	0,165 mm	10kg / 22lbs	LO-VIS GREEN	x6	55.00	024777724648
138267	135 m	0,185 mm	13,0kg / 28,6 lbs	LO-VIS GREEN	x6	55.00	024777724655
138268	135 m	0,205 mm	16,5kg / 36 lbs	LO-VIS GREEN	x6	55.00	024777724662
138269	135 m	0,235 mm	20,0kg / 44 lbs	LO-VIS GREEN	x6	55.00	024777724679
126723	135 m	0,285 mm	22.3 kg / 49.06 lbs	LO-VIS GREEN	x6	55.00	024777724686
126724	135 m	0,330 mm	25.6 kg / 56.32 lbs	LO-VIS GREEN	x6	55.00	024777724693
125997	275 m	0,148 mm	7,7kg / 16,94 lbs	LO-VIS GREEN	x6	101.00	024777724853
125998	275 m	0,165 mm	10kg / 22lbs	LO-VIS GREEN	x6	91.80	024777724860
125999	275 m	0,185 mm	13,0kg / 28,6 lbs	LO-VIS GREEN	x6	91.80	024777724877
126000	275 m	0,205 mm	16,5kg / 36 lbs	LO-VIS GREEN	x6	91.80	024777724884
126001	275 m	0,235 mm	20,0kg / 44 lbs	LO-VIS GREEN	x6	91.80	024777724891
126002	275 m	0,285 mm	22.3 kg / 49.06 lbs	LO-VIS GREEN	x6	91.80	024777724907
126003	275 m	0,330 mm	25.6 kg / 56.32 lbs	LO-VIS GREEN	x6	91.80	024777724914
126004	275 m	0,370 mm	40.3 kg / 88.66 lbs	LO-VIS GREEN	x6	91.80	024777724921
126005	275 m	0,405 mm	30.6 kg / 67 lbs	LO-VIS GREEN	x6	91.80	024777724938
SFX 8 CARRIER BRAID - LO-VIS GREEN BULK							
151114	3200 m	0,128 mm	7 kg / 15 lbs	LO-VIS GREEN	x1	1375.40	024777725065
151115	3200 m	0,148 mm	7,7kg / 16,94 lbs	LO-VIS GREEN	x1	1375.40	024777725072
151116	3200 m	0,165 mm	10kg / 22lbs	LO-VIS GREEN	x1	1191.40	024777725089
149574	3200 m	0,185 mm	13,0kg / 28,6 lbs	LO-VIS GREEN	x1	1191.40	024777725096
149575	3200 m	0,205 mm	16,5kg / 36 lbs	LO-VIS GREEN	x1	1191.40	024777725102



HOT YELLOW



LO-VIS GREEN

