

# okuma



## RISING WITH EVERY CHALLENGE

The average person might stumble upon a remote beach and find inspiration in the texture of the sand, curl of the waves and the salty spice of the air. For the community of anglers, however, playing witness to nature is far less satisfying than direct participation.

As we approach every piece of water, our attention inevitably falls to what lies beneath the surface: beneath the waves, off the point, on the edge of structure, at the intersection of currents. It's the fish and their habits, their power and speed that captivate our attention. Through rod and reel we find our connection. Some call it sport. We call it a way of life that's rich with experiences.

At Okuma Fishing Tackle, our goal is to enhance every encounter. Integrating the latest advancements in materials and construction techniques is a means to downplay the presence of the gear. Eliminate weight and increase feel. Enjoy a running fish instead of fearing it. Button down the drag and go toe-to-toe with complete confidence. Your focus is not on the equipment; it's on the fish.

Wherever your travels take you, from the local pond to distant reef, we're proud to be your partner in the discovery of what lies beneath.

# INDEX

## SALTWATER SPINNING REELS.....211

|                  |     |
|------------------|-----|
| MAKAIRA®.....    | 211 |
| TESORO.....      | 211 |
| SALINA.....      | 212 |
| CEDROS.....      | 213 |
| AZORES XP.....   | 213 |
| CEYMAR SW-X..... | 214 |
| SAFINA SW-X..... | 215 |

## SPINNING REELS.....217

|                           |     |
|---------------------------|-----|
| <b>NEW</b> ZYROS.....     | 217 |
| ITX CB.....               | 218 |
| INSPIRA.....              | 219 |
| CEYMAR HD.....            | 221 |
| CEYMAR.....               | 223 |
| TOMCAT.....               | 223 |
| SCORPIO.....              | 224 |
| ACUADOR.....              | 224 |
| JAW.....                  | 225 |
| <b>NEW</b> AVENGER B..... | 225 |
| SAFINA.....               | 226 |
| AZAKI.....                | 226 |
| <b>NEW</b> OUTRAX.....    | 227 |
| <b>NEW</b> REVENGER.....  | 227 |
| 6K-FEEDER.....            | 229 |
| INVICTA.....              | 229 |
| MYTH FEEDER.....          | 230 |
| CUSTOM BLACK FEEDER.....  | 230 |
| CARBONITE XP FEEDER.....  | 231 |

## BAITFEEDER REELS.....233

|                           |     |
|---------------------------|-----|
| CEYMAR HD BAITFEEDER..... | 233 |
| LS.....                   | 234 |
| AVENTA BF.....            | 234 |
| ROCKAWAY BF.....          | 235 |
| Longbow.....              | 235 |
| Longbow XT BF.....        | 236 |
| PULZAR BF.....            | 236 |
| CEYMAR BF.....            | 237 |
| DYNA DRAG XP BF.....      | 238 |
| AK BF.....                | 238 |
| CARBONITE B-FEEDER.....   | 239 |
| CARBONITE XP.....         | 239 |

## BIG PIT SURF REELS.....241

|                 |     |
|-----------------|-----|
| FLITE SURF..... | 241 |
| SURF 8K.....    | 242 |
| WAVE-X.....     | 242 |
| ROCKAWAY.....   | 243 |
| ATOMIC SW.....  | 243 |

## BIG PIT CARP REELS.....246

|                               |     |
|-------------------------------|-----|
| OBSIDIAN.....                 | 246 |
| <b>NEW</b> OBSIDIAN SPOD..... | 248 |
| 8K.....                       | 248 |
| BIG BOMBER SPOD.....          | 249 |
| INC.....                      | 249 |
| CUSTOM BLACK.....             | 250 |
| CUSTOM CARP.....              | 250 |
| CUSTOM.....                   | 251 |
| ATOMIC CARP.....              | 251 |

## BAITCASTING REELS.....254

|                |     |
|----------------|-----|
| HAKAI DT.....  | 254 |
| KOMODO SS..... | 255 |
| CITRIX.....    | 255 |

## CONVENTIONAL REELS.....260

|  |     |
|--|-----|
| MAKAIRA.....                           | 260 |
| MAKAIRA SEA.....                       | 261 |
| ALIJOS 2-SPEED.....                    | 262 |
| <b>NEW</b> TESORO LD JIGGING.....      | 263 |
| CAVALLA.....                           | 264 |
| SOLTERRA SLX B.....                    | 264 |
| <b>NEW</b> CONVECTOR LINE COUNTER..... | 266 |
| CLASSIC PRO XP.....                    | 266 |
| CLASSIC CLX.....                       | 267 |
| CLASSIC PRO CLX.....                   | 267 |

## SPINNING & CASTING RODS.....271

|                           |     |
|---------------------------|-----|
| PSYCHO STICK.....         | 271 |
| TOMCAT.....               | 272 |
| <b>NEW</b> G-CONTROL..... | 272 |
| ALTERA.....               | 273 |
| JAW.....                  | 274 |
| SALINA TUNA.....          | 275 |
| F-15 SHORE JIGGING.....   | 276 |
| F-16 SHORE JIGGING.....   | 276 |
| INSPIRA.....              | 277 |
| <b>NEW</b> CEYMAR SW..... | 277 |
| SOLARIS.....              | 278 |

## TROLLING RODS.....279

|                             |     |
|-----------------------------|-----|
| MAKAIRA SALTWATER RODS..... | 279 |
| WILD TROLLING LIVE.....     | 280 |
| CUSTOM PRO LITE.....        | 280 |

## JIGGING RODS.....281

|                             |     |
|-----------------------------|-----|
| <b>NEW</b> SLOW HUNTER..... | 281 |
| FIREBALL.....               | 282 |
| DEEP IMPACT.....            | 283 |
| ECLIPZ.....                 | 284 |
| ALTERA SLOW JIG.....        | 284 |

## ELECTRIC REEL FISHING.....285

|                       |     |
|-----------------------|-----|
| AMPERE.....           | 285 |
| <b>NEW</b> VOLTS..... | 286 |

## SURF RODS.....286

|                      |     |
|----------------------|-----|
| FLITE HYBRID.....    | 286 |
| ROCKAWAY HYBRID..... | 287 |
| SURF-8K.....         | 287 |
| SURFLINER +.....     | 289 |

## BOLENTINO RODS.....289

|                            |     |
|----------------------------|-----|
| ROCKAWAY BOLENTINO.....    | 289 |
| AVENGER PRO BOLENTINO..... | 290 |
| SABIKI PRO.....            | 291 |
| ATOMIC BOAT.....           | 292 |

## EGING/TATAKI RODS.....292

|                           |     |
|---------------------------|-----|
| WILD SQUID.....           | 292 |
| INSPIRA.....              | 293 |
| SCORPIO.....              | 293 |
| ALTERA EGI.....           | 294 |
| TATAKY PRO.....           | 294 |
| EGIPRO K2.....            | 295 |
| <b>NEW</b> RED SQUID..... | 295 |
| SQUIDER.....              | 296 |
| EGING SUPER BOAT.....     | 296 |

## CARP RODS.....297

|                   |     |
|-------------------|-----|
| LS-8K CARP.....   | 297 |
| 8K CARP.....      | 297 |
| Longbow Carp..... | 298 |
| AVENGER CARP..... | 298 |
| C-FIGHT CARP..... | 299 |

## FEEDER RODS.....300

|                             |     |
|-----------------------------|-----|
| 8K FEEDER GEN 2.....        | 300 |
| CUSTOM BLACK FEEDER V2..... | 300 |
| CEYMAR V2.....              | 301 |
| SNIPER FEEDER TIPS.....     | 301 |
| FISHERY FEEDER TIPS.....    | 302 |
| LA BESTIA.....              | 302 |

## MATCH RODS.....303

|                             |     |
|-----------------------------|-----|
| <b>NEW</b> POWER FLOAT..... | 303 |
| <b>NEW</b> SENSI FLOAT..... | 303 |
| COMPETITION BOLO.....       | 304 |
| G-POWER TELE POLE.....      | 304 |

## COMBOS.....305

|                              |     |
|------------------------------|-----|
| <b>NEW</b> OUTRAX COMBO..... | 305 |
| VIBE COMBOS.....             | 305 |

# NEW PRODUCTS



**ZYROS**  
217



**AVENGER B**  
225



**OUTRAX**  
227



**REVENGER**  
227



**OBSIDIAN SPOD**  
248




**TESORO LD  
JIGGING**  
263



**CONVECTOR LINE  
COUNTER**  
266





**G-CONTROL**  
272

**CEYMAR SW**  
277

**SLOW HUNTER**  
281

**VOLTS**  
286

**RED SQUID**  
295

**POWER FLOAT**  
303

**SENSI FLOAT**  
303

**OUTRAX COMBO**  
305



# SPINNING REEL TECHNOLOGY

## GEAR



### MAXGEAR



Makaira reels feature a forged, machine cut stainless steel main gear paired with a 17-4 stainless steel pinion gear. This gear system is unmatched in this category.



### HDG +



Building upon the solid foundation of the renowned HDGII, HDG+ sets a new standard with a minimum of 7% increase in size, enhanced strength, and a higher gear ratio, HDG+ is engineered to be the most all-around gear on the market.



### ALG



With today's super braided lines & lighter more compact reels, ALG offers anglers lighter weight gears without compromising on strength & durability. Adding to their longevity, ALG gears are anodized to hold up to the elements much better than traditional gearing materials.



### FLITE GEAR



Advanced forged one-piece aluminum gear engineering redefines the standards of strength, agility, and precision. Flight Gear boasts a strength that surpasses conventional aluminum counterparts through a meticulous forging process while retaining the hallmark trait of aluminum – its lightweight nature – ensuring optimal performance without compromising on efficiency. To achieve ultimate precision, each gear is forged then machine cut with exacting standards to guarantee seamless gear engagement resulting in an exceptionally smooth feeling with every turn of the handle.



### PRECISION ELLIPTICAL GEARING SYSTEM



The Precision Elliptical Gearing System advantage boils down to one thing & one thing only – performance. By regulating the speed of the spindle stroke, reels equipped with this system wind line more consistently & uniformly on the spool, resulting in level line lay. This creates less friction during casting for increased distance, greater accuracy & longer line life, as well as smoother, more uniform drag pressures. Pick up any Okuma reel equipped with this feature & feel for yourself the balance, smoothness & power that are all characteristics of the Precision Elliptical Gearing System.

## CONSTRUCTURE



### TORSION CONTROL ARMOR



The Torsion Control Armor (TCA) design found on the new Inspira spinning reels is made with Okuma's C-40X long-strand carbon fiber technology. This not only makes the reel lighter, but also makes the reel extremely rigid which reduces twist & torque, keeping the internal parts in perfect alignment.

### TORSION CONTROL ARMOR ALUMINIUM

The brand-new TCA-AL features an advanced aluminum construction, setting it apart from the previous TCA. The new TCA-AL is 5 times stronger than TCA. It excels with its elevated torsion and flex resistance, ensuring exceptional stability even under intense pressure.



## MATERIAL



### C-40X



Okuma's C-40X carbon technology utilizes a specially blended graphite polymer. The carbon fibers in this material are elongated & reinforced, creating a substantially stronger composite than standard graphite materials. At 25% lighter, 1.5 times stronger & 100% anti-corrosive, C-40X translates into an extremely lightweight & durable construction.

### LITECAST™



LITECAST™ is the latest in Okuma's reel technology. Reels with the Litecast™ structure are composed using a magnesium material in the casting process, making the integrity of the reel incredibly strong & 15% lighter than aluminum alloy reels. Okuma Cedros Saltwater Spinning Reels feature the new Litecast™ construction.



### ALUMLITE FRAME CONSTRUCTION



AlumiLite construction incorporates Okuma's rigid aluminum body technology on spinning, trolling and fly reel designs. Aluminum frames are stronger and more rigid and are capable of withstanding more pressure and torque than traditional graphite frames. These lightweight, diecast aluminum frames provide more precise tolerances for precision gear alignment, maximum castability and ultimate durability.



## DRIVE SYSTEM & DRAG



### FLITE DRIVE™



In standard reels, when the main shaft is moved up and down, a large area of friction is generated with the inner hole of the pinion gear, which causes you to feel resistance when turning. To reduce drag and achieve the lightness of rotation, we hollowed out the center of the pinion gear to reduce friction with the shaft. This change helps create a zero inertia start up and an incredibly light feel when turning the handle.



### GEARING STABILIZATION DESIGN



Ultimate pinion gear support with ball bearings from top to bottom offers unparalleled stability and durability.

### CYCLONIC FLOW ROTOR



The Cyclonic Flow Rotor (CFR) was designed to create a "cyclonic" airflow, which significantly increases air flow through the ported rotor. This thoroughly tested design allows for a much faster drying time if the reel becomes wet, minimizing corrosion possibilities throughout the reel.



### SPINNING REEL DUAL FORCE DRAG



DFD incorporates both surfaces of the spool to maximize high-end drag pressure, efficiency & overall smoothness. Mounted in the top of the spool & protected by the Hydro Block system is a multi-disc felt drag system that works in conjunction with a secondary drag system that is mounted under the spool. Even pressure is applied to both surfaces of the spool for maximum stability.



### CARBONITE DRAG

Okuma's proprietary wave and pattern for carbon fiber drag washers are engineered to offer supreme strength and unmatched smoothness in drag performance.



## MORE TECH

### DIAMOND-LIKE CARBON (DLC)

#### EVEN FLOW ROLLER SYSTEM WITH DLC COATING

The EFR II with DLC coating minimizes line friction, facilitating a smoother movement of the fishing line over its polished surface. As a result, this feature not only extends the lifespan of the fishing line but also prevents line twist.



### BAITFEEDING SYSTEM



Okuma's baitfeeding system allows anglers to disengage their spinning reel spool & allow their bait to run freely. The baitfeeding system incorporates a secondary micro-adjustable drag system at the rear of the reel that allows for precise adjustment of the spool for bait control. In order to disengage this system simply turn the handle. The On/Off lever on the rear of the reel will automatically disengage the baitfeeding system so you can fight your fish with the main drag system.



### EFR II



The Even Flow Roller System utilizes a ball bearing under the line roller to maximize efficiency. This roller helps reduce line twists by freely rolling over the line roller without friction. Without this system, line will naturally twist when drag is pulled.



### QUICK-SET



QUICK-SET - This system allows for instant handle engagement & eliminates all handle back play commonly found in many reels. This is accomplished by using a corrosion-resistant stainless steel roller bearing that engages the reel in one direction for rock-solid hook sets.



### CENTRIFUGAL DISC BAIL

Okuma's Centrifugal Disc Bail (CDB) is a unique new design that incorporates a heavier brass disc that is perfectly weighted & balanced to create a smoother & easier bail operation, while increasing the strength & stability of the overall bail function.



### EVEN FLOW ROLLER

The Even Flow Roller System utilizes a ball bearing under the line roller to maximize efficiency. This roller helps reduce line twists by freely rolling over the line roller without friction. Without this system, line will naturally twist when drag is pulled.



### HIGH PERFORMANCE BEARINGS



The balls used on the HPB's are constructed from the same high-grade stainless steel material as the bearing housing. These bearings were designed to be more than 10 times more resistant to saltwater than standard stainless steel bearings. These bearings may even outlast the angler himself.



### HYDRO BLOCK



The Hydro Block design features a rubber gasket mounted in the top of a spinning reel spool. This rubber seal blocks water & foreign materials from entering the drag system. The Hydro Block system ensures that your drag washers always perform at optimal levels.



# **SALTWATER SPINNING REELS**

## SPINNING - SALTWATER

## MAKAIRA®

## FEATURES

- DFD: Precision Dual Force Drag system
- Precision click drag adjustment for more precise settings
- Multi-disc, Carbonite and felt drag washers for DFD
- 6HPB + 1RB corrosion resistant stainless steel bearings
- Quick-Set anti-reverse roller bearing plus ratchet system
- Dual anti-reverse system for maximum security
- Precision machine cut brass pinion gear
- CRC: Corrosion-resistant coating process
- HDGII: Corrosion-resistant, High density gearing
- ALC: Rigid diecast aluminum body, sideplate and rotor
- MSS: carbon Mechanical Stabilizing System
- Machined aluminum, 2-tone anodized spool with LCS lip
- Machined aluminum handle arm for added strength
- Hydro Block water tight drag seal
- Heavy duty, solid aluminum bail wire



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN      |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|----------|
| MK-10000L      | 810 g  | 4.9 :1     | 9+1      | 102 cm        | 25 kg    | 0.40/300      | 4718947 026798 | 3,731.00 |
| MK-20000LS     | 997 g  | 5.8 :1     | 9+1      | 131 cm        | 30 kg    | 0.50/370      | 4718947 017024 | 3,844.70 |
| MK-30000LS     | 1107 g | 5.8 :1     | 9+1      | 167 cm        | 30 kg    | 0.60/450      | 4718947 017031 | 4,186.00 |

## SPINNING - SALTWATER

## TESORO

The ultimate saltwater performer, the Tesoro features an oversized brass drive gear for strength and durability – further enhanced by the Gearing Stabilization Design for improved gear alignment. The IPX-7 rated Hydro Sealed Body protects against full water submersion and splashing. Within the Tesoro's full-Alumilite body resides a Dual Force Drag system with a whopping 25 kgs of max drag power.

## FEATURES

- Full-Alumilite Body & Sideplate
- IPX-7 Rated Hydro Sealed Body CFR: Cyclonic Flow Rotor
- Carbonite High-Output Drag with Cal's Drag Grease on Full Dual Force Drag
- 12HPB + 1RB Corrosion-Resistant Stainless Steel Bearings
- Dual Anti-Reverse System for Maximum Strength and Reliability
- Machined Aluminum Screw-In Handle Arm for Added Strength
- Smooth Machine-Cut Brass Gearing with an Over-Sized Drive Gear
- Gearing Stabilization Design for Gear Alignment
- Frictionless Main Shaft Design
- Oversized Titanium Spool Shaft for Maximum Strength-to-Weight Ratio



| Product Number                           | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN      |
|--|--------|------------|----------|---------------|----------|---------------|----------------|----------|
| TESORO LOW SPEED SPINNING REELS          |        |            |          |               |          |               |                |          |
| TSR-5000PA                               | 449 g  | 4.7:1      | 12+1     | 88 cm         | 15 kg    | 0.35/170      | 4718947 103048 | 1,547.00 |
| TSR-6000PA                               | 450 g  | 4.7:1      | 12+1     | 85 cm         | 15 kg    | 0.35/220      | 4718947 103055 | 1,547.00 |
| TSR-8000PA                               | 697 g  | 4.9:1      | 12+1     | 93 cm         | 25 kg    | 0.45/180      | 4718947 083388 | 1,688.00 |
| TSR-10000PA                              | 714 g  | 4.9:1      | 12+1     | 101 cm        | 25 kg    | 0.45/220      | 4718947 083395 | 1,706.20 |
| TSR-14000PA                              | 714 g  | 4.9:1      | 12+1     | 105 cm        | 25 kg    | 0.45/290      | 4718947 083401 | 1,706.20 |
| TSR-18000PA                              | 928 g  | 4.4:1      | 12+1     | 106 cm        | 25 kg    | 0.55/260      | 4718947 080400 | 1,797.20 |
| TSR-20000PA                              | 928 g  | 4.4:1      | 12+1     | 111 cm        | 25 kg    | 0.60/260      | 4718947 080417 | 1,797.20 |
| TESORO HIGH SPEED SPINNING REELS         |        |            |          |               |          |               |                |          |
| TSR-14000HA                              | 714 g  | 5.8:1      | 12+1     | 126 cm        | 25 kg    | 0.45/290      | 4718947 086990 | 1,706.20 |
| Tesoro Extreme High Speed Spinning Reels |        |            |          |               |          |               |                |          |
| TSR-4000XA                               | 386 g  | 6.2:1      | 12+1     | 101 cm        | 12 kg    | 0.30/185      | 4718947 097613 | 1,319.50 |



## SPINNING - SALTWATER

**SALINA**

The Salina saltwater spinning reel's LITECAST magnesium alloy construction provides the strength and rigidity of aluminum – but 15 % lighter. Building on that foundation of muscle, the Salina offers a Dual Force Drag system with 20 kg max drag power. When fighting strong fish, the 3-point pinion gear stabilization design provides precise alignment, even under heavy loads.

## FEATURES

- DFD: Precision Dual Force Drag System
- LITECAST Construction
- Multi-Disc Drag Adjustment for More Precise Settings
- 20 kg Max Drag | 6HPB + 1RB Corrosion-Resistant Stainless Steel Bearings
- Full Grease Pack Prevents Water Intrusion
- Rubber-Sealed Bearings for Ultimate Protection
- Machined Aluminum Screw-In Handle
- Machined Aluminum 2-Tone Anodized Round Knob
- Even Flow Roller System with DLC Coating
- Manual Bail Trip Function for Ultimate Reliability
- Machined Aluminum 2-Tone Anodized Spool



| Product Number                               | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN      |
|--|--------|------------|----------|---------------|----------|---------------|----------------|----------|
| <b>SALINA HIGH GEAR RATIO SPINNING REELS</b> |        |            |          |               |          |               |                |          |
| SA-4000HA                                    | 413 g  | 5.8:1      | 6+1      | 90 cm         | 15 kg    | 0.30/185      | 4718947 089748 | 923.60   |
| SA-5000HA                                    | 422 g  | 5.8:1      | 6+1      | 95 cm         | 15 kg    | 0.35/170      | 4718947 089755 | 937.30   |
| SA-6000HA                                    | 432 g  | 5.8:1      | 6+1      | 101 cm        | 15 kg    | 0.35/220      | 4718947 089762 | 964.60   |
| <b>SALINA SPINNING REELS</b>                 |        |            |          |               |          |               |                |          |
| SA-8000A                                     | 650 g  | 5.4:1      | 6+1      | 103 cm        | 20 kg    | 0.45/180      | 4718947 082718 | 996.40   |
| SA-10000A                                    | 666 g  | 5.4:1      | 6+1      | 112 cm        | 20 kg    | 0.45/220      | 4718947 082725 | 1,023.70 |
| SA-14000A                                    | 648 g  | 5.4:1      | 6+1      | 116 cm        | 20 kg    | 0.45/290      | 4718947 082732 | 1,041.90 |

## SPINNING - SALTWATER

### CEDROS

Specifically designed for saltwater use, the Cedros spinning reels feature Okuma's Litecast Blade body design, Dual Force Drag System for extreme stopping power & our proprietary High Density Gearing with a special corrosion resistant coating. Combine this with a high-speed gear ratio & a customized aluminum handle, you have one of the best saltwater jig fishing reels on the market.

#### FEATURES

- DFD: Precision Dual Force Drag system
- Multi-disc drag adjustment for more precise settings
- LITECAST: Body construction is 15% lighter
- CRC: Corrosion resistant coating process
- 6HPB + 1RB corrosion resistant stainless steel bearings
- Dual anti-reverse feature on 8000-14000 sizes
- Quick-Set anti-reverse roller bearing
- Manual bail trip function 8000-14000 sizes
- HDGII: Corrosion resistant, High density gearing
- Precision machine cut brass pinion gear
- Machined aluminum, 2-tone anodized spool
- Machined aluminum, screw-in handle arm



| Product Number                               | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|--|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>CEDROS HIGH GEAR RATIO SPINNING REELS</b> |        |            |          |               |          |               |                |        |
| CJ-5000H                                     | 397 g  | 5.8:1      | 6+1      | 95 cm         | 15 kg    | 0.35/170      | 4718947 044075 | 741.60 |
| CJ-6000H                                     | 405 g  | 5.8:1      | 6+1      | 101 cm        | 15 kg    | 0.35/220      | 4718947 044082 | 750.70 |
| <b>CEDROS SPINNING REELS</b>                 |        |            |          |               |          |               |                |        |
| CJ-8000                                      | 624 g  | 5.4:1      | 6+1      | 104 cm        | 20 kg    | 0.45/180      | 4718947 041715 | 782.60 |
| CJ-10000                                     | 643 g  | 5.4:1      | 6+1      | 112 cm        | 20 kg    | 0.45/220      | 4718947 040701 | 800.80 |

## SPINNING - SALTWATER

### AZORES XP

#### FEATURES

- DFD: Precision Dual Force Drag system
- Precision click drag adjustment for more precise settings
- Multi-disc, Carbonite and felt drag washers for DFD
- 6HPB + 1RB corrosion resistant stainless steel bearings
- Quick-Set anti-reverse roller bearing plus ratchet system
- Dual anti-reverse system for maximum security
- Precision machine cut brass pinion gear
- CRC: Corrosion-resistant coating process
- HDGII: Corrosion-resistant, High density gearing
- ALC: Rigid diecast aluminum body, sideplate and rotor
- MSS: carbon Mechanical Stabilizing System
- Machined aluminum, 2-tone anodized spool with LCS lip
- Machined aluminum handle arm for added strength
- Hydro Block water tight drag seal
- Heavy duty, solid aluminum bail wire



| Product Number                             | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|--|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>AZORES XP HIGH-SPEED SPINNING REELS</b> |        |            |          |               |          |               |                |        |
| ZXP-4000H                                  | 335 g  | 5.8 : 1    | 6+1      | 91 cm         | 13 kg    | 0.35/150      | 4718947 059024 | 591.50 |
| ZXP-6000H                                  | 526 g  | 5.8 : 1    | 6+1      | 105 cm        | 13 kg    | 0.40/170      | 4718947 059949 | 618.80 |
| ZXP-8000H                                  | 720 g  | 5.4 : 1    | 6+1      | 110 cm        | 20 kg    | 0.50/160      | 4718947 059956 | 682.50 |
| ZXP-14000H                                 | 738 g  | 5.4 : 1    | 6+1      | 120 cm        | 20 kg    | 0.50/240      | 4718947 060006 | 709.80 |
| ZXP-16000H                                 | 740 g  | 5.4 : 1    | 6+1      | 120 cm        | 20 kg    | 0.50/270      | 4718947 059963 | 709.80 |



## SPINNING - SALTWATER

## Ceymar SW-X

Continuing the legacy of best-selling performance, the Ceymar SW-X is the go-to choice for anglers who want to take the Ceymar experience to the salt. Built to withstand the demands of saltwater angling, the Ceymar SW-X spinning reel is built with a corrosion-resistant graphite body and Okuma's Cyclonic Flow Rotor technology. Equipped with high-performance bearings (HPB), the reel ensures smooth operation even in harsh saltwater conditions. The machined aluminum screw-in handle is in direct contact with the gears and reduces handle play – while the Flite Drive™ design further increases the gear stability. This results in the well-proven Ceymar feeling of unparalleled smoothness. Finished with the saltwater-specific EVA knob.

## FEATURES

- HDG+ main gear with machine cut brass pinion gear
- EFR-II: Even Flow Roller system with DLC coating
- Lightweight and machined aluminum screw in handle Design
- Gearing stabilization system
- Flite Drive system increases gear stability and smoothness
- CFR: Cyclonic Flow Rotor Technology
- Heavy duty, solid aluminum bail wire
- Rotor brake
- Lightweight and machined aluminum spool
- Multi-disc, carbon fiber drag system with Hydro Block gasket
- 7HPB+1RB Saltwater resistant for ultimate smoothness
- Quick-Set anti-reverse roller bearing
- Hydro block o-ring seal on spool and both sides of handle for waterproof



| Product Number                   | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>Ceymar SW-X High Speed</b>    |        |            |          |               |          |               |                |        |
| CSW-3000HA                       | 243 g  | 6.0:1      | 7+1      | 88 cm         | 6 kg     | 0.25/200      | 4718947 104199 | 386.70 |
| <b>Ceymar SW-X Extreme Speed</b> |        |            |          |               |          |               |                |        |
| CSW-4000XA                       | 283 g  | 6.2:1      | 7+1      | 99 cm         | 9 kg     | 0.30/185      | 4718947 104175 | 423.10 |
| CSW-C5000XA                      | 286 g  | 6.2:1      | 7+1      | 105 cm        | 9 kg     | 0.35/170      | 4718947 104182 | 432.20 |

## SPINNING - SALTWATER

**SAFINA SW-X**

Safina-level performance, now fully dedicated to saltwater applications. The perfect tool for entry-level saltwater anglers, the Safina SW-X spinning reel is built with a corrosion-resistant graphite body and Cyclonic Flow Rotor technology for long-lasting durability. Equipped with high-performance bearings (HPB), the reel ensures smooth operation even in harsh saltwater conditions. The Flite Drive™ design increases gear stability and allows for friction-free smoothness. Ranging from size 3000 to 14000, the Safina SW-X range features the tools for taking on saltwater species, whether you're fishing from a boat, casting from the shore, or bolo fishing from the rocks.

**FEATURES**

- New Corrosion-resistant graphite body
- CFR : Cyclonic Flow Rotor
- 4 + 1 Saltwater resistant stainless steel bearings
- Flite Drive system increases gear stability and smoothness
- Quick-Set infinite anti-reverse system
- New Machine cut brass pinion
- ESII : Computer balanced Rotor Equalizing system
- Multi-disc, Japanese oiled felt drag washers
- New EVA round knob for size 3000/4000; TPE ergo knob for size 6000 and up
- Precision elliptical oscillation system
- 2 tones aluminum spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| SNW-3000A      | 219 g  | 5.0:1      | 4+1      | 68 cm         | 7 kg     | 0.25/170      | 4718947 103888 | 273.00 |
| SNW-4000A      | 224 g  | 5.0:1      | 4+1      | 79 cm         | 8 kg     | 0.30/180      | 4718947 103895 | 295.70 |
| SNW-6000A      | 282 g  | 4.8:1      | 4+1      | 81 cm         | 15 kg    | 0.35/200      | 4718947 103901 | 318.50 |
| SNW-8000A      | 410 g  | 4.8:1      | 4+1      | 96 cm         | 16 kg    | 0.45/165      | 4718947 103918 | 364.00 |
| SNW-10000A     | 570 g  | 4.8:1      | 4+1      | 96 cm         | 16 kg    | 0.45/290      | 4718947 103925 | 386.70 |
| SNW-14000A     | 599 g  | 4.8:1      | 4+1      | 107 cm        | 16 kg    | 0.45/290      | 4718947 103932 | 409.50 |




# **ALLROUND SPINNING REELS**



## SPINNING - ALLROUND

### ZYROS

Light and ready to fight. A sum of all Okuma's newest technologies, the all-round Zyros spinning reel is designed to set the new standard for lightweight reels. Built with a light and rigid C-40X carbon body, the Zyros's ergonomic feel is finished with the superlight machined aluminum spool and A7075 spool shaft. The Flite Gear and Flite Drive™ ensure a smooth and friction-free action while the Hydro Block gasket keeps moisture at bay. Lightest in its price category, the Zyros is capable of taking on a whole range of fishing applications, in both saltwater and freshwater settings.



NEW

#### FEATURES

- Lightweight and rigid C-40X carbon body, sideplates and rotor
- Flite gear : aluminum forged machined drive gear
- Flite Drive system increases gear stability and smoothness
- Gearing stabilization system
- Multi-disc, carbon fiber drag system with Hydro Block gasket
- 6HPB+1RB High Performance, grease packed bearings
- CFR: Cyclonic Flow Rotor Technology
- Machined aluminum screw in handle design
- Light weight ALU handle (screw in) with TPE knob
- 5000 size with Round handle knob
- Heavy duty, solid aluminum one-piece bail wire
- Super light machined aluminum spool
- EFR-II: Even Flow Roller system with DLC coating



| Product Number           | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|--------------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| Zyros                    |        |            |          |               |          |               |                |        |
| <b>ZRS-C2000A</b>        | 169 g  | 5.2:1      | 6+1      | 69 cm         | 5 kg     | 0.25/140      | 4718947 109422 | 500.50 |
| <b>ZRS-2500A</b>         | 199 g  | 5.3:1      | 6+1      | 77 cm         | 8 kg     | 0.25/165      | 4718947 109439 | 500.50 |
| <b>ZRS-3000A</b>         | 199 g  | 5.3:1      | 6+1      | 77 cm         | 8 kg     | 0.30/130      | 4718947 109446 | 500.50 |
| <b>ZRS-4000A</b>         | 235 g  | 5.2:1      | 6+1      | 83 cm         | 11 kg    | 0.35/130      | 4718947 109453 | 523.20 |
| Zyros High Speed         |        |            |          |               |          |               |                |        |
| <b>ZRS-C5000A</b>        | 248 g  | 5.2:1      | 6+1      | 88 cm         | 11 kg    | 0.35/170      | 4718947 109460 | 546.00 |
| <b>ZRS-2500HA</b>        | 199 g  | 6.0:1      | 6+1      | 88 cm         | 8 kg     | 0.25/165      | 4718947 109484 | 500.50 |
| <b>ZRS-3000HA</b>        | 199 g  | 6.0:1      | 6+1      | 88 cm         | 8 kg     | 0.25/200      | 4718947 109491 | 500.50 |
| Zyros Extreme High Speed |        |            |          |               |          |               |                |        |
| <b>ZRS-4000XA</b>        | 235 g  | 6.2:1      | 6+1      | 99 cm         | 11 kg    | 0.30/185      | 4718947 109507 | 523.20 |
| <b>ZRS-C5000XA</b>       | 248 g  | 6.2:1      | 6+1      | 105 cm        | 11 kg    | 0.35/170      | 4718947 109514 | 546.00 |



## SPINNING - ALLROUND

## ITX CB

The all-new ITX CB has been meticulously crafted to meet the exacting standards of the highly competitive Japanese market (JDM). With its outstanding quality and durability, this spinning reel is ready to conquer both fresh and saltwater environments. The ITX CB features a robust C-40x body and rotor including full carbon handle, ensuring uncompromising strength while maintaining a remarkably lightweight design. Its super light "braid ready" spool combined with the frictionless main shaft further enhances its performance, providing smooth and effortless casting and retrieval. The ITX CB doesn't just excel in functionality; it also boasts a sleek and modern aesthetic, making it a stylish addition to your collection.

## FEATURES

- Lightweight and rigid C-40X carbon body, sideplates and rotor
- Flite gear : aluminum forged machined drive gear
- Flite Drive system increases gear stability and smoothness
- Gearing stabilization system
- Multi-disc, carbon fiber drag system with Hydro Block gasket
- 6HPB+1RB High Performance, grease packed bearings
- CFR: Cyclonic Flow Rotor Technology
- Machined aluminum screw in handle design
- Light weight ALU handle (screw in) with TPE knob
- 5000 size with Round handle knob
- Heavy duty, solid aluminum one-piece bail wire
- Super light machined aluminum spool
- EFR-II: Even Flow Roller system with DLC coating



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| ICB-1000HA     | 187 g  | 5.8:1      | 7+1      | 73 cm         | 3 kg     | 0.25/90       | 4718947 097446 | 546.00 |
| ICB-2500HA     | 223 g  | 6.0:1      | 7+1      | 85 cm         | 8 kg     | 0.25/165      | 4718947 098016 | 546.00 |
| ICB-3000HA     | 223 g  | 6.0:1      | 7+1      | 85 cm         | 8 kg     | 0.25/200      | 4718947 097453 | 591.50 |
| ICB-4000HA     | 268 g  | 6.0:1      | 7+1      | 94 cm         | 10 kg    | 0.30/185      | 4718947 097460 | 591.50 |



## SPINNING - ALLROUND

### Inspira

The new generation of Inspira spinning reels combines the well-proven features of the best-selling reel with some of Okuma's latest material and design innovations. Designed for versatile freshwater applications, the lightweight Inspira packs an impressive amount of fish-fighting power in its multi-disc carbon fiber drag system. The updated construction features oversized HD gearing for a smooth yet powerful action, complimented by the Torsion Control Armor design that minimizes twisting of the reel stem when fighting the fish. Finished with a braid-ready spool and updated next-gen cosmetics, the competitive price tag ensures that no angler has to pass on excellence.

#### FEATURES

- Lightweight and rigid aluminum TCA construction
- Flite Drive system increases gear stability and smoothness
- Multi-disc Carbonite and stainless-steel drag washer system
- 8BB+1RB Stainless steel bearings for ultimate smoothness
- Quick-Set anti-reverse roller bearing
- Oversized HDGII main gear with machine cut brass pinion gear
- Machined aluminum screw in handle design
- Lightweight TPE knob for maximum comfort
- Machined aluminum, braided line ready spool design
- Heavy duty, solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System



ISX-4000XA1



ISX-4000XA1

| Product Number                          | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity      | Barcode        | PLN    |
|---|--------|------------|----------|---------------|----------|--------------------|----------------|--------|
| <b>Inspira</b>                          |        |            |          |               |          |                    |                |        |
| ISX-C2000A                              | 202 g  | 5.2:1      | 8+1      | 68 cm         | 5 kg     | 0.25/140           | 4718947 097651 | 455.00 |
| ISX-2500A                               | 243 g  | 5.3:1      | 8+1      | 78 cm         | 8 kg     | 0.30/110           | 4718947 095800 | 455.00 |
| ISX-3000A                               | 243 g  | 5.3:1      | 8+1      | 78 cm         | 8 kg     | 0.30/130           | 4718947 095817 | 455.00 |
| ISX-4000A                               | 283 g  | 5.2:1      | 8+1      | 83 cm         | 11 kg    | 0.35/130           | 4718947 095824 | 455.00 |
| ISX-C5000A                              | 286 g  | 5.2:1      | 8+1      | 88 cm         | 11 kg    | 0.4/125            | 4718947 095831 | 477.70 |
| <b>Inspira High Speed</b>               |        |            |          |               |          |                    |                |        |
| ISX-C2000HA                             | 202 g  | 6.0:1      | 8+1      | 79 cm         | 5 kg     | 0.25/140           | 4718947 097712 | 455.00 |
| ISX-2500HA                              | 243 g  | 6.0:1      | 8+1      | 88 cm         | 8 kg     | 0.30/110           | 4718947 096517 | 455.00 |
| ISX-3000HA                              | 243 g  | 6.0:1      | 8+1      | 88 cm         | 8 kg     | 0.30/130           | 4718947 096524 | 455.00 |
| ISX-4000XA                              | 283 g  | 6.2:1      | 8+1      | 99 cm         | 11 kg    | 0.35/130           | 4718947 097668 | 455.00 |
| ISX-C5000XA                             | 286 g  | 6.2:1      | 8+1      | 105 cm        | 11 kg    | 0.40/125           | 4718947 097675 | 477.70 |
| <b>Inspira Extreme High Speed</b>       |        |            |          |               |          |                    |                |        |
| ISX-4000XA1                             | 299 g  | 6.2:1      | 8+1      | 99 cm         | 11 kg    | 0.35/130           | 4718947 102706 | 455.00 |
| ISX-C5000XA1                            | 303 g  | 6.2:1      | 8+1      | 105 cm        | 11 kg    | 0.40/125           | 4718947 102713 | 477.70 |
| <b>Inspira Shallow Spool</b>            |        |            |          |               |          |                    |                |        |
| ISX-C2000SA                             | 202 g  | 5.2:1      | 8+1      | 68 cm         | 5 kg     | PE 0.8(0.148)-105m | 4718947 097699 | 455.00 |
| ISX-2500SA                              | 243 g  | 5.3:1      | 8+1      | 78 cm         | 8 kg     | PE 0.8(0.148)-150m | 4718947 097705 | 455.00 |
| <b>Inspira High Speed Shallow Spool</b> |        |            |          |               |          |                    |                |        |
| ISX-C2000SHA                            | 202 g  | 6.0:1      | 8+1      | 79 cm         | 5 kg     | PE 0.8(0.148)-150m | 4718947 097736 | 455.00 |
| ISX-2500SHA                             | 243 g  | 6.0:1      | 8+1      | 88 cm         | 8 kg     | PE 0.8(0.148)-150m | 4718947 097743 | 455.00 |

# Ceymar HD



## ■ FLITE DRIVE

Hollowed-out pinion gear design reduces friction between the gear and shaft, provides a seamless, zero-inertia start-up, and a remarkably light and effortless handle turn.



## ■ MULTI-DISC, CARBONITE DRAG SYSTEM



## ■ 7BB+1RB STAINLESS STEEL BEARINGS



## ■ RIGID METAL HANDLE DESIGN WITH TPE KNOB FOR STRENGTH



500-2500 sizes

3000-4000 sizes

5000-8000 sizes



## SPINNING - ALLROUND

## Ceymar HD

Continuing the top-selling line-up, the Ceymar HD offers crossover performance for both fresh and saltwater anglers. The spinning reel's oversized drive gear delivers increased power and durability – while the Gearing Stabilization Design improves gear alignment for smooth and reliable operation. The Ceymar HD's machined aluminum screw-in handle is in direct contact with gears and reduces handle play and improves the overall feel while cranking.

## FEATURES

- HDG-II: High-Density Gearing II
- Oversized Gearing
- Corrosion-Resistant Graphite Body
- Gearing Stabilization Design
- Aluminum Screw-In Handle
- Flite Drive
- Even Flow Roller System with DLC Coating



CHD-1000A



CHD-3000A

| Product Number              | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|-----------------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>CEYMAR HD</b>            |        |            |          |               |          |               |                |        |
| CHD-1000A                   | 196 g  | 5.2:1      | 7+1      | 69 cm         | 5 kg     | 0.25/90       | 4718947 087164 | 364.00 |
| CHD-2500A                   | 235 g  | 5.3:1      | 7+1      | 75 cm         | 6 kg     | 0.30/110      | 4718947 089717 | 382.20 |
| CHD-3000A                   | 235 g  | 5.3:1      | 7+1      | 75 cm         | 6 kg     | 0.30/135      | 4718947 082756 | 382.20 |
| CHD-4000A                   | 273 g  | 5.2:1      | 7+1      | 83 cm         | 9 kg     | 0.35/130      | 4718947 086266 | 414.00 |
| CHD-C5000A                  | 276 g  | 5.2:1      | 7+1      | 88 cm         | 9 kg     | 0.40/125      | 4718947 089366 | 432.20 |
| <b>CEYMAR HD HIGH SPEED</b> |        |            |          |               |          |               |                |        |
| CHD-1000HA                  | 197 g  | 6.0:1      | 7+1      | 79 cm         | 5 kg     | 0.25/90       | 4718947 089380 | 364.00 |
| CHD-2500HA                  | 235 g  | 6.0:1      | 7+1      | 84 cm         | 6 kg     | 0.30/110      | 4718947 089700 | 382.20 |
| CHD-3000HA                  | 235 g  | 6.0:1      | 7+1      | 84 cm         | 6 kg     | 0.30/135      | 4718947 089397 | 382.20 |
| CHD-4000XA                  | 273 g  | 6.2:1      | 7+1      | 99 cm         | 9 kg     | 0.35/130      | 4718947 089403 | 414.00 |
| CHD-C5000XA                 | 276 g  | 6.2:1      | 7+1      | 105 cm        | 9 kg     | 0.40/125      | 4718947 089373 | 432.20 |



## SPINNING - ALLROUND

## Ceymar

The next generation of the immensely popular spinning reel, the Ceymar. Regarded as a trusted choice among anglers, this iconic workhorse comes with a host of exciting enhancements and a fresh new look. We've upgraded its internal workings to provide an even smoother and more efficient performance. One standout feature is the addition of a frictionless main shaft, ensuring a seamless retrieve and eliminating any unnecessary resistance. This new Ceymar also features a TPE handle knob for a perfect grip.

## FEATURES

- Multi-disc, oiled felt drag system
- Flite drive system for increased smoothness
- 7BB+1RB for ultimate smoothness
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant frame, sideplate and rotor
- Rigid aluminum, black anodized handle design
- I-Shaped TPE handle knobs on 500-2500 sizes
- T-Shaped TPE handle knobs on 3000-4000 sizes
- Ergo grip handle knobs on 6000-8000 sizes
- Machined aluminum, 2-tone anodized spool
- Heavy duty, solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System



okuma

SPINNING REELS

| Product Number           | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|--------------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>Ceymar</b>            |        |            |          |               |          |               |                |        |
| C-500A                   | 186 g  | 5.0:1      | 7+1      | 57 cm         | 3 kg     | 0.25/50       | 4718947 098276 | 273.00 |
| C-2000A                  | 203 g  | 5.0:1      | 7+1      | 63 cm         | 3 kg     | 0.25/90       | 4718947 098283 | 273.00 |
| C-2500A                  | 236 g  | 5.0:1      | 7+1      | 68 cm         | 7 kg     | 0.30/110      | 4718947 097958 | 273.00 |
| C-3000A                  | 236 g  | 5.0:1      | 7+1      | 68 cm         | 7 kg     | 0.30/115      | 4718947 097828 | 273.00 |
| C-4000A                  | 288 g  | 5.0:1      | 7+1      | 79 cm         | 8 kg     | 0.35/130      | 4718947 097835 | 295.70 |
| C-6000A                  | 429 g  | 4.5:1      | 7+1      | 81 cm         | 15 kg    | 0.40/165      | 4718947 097972 | 345.80 |
| C-8000A                  | 628 g  | 4.8:1      | 7+1      | 96 cm         | 16 kg    | 0.50/140      | 4718947 097989 | 409.50 |
| <b>Ceymar High Speed</b> |        |            |          |               |          |               |                |        |
| C-2500XA                 | 236 g  | 6.2:1      | 7+1      | 84 cm         | 7 kg     | 0.30/110      | 4718947 098344 | 273.00 |
| C-3000XA                 | 236 g  | 6.2:1      | 7+1      | 84 cm         | 7 kg     | 0.30/115      | 4718947 098351 | 273.00 |
| C-4000XA                 | 288 g  | 6.2:1      | 7+1      | 97 cm         | 8 kg     | 0.35/130      | 4718947 098368 | 295.70 |

## SPINNING - ALLROUND

## TOMCAT

## FEATURES

- Corrosion-resistant graphite body
- 6 ball bearings + 1 roller bearing
- Quick-Set infinite anti-reverse system
- Machine cut brass pinion
- Precision elliptical oscillation
- Multi-disc, Japanese oiled felt drag washers
- DFD : Dual Force Drag on size 14000
- RES II : Computer balanced Rotor Equalizing System
- Design rigid handle
- TPE Ergo grip handle knob
- 2 tones aluminum spool
- Metal round line clip



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag    | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|-------------|---------------|----------------|--------|
| TMC-4000       | 301 g  | 5.0:1      | 6+1      | 76 cm         | 8 kg        | 0.35/135      | 4718947 067067 | 259.30 |
| TMC-6000       | 445 g  | 4.5:1      | 6+1      | 79 cm         | 15 kg       | 0.40/155      | 4718947 047441 | 295.70 |
| TMC-8000       | 631 g  | 4.8:1      | 6+1      | 97 cm         | 16 kg       | 0.50/135      | 4718947 047403 | 391.30 |
| TMC-14000      | 687 g  | 4.8:1      | 6+1      | 109 cm        | 18 kg (DFD) | 0.50/230      | 4718947 047410 | 450.40 |
| TMC-16000      | 668 g  | 4.8:1      | 6+1      | 109 cm        | 16 kg       | 0.50/270      | 4718947 058874 | 450.40 |

## SPINNING - ALLROUND

**SCORPIO**

## FEATURES

- Corrosion-resistant graphite body
- Exclusive metal black and purple paint
- 4 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- CFR : Cyclonic Flow Rotor
- Machine cut aluminum spool
- Graphite spare spool
- Smooth spool neck surface
- Zinc handle TPE flat knob
- Precision Elliptical Gearing System
- Machined cut brass pinion gear
- Gunsmoke anodized bail
- RESII: Computer-balanced rotor system
- Even Flow line roller
- Multi-disc, Japanese oiled felt drag system



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN           |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|---------------|
| <b>SCORPIO</b> |        |            |          |               |          |               |                |               |
| SP3000-A       | 235 g  | 5.0:1      | 4+1      | 66 cm         | 7 kg     | 0.30/135      | 4718947 067272 | <b>277.50</b> |
| SP4000-A       | 302 g  | 5.0:1      | 4+1      | 76 cm         | 8 kg     | 0.35/130      | 4718947 067289 | <b>286.60</b> |
| SP5000-A       | 288 g  | 5.0:1      | 4+1      | 76 cm         | 8 kg     | 0.40/125      | 4718947 067296 | <b>286.60</b> |

## SPINNING - ALLROUND

**Acuador**

Excellent doesn't have to mean expensive. The Acuador spinning reel is a true all-rounder, fit for both freshwater and saltwater pursuits. The foundation for versatile performance lies in the reel's corrosion-resistant frame, side plates, and rotor. The saltwater-enduring components are complemented by Okuma's Cyclonic Flow Rotor technology that enhances airflow through the rotor, minimizing water intrusion and corrosion. Within the rotor is a formidable multi-disc oiled felt drag system, capable of delivering drag outputs ranging from 7 kgs to 14 kgs.

## FEATURES

- Multi-disc, Japanese oiled felt drag washers
- 3BB+1RB stainless steel bearings
- Quick-Set anti-reverse bearing
- Precision machine cut brass pinion gear
- Corrosion resistant frame, sideplate and rotor
- CFR: Cyclonic Flow rotor technology
- Rigid metal handle design for strength
- Machined aluminum, 2-tone anodized spool with LCS lip
- RESII: Computer balanced rotor Equalizing System



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN           |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|---------------|
| ACU-2500A      | 237 g  | 5.0:1      | 3+1      | 71 cm         | 7 kg     | 0.25/165      | 4718947 097644 | <b>182.00</b> |
| ACU-3000A      | 237 g  | 5.0:1      | 3+1      | 71 cm         | 7 kg     | 0.25/200      | 4718947 096654 | <b>182.00</b> |
| ACU-4000A      | 295 g  | 5.0:1      | 3+1      | 79 cm         | 9 kg     | 0.30/180      | 4718947 096661 | <b>204.70</b> |
| ACU-5000A      | 295 g  | 5.0:1      | 3+1      | 79 cm         | 9 kg     | 0.35/170      | 4718947 096678 | <b>227.50</b> |
| ACU-6000A      | 456 g  | 4.5:1      | 3+1      | 85 cm         | 14 kg    | 0.35/220      | 4718947 103710 | <b>273.00</b> |
| ACU-8000A      | 462 g  | 4.5:1      | 3+1      | 90 cm         | 14 kg    | 0.45/170      | 4718947 103727 | <b>273.00</b> |

## SPINNING - ALLROUND

## JAW

## FEATURES

- Multi-disc, Japanese oiled felt drag washers
- 3 ball bearing + 1 roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- Machined aluminum, anodized spool
- Corrosion-resistant stainless steel bail wire
- RESII: Computer balanced Rotor Equalizing System



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| JAW-20         | 199 g  | 4.8:1      | 3+1      | 61 cm         | 5 kg     | 0.25/90       | 4718947 040381 | 177.40 |
| JAW-30         | 233 g  | 5.0:1      | 3+1      | 71 cm         | 7 kg     | 0.30/130      | 4718947 040398 | 186.50 |
| JAW-40         | 259 g  | 5.0:1      | 3+1      | 85 cm         | 8 kg     | 0.35/130      | 4718947 040404 | 204.70 |
| JAW-45         | 290 g  | 5.0:1      | 3+1      | 79 cm         | 9 kg     | 0.40/125      | 4718947 045720 | 227.50 |
| JAW-55         | 422 g  | 4.5:1      | 3+1      | 83 cm         | 14 kg    | 0.40/170      | 4718947 040411 | 263.90 |

## SPINNING - ALLROUND

## AVENGER B

The new Avenger B spinning reel redefines the classic name with updated technology and an ultra-lightweight feel. Featuring Okuma's precision Flite Drive™ system for smooth operation, the Avenger B delivers excellent balance, strength, and control across freshwater techniques. Weighing only 240 grams at size 3000, the Avenger B ranks as the lightest reel in its price class, making it a stand-out choice for anglers seeking a responsive, high-performance tool at an unbeatable value.

## FEATURES

- Flite Drive system increases gear stability and smoothness.
- Graphite body and rotor
- ALU handle (slide in) with TPE knob
- 2 tone aluminium spool
- Thinner bail – 2 pieces
- Chrome roller
- HDG+ : Zinc Main gear + Brass Pinion.
- 4BB+1RB



NEW

| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| AV-1000B       | 205 g  | 5.2:1      | 4+1      | 65 cm         | 5 kg     | 0.20/140      | 4718947 128140 | 213.80 |
| AV-C2000B      | 205 g  | 5.2:1      | 4+1      | 69 cm         | 5 kg     | 0.20/210      | 4718947 128096 | 213.80 |
| AV-2500B       | 235 g  | 5.3:1      | 4+1      | 77 cm         | 6 kg     | 0.25/165      | 4718947 128102 | 227.50 |
| AV-3000B       | 235 g  | 5.3:1      | 4+1      | 77 cm         | 6 kg     | 0.25/200      | 4718947 128119 | 227.50 |
| AV-4000B       | 278 g  | 5.2:1      | 4+1      | 83 cm         | 9 kg     | 0.30/185      | 4718947 128126 | 250.20 |
| AV-C5000B      | 280 g  | 5.2:1      | 4+1      | 88 cm         | 9 kg     | 0.35/170      | 4718947 128133 | 250.20 |

**SPINNING - ALLROUND****SAFINA****FEATURES**

- Corrosion-resistant graphite body
- CFR : Cyclonic Flow Rotor
- 1 ball bearings + 1 roller bearing
- Quick-Set infinite anti-reverse system
- Machine cut brass pinion
- Precision elliptical oscillation
- RESII : Computer balanced Rotor Equalizing System
- Multi-disc, Japanese oiled felt drag washers
- T-shape handle knob from size 8000 and up
- 2 tones aluminum spool
- New graphite handle
- Design rigid handle



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| SN-4000        | 281 g  | 5.0:1      | 1+1      | 76 cm         | 8 kg     | 0.35/135      | 4718947 068460 | 163.80 |
| SN-6000        | 398 g  | 4.5:1      | 1+1      | 79 cm         | 15 kg    | 0.40/155      | 4718947 068477 | 172.90 |
| SN-8000        | 570 g  | 4.8:1      | 1+1      | 97 cm         | 16 kg    | 0.50/135      | 4718947 068484 | 222.90 |
| SN-14000       | 598 g  | 4.8:1      | 1+1      | 109 cm        | 16 kg    | 0.50/230      | 4718947 068491 | 232.00 |

**SPINNING - ALLROUND****AZAKI****FEATURES**

- Corrosion-resistant graphite body
- CFR : Cyclonic Flow Rotor
- 1 ball bearings + 1 roller bearing
- Quick-Set infinite anti-reverse system
- Machine cut brass pinion
- Precision elliptical oscillation
- RESII : Computer balanced Rotor Equalizing System
- Multi-disc, Japanese oiled felt drag washers
- T-shape handle knob from size 8000 and up
- 2 tones aluminum spool
- New graphite handle
- Design rigid handle



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| AZAKI-20       | 187 g  | 4.8:1      | 1+1      | 61 cm         | 5 kg     | 0.20/140      | 4718947 036674 | 122.80 |
| AZAKI-30       | 216 g  | 5.0:1      | 1+1      | 71 cm         | 7 kg     | 0.25/200      | 4718947 036698 | 127.40 |
| AZAKI-40       | 242 g  | 5.0:1      | 1+1      | 85 cm         | 8 kg     | 0.30/180      | 4718947 036704 | 145.60 |
| AZAKI-45       | 274 g  | 5.0:1      | 1+1      | 79 cm         | 9 kg     | 0.35/170      | 4718947 045706 | 172.90 |
| AZAKI-55       | 404 g  | 4.5:1      | 1+1      | 83 cm         | 14 kg    | 0.35/220      | 4718947 036711 | 195.60 |
| AZAKI-65       | 405 g  | 4.5:1      | 1+1      | 87 cm         | 14 kg    | 0.45/170      | 4718947 038814 | 200.20 |

## SPINNING - ALLROUND

NEW

**OUTRAX**

The Outrax spinning reel combines off-road-inspired looks with all-round freshwater performance. Featuring rugged sand-colored cosmetics, a sturdy metal handle, and two ball bearings for smooth operation, the Outrax delivers solid reliability and flair. Designed for techniques ranging from freshwater fishing to light saltwater applications, the Outrax's versatility comes at a competitive price point. Although affordable, the Outrax cuts no corners when it comes to features: the reel is finished with Okuma's corrosion-minimizing Cyclonic Flow Rotor technology while the Res II Rotor Equalizing System ensures smooth and effortless retrieves. Also available as a combo set with a matching sand-themed rod, the Outrax is perfect for anglers who want both function and aesthetics.

## FEATURES

- Multi-disc Japanese oiled felt drag washers
- 1BB+1RB stainless steel bearings
- Quick-Set anti-reverse bearing
- Precision machine cut brass pinion gear
- Corrosion resistant frame side plate and rotor
- CFR: Cyclonic Flow rotor technology
- Rigid metal handle design for strength
- Machined aluminium anodized spool with LCS lip
- RESII: Computer balanced rotor Equalizing System



| Product Number    | Weight | Color      | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|-------------------|--------|------------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>OR-1000SGA</b> | 199 g  | Sand Green | 4.8:1      | 1BB+1RB  | 60 cm         | 5 kg     | 0.20/140      | 4718947 127129 | 109.20 |
| <b>OR-3000SGA</b> | 235 g  | Sand Green | 5.0:1      | 1BB+1RB  | 71 cm         | 7 kg     | 0.25/200      | 4718947 127136 | 113.70 |
| <b>OR-4000SGA</b> | 278 g  | Sand Green | 5.0:1      | 1BB+1RB  | 79 cm         | 9 kg     | 0.30/180      | 4718947 127143 | 127.40 |
| <b>OR-6000SGA</b> | 442 g  | Sand Green | 4.4:1      | 1BB+1RB  | 83 cm         | 14 kg    | 0.35/220      | 4718947 127150 | 136.50 |

## SPINNING - ALLROUND

NEW

**REVENGER**

The new Revenger spinning reel offers lightweight design and dependable performance for entry-level freshwater anglers. Built on a compact graphite body, it features a smooth multi-disc oiled felt drag system and Okuma's RESII rotor balancing for stable retrieves. Corrosion-resistant components and a multi-stop anti-reverse system ensure lasting reliability. Backed by Okuma's trusted quality, the Revenger blends simplicity and strength, making it the perfect start to any fishing journey.

## FEATURES

- Graphite Body, Rotor, handle and Spool.
- 1BB



| Product Number   | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>RV-C2000A</b> | 168 g  | 4.8:1      | 1        | 60 cm         | 3 kg     | 0.20/210      | 4718947 128232 | 81.90  |
| <b>RV-3000A</b>  | 188 g  | 5:01       | 1        | 71 cm         | 5 kg     | 0.25/200      | 4718947 128249 | 91.00  |
| <b>RV-4000A</b>  | 232 g  | 5:01       | 1        | 79 cm         | 6 kg     | 0.30/180      | 4718947 128270 | 104.60 |
| <b>RV-6000A</b>  | 338 g  | 4.4:1      | 1        | 83 cm         | 9 kg     | 0.35/220      | 4718947 128287 | 113.70 |
| <b>RV-8000A</b>  | 340 g  | 4.4:1      | 1        | 88 cm         | 9 kg     | 0.45/170      | 4718947 128294 | 136.50 |



CFR  
CYCLOWIND  
FLOW  
FOTOS

## SPINNING - FEEDER

# 6K FEEDER

Big pit features in a compact package. The 6K-Feeder is a high-performance feeder reel designed specifically for targeting freshwater species like carp in small and medium-sized waters. Thanks to the 30 mm Long Stroke spool and the super-slow Worm Shaft Transmission system, the 6K-Feeder operates with minimum friction. The heavy-duty aluminum bail wire has a one-piece bail construction to help avoid tangles even with the finest braids. And when it's time to play the fish, the reel's fast progressive drag system takes you from locked-up to free-flowing in just a couple of clicks. Finished with impressive black-and-blue cosmetics and an appealing price tag.

### FEATURES

- Compact body
- Long Stroke spool 30mm
- One-piece bail
- Corrosion-resistant graphite body
- 3 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- 2 round metal line clips
- Rigid metal handle with TPV knob
- Worm shaft oscillation system
- Machined cut brass pinion gear
- Heavy duty, one-piece solid aluminum bail wire
- RESII: Computer-balanced Rotor system
- Even Flow line roller
- Rotor brake system
- Fast progressive drag



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| 6K-Feeder      |        |            |          |               |          |               |                |        |
| 6KFD           | 466 g  | 5.3:1      | 3+1      | 103 cm        | 12 kg    | 0.25/180      | 4718947 104229 | 409.50 |

## SPINNING - FEEDER

# INVICTA

It's all in the name. Standing for 'invincible', the Invicta is a feature-packed spinning reel built to meet the needs of the most dedicated Match & Feeder angler. The oversized drive gear delivers increased power and durability and the progressive silky smooth front drag never misses a beat. The Invicta's aluminum tapered spool lip is designed for smooth and effortless long distance casting whilst the seamless strong one-piece bail construction allows for smooth and safe transition of your line towards the roller. The Invicta features an aluminum screw in handle for direct contact with the gears and a rubberised ergonomic T-bar for easy grip and positive cranking. Two aluminium spools are supplied for convenience – both of which feature 2 round metal clips for fishing different spots.

### FEATURES

- HDG-II: Oversized high-density gearing
- EFR-II: Even Flow Roller system with DLC coating
- Lightweight and machined aluminum screw in handle design
- Gearing stabilization design
- Flite Drive™
- Precision machine cut brass pinion gear
- Heavy duty, solid aluminum one piece bail wire
- Fast progressive drag for smoothness
- 2 large sized metal line clips for convenience
- Extra aluminum spare spool
- Lightweight and machined aluminum spool
- Multi-disc, Japanese oiled felt drag system
- 7+1 for ultimate smoothness
- Quick-Set anti-reverse roller bearing



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| IVF-4000A      | 273 g  | 5.2:1      | 7+1      | 83 cm         | 10 kg    | 0.25/280      | 4718947 098405 | 514.10 |
| IVF-C5000A     | 281 g  | 5.2:1      | 7+1      | 88 cm         | 10 kg    | 0.30/240      | 4718947 098412 | 559.60 |

## SPINNING - FEEDER

## MYTH FEEDER

High-level performance at an entry-level price point. The Myth Feeder is designed for those taking their first casts in feeder fishing. Built for durability, the Myth Feeder features a corrosion-resistant frame, side plate, and rotor – while the Cyclonic Flow Rotor keeps extra moisture away with its enhanced airflow. The fast progressive drag system and rigid metal handle design deliver the strength needed for taking on species like carp, tench, and barbel. The machined aluminum handle screws directly into the reel, assuring maximum stability. The aluminum spool is finished with three clips, allowing you to consistently hit right where the fish are.

## FEATURES

- Multi-disc, Japanese oiled felt drag washers
- 5 ball bearings + 1 roller bearing
- Quick-Set anti-reverse bearing
- Precision machine cut brass pinion gear
- Corrosion resistant frame, sideplate and Rotor
- CFR: Cyclonic Flow Rotor technology
- Rigid metal handle Design for strength
- 3 round graphite line clips
- RESII: Computer balanced Rotor Equalizing system
- FPD: Fast Progressive Drag



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| MY-4000A       | 264 g  | 5.0:1      | 5+1      | 85 cm         | 8 kg     | 0.30/185      | 4718947 106353 | 227.50 |
| MY-5000A       | 286 g  | 5.0:1      | 5+1      | 79 cm         | 9 kg     | 0.35/170      | 4718947 106360 | 250.20 |

## SPINNING - FEEDER

## Custom Black Feeder

## FEATURES

- Corrosion-resistant graphite body
- 7 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- CFR : Cyclonic Flow Rotor
- Machine cut Aluminum shallow spool
- Aluminum regular spare spool
- Rigid metal handle, EVA knob
- Precision Elliptical Gearing System
- Machined cut brass pinion gear
- Heavy duty, solid aluminum bail wire
- RESII : Computer-balanced rotor system
- Even Flow line roller
- Multi-disc, Japanese oiled felt drag system



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CLX-40F        | 291 g  | 5.0:1      | 7+1      | 76 cm         | 8 kg     | 0.25/180      | 4718947 036667 | 336.70 |
| CLX-55F        | 437 g  | 4.5:1      | 7+1      | 79 cm         | 15 kg    | 0.30/180      | 4718947 036681 | 391.30 |

## CARBONITE XP FEEDER

## FEATURES

- Corrosion-resistant graphite body
- CFR : Cyclonic Flow Rotor
- 2 ball bearings + 1 roller bearing
- Quick-Set infinite anti-reverse system
- Aluminum 2 tone shallow spool
- Round metal line clip
- Rigid metal handle, EVA knob
- Precision Elliptical Gearing System
- Machined cut brass pinion gear
- RESII: Computer-balanced rotor system
- Even Flow line roller



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CBV-40F        | 291 g  | 5.0:1      | 2+1      | 76 cm         | 8 kg     | 0.25/180      | 4718947 036735 | 232.00 |
| CBV-55F        | 442 g  | 4.5:1      | 2+1      | 79 cm         | 15 kg    | 0.30/180      | 4718947 036742 | 259.30 |





# **BAITFEEDER REELS**



## SPINNING - BAITFEEDER

## Ceymar HD BAITFEEDER

The new Ceymar HD Baitfeeder delivers well-proven Ceymar HD performance – and adds in a couple of upgrades. Designed to cover a whole range of applications, the Ceymar HD Baitfeeder features an upgraded drag system and the friction-free Flite Drive™ technology to reduce resistance while reeling in. The On/Off auto-trip baitfeeding system allows for letting the bait run freely. And when it's showtime, the quick-set anti-reverse bearing allows for uncompromised hooksets. While the line-up's smallest sizes excel in ice fishing, the larger sizes are ready to take on any bottom bait technique – from beach ledgering to vertical fishing from the boat.

## FEATURES

- On/Off auto trip bait feeding system
- Flite drive system for increased smoothness
- Multi-disc, Carbonite drag system
- 7BB+1RB stainless steel bearings
- Quick-Set anti-reverse bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body and rotor
- CFR: Cyclonic Flow Rotor technology
- Precision Elliptical Gearing System
- Rigid metal handle design for strength
- T-Shaped TPE handle knobs on 3000-4000 sizes
- Ergo grip handle knobs on 6000-8000 sizes
- Machined aluminum, 2-tone anodized spool with LCS lip
- Heavy duty solid aluminum bail wire
- RESII: Computer balanced Rotor Equalizing System



CHBF-4000A



CHBF-6000A



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CHBF-4000A     | 280 g  | 5.0:1      | 7+1      | 79 cm         | 10 kg    | 0.30/185      | 4718947 103680 | 400.40 |
| CHBF-6000A     | 486 g  | 4.5:1      | 7+1      | 82 cm         | 12 kg    | 0.35/220      | 4718947 103697 | 455.00 |
| CHBF-8000A     | 511 g  | 4.5:1      | 7+1      | 89 cm         | 12 kg    | 0.45/180      | 4718947 103703 | 464.10 |



## SPINNING - BAITFEEDER



## FEATURES

- Auto-switch freespool system
- Long Stroke spool trip 30mm
- Corrosion-resistant graphite body
- 5 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- Machine cut aluminum spool
- Worm shaft oscillation system
- Machined cut brass pinion gear
- Heavy duty, solid aluminum bail wire
- Precision zinc handle arm with wooden handle knob
- RESII: Computer-balanced rotor system
- Slow oscillation system for improved line lay
- 2 round metal line clips
- Rotor brake system
- Fast progressive drag
- Metal air bail nut



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| LS-6K          | 530 g  | 5.3:1      | 5+1      | 104 cm        | 12 kg    | 0.30/370      | 4718947 036421 | 468.60 |
| LS-8K          | 588 g  | 5.3:1      | 5+1      | 123 cm        | 16 kg    | 0.33/440      | 4718947 065698 | 514.10 |

## SPINNING - BAITFEEDER

Aventa *Baitfeeder*

## FEATURES

- On/Off auto trip bait feeding system
- 6+1RB bearing drive system for smoothness
- Quick set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant graphite body
- Slow oscillation precision gearing system
- Machined aluminum spool
- One touch handle with wood knob
- Spare aluminum spool
- Metal line clip
- LCS Line control spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| AB-5000        | 527 g  | 4.8:1      | 6+1      | 69 cm         | 12 kg    | 0.35/235      | 4718947 017154 | 382.20 |
| AB-6000        | 533 g  | 4.8:1      | 6+1      | 71 cm         | 12 kg    | 0.35/280      | 4718947 016768 | 391.30 |
| AB-8000        | 763 g  | 4.8:1      | 6+1      | 79 cm         | 15 kg    | 0.35/405      | 4718947 017185 | 445.90 |
| AB-10000       | 778 g  | 4.8:1      | 6+1      | 86 cm         | 15 kg    | 0.45/310      | 4718947 017192 | 455.00 |



## SPINNING - BAITFEEDER

## ROCKAWAY BF

## FEATURES

- 4BB + 1RB stainless steel bearing system
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant frame, sideplate and rotor
- Rigid metal handle design to reduce flex
- Long cast, 2-tone anodized aluminum spool
- On/Off auto trip baitfeeding system on RBF models
- 5BB + 1RB stainless steel bearing system on RBF mode



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity |                   | Barcode | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|-------------------|---------|--------|
| RBF-8000       | 586 g  | 5.3:1      | 5+1      | 123 cm        | 16 kg    | 0.38/320      | 4718947<br>077400 |         | 486.80 |

## SPINNING - BAITFEEDER

## LongBow

## FEATURES

- On/Off auto trip bait feeding system
- Multi-disc, oiled felt drag system
- 5+1BB bearing drive system for smoothness
- Multi-stop anti-reverse system
- Corrosion-resistant graphite body
- Precision Elliptical Gearing system
- Machined aluminum anodized spool
- RESII: Computer balanced Rotor Equalizing System
- Metal line clip
- LCS line control spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity |                   | Barcode | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|-------------------|---------|--------|
| LB-640         | 450 g  | 5.1:1      | 5+1      | 71 cm         | 9 kg     | 0.30/180      | 4718947<br>052117 |         | 332.10 |
| LB-650         | 490 g  | 5.1:1      | 5+1      | 76 cm         | 11 kg    | 0.35/180      | 4718947<br>052124 |         | 341.20 |
| LB-660         | 496 g  | 5.1:1      | 5+1      | —             | 11 kg    | 0.40/240      | 4718947<br>052131 |         | 345.80 |
| LB-665         | 750 g  | 4.5:1      | 5+1      | 86 cm         | 14 kg    | 0.45/190      | 4718947<br>052148 |         | 427.70 |
| LB-680         | 800 g  | 4.5:1      | 5+1      | 97 cm         | 15 kg    | 0.50/270      | 4718947<br>052155 |         | 432.20 |
| LB-690         | 850 g  | 4.5:1      | 5+1      | —             | 15 kg    | 0.50/370      | 4718947<br>052162 |         | 436.80 |

## SPINNING - BAITFEEDER

**LongBow XT** *Baitfeeder*

## FEATURES

- On/Off auto trip bait feeding system
- Multi-disc, oiled felt drag system
- 5+1BB bearing drive system for smoothness
- Multi-stop anti-reverse system
- Corrosion-resistant graphite body
- Precision Elliptical Gearing system
- Machined aluminum anodized spool
- RESII: Computer balanced Rotor Equalizing System
- Metal line clip
- LCS line control spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| LBXT-630       | 232 g  | 5.0:1      | 5+1      | 64 cm         | 3 kg     | 0.30/110      | 4718947 015594 | 300.30 |
| LBXT-640       | 283 g  | 5.0:1      | 5+1      | 74 cm         | 6 kg     | 0.35/155      | 4718947 015600 | 318.50 |
| LBXT-655       | 403 g  | 4.5:1      | 5+1      | 76 cm         | 9 kg     | 0.40/215      | 4718947 015617 | 336.70 |
| LBXT-665       | 586 g  | 4.8:1      | 5+1      | 91 cm         | 11 kg    | 0.50/185      | 4718947 015624 | 409.50 |

## SPINNING - BAITFEEDER

**Pulzar** **BF**

## FEATURES

- Auto-switch freespool system
- Corrosion-resistant graphite body
- 5 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- Machine cut aluminum spool
- Round metal line clip
- Graphite spare spool
- Easy folding aluminum handle
- Wooden handle knob
- S-curve oscillation system
- Machined cut brass pinion gear
- Heavy duty, solid aluminum bail wire
- RESII: Computer-balanced rotor system
- Even Flow line roller



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| PZB-4000       | 333 g  | 5.0:1      | 5+1      | 79 cm         | 10 kg    | 0.30/180      | 4718947 036629 | 318.50 |
| PZB-6000       | 493 g  | 4.5:1      | 5+1      | 80 cm         | 12 kg    | 0.35/220      | 4718947 036643 | 341.20 |
| PZB-7000       | 523 g  | 4.5:1      | 5+1      | 87 cm         | 12 kg    | 0.45/150      | 4718947 036650 | 373.10 |



## SPINNING - BAITFEEDER

## Ceymar BF

## FEATURES

- Baitfeeder quick release Aluminum spool
- Multi-disc, oiled felt drag system
- RESII: Computer balanced Rotor Equalizing System
- 2+1BB bearing drive system
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion-resistant graphite body
- Light weight, ABS handle knobs
- Precision Elliptical Gearing system
- Machined aluminum, anodized spool
- Metal line clip
- LCS line control spool
- Extra graphite spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CMBF-330       | 232 g  | 5.0:1      | 2+1      | 64 cm         | 3 kg     | 0.20/240      | 4718947 016232 | 222.90 |
| CMBF-340       | 283 g  | 5.0:1      | 2+1      | 74 cm         | 6 kg     | 0.25/300      | 4718947 016249 | 232.00 |
| CMBF-355       | 403 g  | 4.5:1      | 2+1      | 76 cm         | 9 kg     | 0.30/380      | 4718947 016256 | 250.20 |
| CMBF-365       | 586 g  | 4.8:1      | 2+1      | 91 cm         | 11 kg    | 0.35/390      | 4718947 016263 | 295.70 |

## SPINNING - BAITFEEDER

## DYNĄ DRAG XP BF

## FEATURES

- Auto-switch freespool system
- Corrosion-resistant graphite body
- 3 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- Machine cut aluminum spool
- S-curve oscillation system
- Machined cut brass pinion gear
- RESII: Computer-balanced rotor system
- Graphite spare spool from size 4000 and up
- Even Flow line roller
- Round metal line clip
- Rigid metal handle
- T-shape TPE knob



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| DAXP-4000      | 331 g  | 5.0:1      | 3+1      | 79 cm         | 10 kg    | 0.30/180      | 4718947 036582 | 259.30 |
| DAXP-6000      | 482 g  | 4.5:1      | 3+1      | 80 cm         | 12 kg    | 0.35/220      | 4718947 036605 | 273.00 |
| DAXP-7000      | 509 g  | 4.5:1      | 3+1      | 87 cm         | 12 kg    | 0.45/150      | 4718947 036612 | 295.70 |

## SPINNING - BAITFEEDER

## AK BF

## FEATURES

- Auto-switch freespool system
- Corrosion-resistant graphite body
- 1 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- Aluminum spool
- Design graphite handle
- ABS knob
- S-curve oscillation system
- Machined cut brass pinion gear
- RESII: Computer-balanced rotor system
- Even Flow line roller
- Graphite spare spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| AK-4000        | 304 g  | 5.0:1      | 1+1      | 79 cm         | 10 kg    | 0.30/180      | 4718947 036438 | 195.60 |
| AK-5000        | 458 g  | 4.5:1      | 1+1      | 80 cm         | 12 kg    | 0.35/170      | 4718947 036445 | 209.30 |
| AK-6000        | 445 g  | 4.5:1      | 1+1      | 80 cm         | 12 kg    | 0.35/220      | 4718947 043641 | 232.00 |

## SPINNING - BAITFEEDER

# Carbonite B-Feeder

### FEATURES

- Auto-switch freespool system
- Corrosion-resistant graphite body
- 1ball bearing +1 roller bearing
- Quick Set infinite anti-reverse system
- Multi-disc, oiled felt drag system
- Graphite painted spool
- Graphite spare spool
- S-curve oscillation system
- Machined cut brass pinion gear
- RESII: Computer-balanced rotor system
- Even Flow line roller



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CBBF-4000      | 285 g  | 5.0:1      | 1+1      | 79 cm         | 8 kg     | 0.30/165      | 4718947 067364 | 163.80 |
| CBBF-5000      | 396 g  | 4.5:1      | 1+1      | 79 cm         | 12 kg    | 0.35/195      | 4718947 067371 | 177.40 |

## SPINNING - BAITFEEDER

# CARBONITE XP

### FEATURES

- Baitfeeder quick release graphite spool with green line
- 1 BB bearing drive system
- Precision Elliptical Gearing System
- Plastic line clip
- Spare graphite spool
- Machined cut brass pinion gear
- RESII: Computer balanced Rotor System
- Even flow roller



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CBF-140A       | 280 g  | 5.0:1      | 1        | 72 cm         | 6 kg     | 0.35/130      | 4718947 015631 | 145.60 |
| CBF-155A       | 400 g  | 4.5:1      | 1        | 76 cm         | 9 kg     | 0.40/200      | 4718947 015648 | 172.90 |



# BIG PIT SURF REELS



## BIG PIT - SURF

**FLITE  
SURF**

The Flite Surf is designed for professional long casting and extremely light weight. Equipped with C-40X body and rotor, ultra-lightweight spool, screw-in handle and aluminum spool shaft for ultralightweight. Reduce wear and tear on fishing lines we designed a one-piece bail, and the other is a roller with a special DLC coating. All use HPB to achieve long-term corrosion resistance.

**FEATURES**

- 35mm stroke with super slow oscillation
- Light weight C-40X carbon frame and sideplates
- C-40X Cyclonic Flow Rotor for corrosion resistance
- One-Piece Bail
- Even Flow Roller System with DLC coating
- Frictionless main Shaft design
- Ultra-lightweight, A7075 aluminum shaft
- Ultra light Screw in handle
- Ultra light spool
- Rotor with tangle guard - prevents line from entering the shaft
- Rotor brake system
- Carbon fiber drag system
- Fast progressive drag
- All HPB Bearing
- Worm shaft transmission system



**■ ULTRA LIGHT SPOOL:  
1500 SIZE ONLY 70G**

| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode           | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|-------------------|--------|
| FLS35-1500AY   | 472 g  | 4.3:1      | 8+1      | 103 cm        | 18 kg    | 0.18/260      | 4718947<br>074201 | 910.00 |

## BIG PIT - SURF

## SURF-8K

## FEATURES

- Quick set anti reverse roller bearing
- Slow oscillation system
- Fast drag system
- Double stainless steel line clickers
- Precision worm shaft transmission system
- Rotor brake system
- Hydro block water tight drag seal
- With carbon washers
- Precision zinc handle arm with TPE ergo grip



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| SURF-8K        | 750 g  | 4.7:1      | 5+1      | 108 cm        | 18 kg    | 0.33/620      | 4718947 028358 | 514.10 |

## BIG PIT - SURF

## WAVE X


An entry-level contender for big pit surfcasting, the Wave-X packs a lot of line capacity for reaching the far-off spots in the surf. The spinning reel is fitted with the super-slow Wave-X Worm Shaft Transmission system to minimize friction and enable smooth and powerful casts. When retrieving, The Flite Drive™ increases gear stability for a friction-free feel. The Wave-X features a corrosion-resistant Slim Blade graphite body and a Hydro Block gasket to protect the reel's fast progressive drag system running smooth and corrosion-free. Fit for entry-level anglers targeting a whole range of saltwater species.

## FEATURES

- Slim Blade corrosion-resistant graphite body
- 3 + 1 stainless steel bearings
- Flite Drive system increases gear stability and smoothness
- Quick Set infinite anti-reverse system
- Heavy duty, solid aluminum bail wire
- Machine cut aluminum spool
- LCS : round metal line clip
- FPD : Fast progressive drag
- Rigid metal handle with ergo grip handle knob
- Worm Shaft transmission system
- EFR-II: Even Flow Roller system with DLC coating
- Hydro block drag system
- Extra shallow graphite spool for size 6000



| Product Number          | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|-------------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| Wave-X with Extra Spool |        |            |          |               |          |               |                |        |
| WX-6000                 | 618 g  | 4.5:1      | 3+1      | 103 cm        | 16 kg    | 0.33/315      | 4718947 106339 | 364.00 |
| Wave-X                  |        |            |          |               |          |               |                |        |
| WX-8000                 | 714 g  | 3.8:1      | 3+1      | 92 cm         | 16 kg    | 0.35/385      | 4718947 106346 | 409.50 |



## BIG PIT - SURF

## ROCKAWAY

## FEATURES

- 4BB + 1RB stainless steel bearing system
- Quick-Set anti-reverse roller bearing
- Precision machine cut brass pinion gear
- Corrosion resistant frame, sideplate and rotor
- Rigid metal handle design to reduce flex
- Long cast, 2-tone anodized aluminum spool
- On/Off auto trip baitfeeding system on RBF models
- 5BB + 1RB stainless steel bearing system on RBF mode



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| RA-6000        | 486 g  | 5.3:1      | 4+1      | 104 cm        | 12 kg    | 0.30/370      | 4718947 043467 | 386.70 |
| RA-8000        | 531 g  | 5.3:1      | 4+1      | 123 cm        | 16 kg    | 0.33/440      | 4718947 077493 | 409.50 |

## BIG PIT - SALTWATER

## ATOMIC SW

## FEATURES

- Corrosion resistant graphite body and rotor
- Multi-stop anti-reverse system
- Aluminum anodized spool
- Multi-disc, Japanese oiled felt drag washers
- RESII: Computer balanced rotor Equalizing system
- EFR II : Even Flow Line Roller
- ABS T-shape handle knob
- Graphite spare spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| ATOMIC SW      |        |            |          |               |          |               |                |        |
| ATSW-7000      | 587 g  | 4.5:1      | 3        | 103 cm        | 15 kg    | 0.33/370      | 4718947 094681 | 209.30 |



# BIG PIT CARP REELS



**OBSIDIAN**





## BIG PIT - CARP

## OBSIDIAN

An extremely lightweight carp reel, the Obsidian is made with Okuma's C-40X carbon – the durable yet light graphite. The light and ergonomic feel is perfected by the ultralight spool and the frictionless main shaft design that eliminates resistance when reeling. Obsidian's super-slow oscillation, one-piece bail, and worm shaft transmission ensure exceptional line lay and superb casting.

### FEATURES

- 35mm Stroke Spool with Super-Slow Oscillation
- Lightweight C-40X Carbon Frame & Side Plate
- C-40X Construction & Cyclonic Flow Rotor For Corrosion Resistance
- Ultralight Screw-In Handle
- Ultralight Spool
- Even Flow Roller System with DLC Coating
- Frictionless Main Shaft Design
- Ultra-lightweight A7075 Aluminum Shaft
- Rotor with Tangle Guard - Prevents Line from Entering the Shaft
- Rotor Brake System
- Carbon Fiber Drag System
- Fast Progressive Drag
- Worm Shaft Transmission System
- One-Piece Bail



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode           | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|-------------------|--------|
| OSD12000-35AY  | 520 g  | 4.3:1      | 9+1      | 103 cm        | 18 kg    | 0.33/680      | 4718947<br>089496 | 910.00 |



## FLITE DRIVE


In the previous reels, when the main shaft moved up and down, a large area of friction was generated with the inner hole of the pinion, which caused you to feel resistance when turning. In order to reduce drag and achieve the lightness of rotation, we hollowed out the center of the pinion to reduce friction with shaft. To achieve the excellent lightness that maintains the original support strength and makes you feel the rotation.



## ULTRA LIGHT SPOOL, EXTRA 1 SPOOL WITH 2 REDUCERS




## LIGHT WEIGHT C-40X CARBON FRAME, SIDEPLATES ROTOR



## CARBONITE DRAG SYSTEM

Okuma's ALL NEW "Carbonite" drag system features a newly-developed carbon-based drag material which displaces heat and friction consistently and steadily even under the harshest of fishing conditions. Used in conjunction with a small amount of specially-formulated Okuma drag grease, the Carbonite drag system allows for a much wider and smoother drag range, all while maintaining exceptional performance and pure fish- stopping power.



## ONE-PIECE BAIL

The one-piece bail is a seamless design that reduces friction on the bail, allowing unobstructed line entry into the roller.



## ULTRA LIGHT AND MACHINED ALUMINUM SCREW IN HANDLE DESIGN



## DIAMOND-LIKE CARBON (DLC)

### EVEN FLOW ROLLER SYSTEM WITH DLC COATING

The EFR II with DLC coating greatly reduces line friction and prevents fishing worn out in addition to frictionless free rolling on the line roller to reduce line twist.



## BIG PIT - CARP

NEW

## OBSIDIAN SPOD

Designed for relentless spodding, the Obsidian Spod reel delivers power with ease. Built using Okuma's ultra-durable yet lightweight C-40X carbon, this reel keeps fatigue at bay during long sessions. The ultralight spool and frictionless main shaft ensure smooth, resistance-free retrieves, even under heavy loads. With a high-speed worm shaft transmission, one-piece bail, and super-slow oscillation, the Obsidian Spod lays line with precision, maximizing casting distance and accuracy on every cast.

## FEATURES

- 35mm Stroke Spool with Super-Slow Oscillation
- Lightweight C-40X Carbon Frame & Side Plate
- C-40X Construction & Cyclonic Flow Rotor For Corrosion Resistance
- Ultralight Screw-In Handle
- Ultralight Spool
- Even Flow Roller System with DLC Coating
- Frictionless Main Shaft Design
- Ultra-lightweight A7075 Aluminum Shaft
- Rotor with Tangle Guard - Prevents Line from Entering the Shaft
- Rotor Brake System
- Carbon Fiber Drag System
- Fast Progressive Drag
- Worm Shaft Transmission System
- One-Piece Bail



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| Obsidian Spod  |        |            |          |               |          |               |                |        |
| OSD-SPOD-A     | 500 g  | 5.0:1      | 9BB+1RB  | 121 cm        | 18 kg    | 0.35/290      | 4718947 128225 | 796.20 |

## BIG PIT - CARP

## 8K

## FEATURES

- Quick set anti reverse roller bearing
- Slow oscillation system
- 5 ball bearing + 1 roller bearing
- Fast drag system
- Double stainless steel line clickers
- Precision worm shaft transmission system
- Rotor brake system
- Hydro block water tight drag seal
- With carbon washers
- Precision zinc handle arm with wooden knob



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| 8K             | 750 g  | 4.7:1      | 5+1      | 108 cm        | 18 kg    | 0.33/620      | 4718947 028334 | 514.10 |

## BIG PIT - CARP

## BIG BOMBER SPOD

## FEATURES

- Graphite body construction
- BBD : body blade design
- 3+1 ball bearings
- Quick-Set anti reverse roller bearing
- Machine cut anodized aluminum spool
- 2 round metal line-clips
- Hard metal handle
- TPE Ergo grip handle knob
- XXL Even flow roller
- Worm shaft transmission system
- FPD : Fast Progressive Drag System
- Heavy duty, solid aluminum, anodized bail wire
- RESII: Computer balanced Rotor Equalizing System
- Size 7000 (BBS-7000S model) spooled with braid



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| BBS-7000S      | 570 g  | 4.5:1      | 3+1      | 103 cm        | 12 kg    | 0.25/270      | 4718947 067388 | 523.20 |
| BBS-8000S      | 720 g  | 5.1:1      | 3+1      | 128 cm        | 16 kg    | 0.25/270      | 4718947 047670 | 409.50 |

## BIG PIT - CARP

## INC

## FEATURES

- Compact body
- Long Stroke spool 30mm
- Corrosion-resistant graphite body
- 3 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- Machine cut aluminum spool
- 2 round metal line clips
- Rigid metal handle with wooden knob
- Worm shaft oscillation system
- Machined cut brass pinion gear
- Heavy duty, solid aluminum bail wire
- RESII: Computer-balanced rotor system
- Even Flow line roller
- Rotor brake system
- Fast progressive drag



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| INC-6000       | 460 g  | 5.3:1      | 3+1      | 104 cm        | 12 kg    | 0.30/370      | 4718947 040374 | 373.10 |
| INC-8000       | 533 g  | 5.3:1      | 3+1      | 123 cm        | 16 kg    | 0.33/440      | 4718947 067319 | 400.40 |



## BIG PIT - CARP

## CUSTOM BLACK

## FEATURES

- 3+1 stainless steel bearings
- Quick-Set anti-reverse roller bearing
- Machine cut anodizing alum spool
- Aluminum regular handle for CB-60/80; one touch handle for CB-60 QF
- Hydro block system
- Even flow roller
- Worm shaft transmission system
- LCS line control spool
- Metal line clip
- Spare graphite spool



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CB-60          | 570 g  | 4.5:1      | 3+1      | 103 cm        | 12 kg    | 0.25/515      | 4718947 013620 | 373.10 |
| CB-80          | 690 g  | 3.8:1      | 3+1      | 93 cm         | 15 kg    | 0.40/265      | 4718947 021830 | 404.90 |

## BIG PIT - CARP

## CUSTOM CARP

## FEATURES

- Slim Blade corrosion-resistant graphite body
- 3 ball bearing + 1 roller bearing
- Quick Set infinite anti-reverse system
- Machine cut aluminum spool
- Metal round line clip
- Graphite spare spool
- FPD : Fast Progressive Drag
- Quick folding alu handle
- Wooden handle knob
- Worm Shaft transmission system
- Even Flow line roller
- Hydro block drag system



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CC-7000        | 601 g  | 4.5:1      | 3+1      | 103 cm        | 12 kg    | 0.35/270      | 4718947 067395 | 391.30 |



## BIG PIT - CARP

## CUSTOM

## FEATURES

- Corrosion resistant graphite body and rotor
- 3 ball bearings + 1 roller bearing
- Quick-Set infinite anti-reverse system
- Aluminum anodized spool
- Graphite spare spool
- CFR : Cyclonic Flow Rotor
- 2 round metal line clips
- Multi-disc, Japanese oiled felt drag washers
- RESII: Computer balanced Rotor Equalizing System
- EFR II : Even Flow Line Roller
- Soft touch ABS T-shape handle knob
- Spod version CS : Prespooled with 200m Braid 30 lbs



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CUSTOM         |        |            |          |               |          |               |                |        |
| C-7000         | 622 g  | 4.8:1      | 3+1      | 107 cm        | 16 kg    | 0.33/370      | 4718947 067418 | 286.60 |
| CUSTOM SPOD    |        |            |          |               |          |               |                |        |
| CS-7000S       | 665 g  | 4.8:1      | 3+1      | 107 cm        | 16 kg    | 0.25/270      | 4718947 069191 | 354.90 |

## BIG PIT - CARP

## ATOMIC CARP

## FEATURES

- Corrosion resistant graphite body and rotor
- Multi-stop anti-reverse system
- Aluminum anodized spool
- Multi-disc, Japanese oiled felt drag washers
- RESII: Computer balanced Rotor Equalizing System
- EFR II : Even Flow Line Roller
- ABS T-shape handle knob



| Product Number | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| ATC-7000       | 590 g  | 4.5:1      | 3        | 103 cm        | 15 kg    | 0.35/325      | 4718947 048127 | 191.10 |



# **BAITCAST REELS**

# BAITCASTING REEL TECHNOLOGY

## MATERIAL

### LITECAST®



LITECAST® is the latest in Okuma's reel technology. Reels with the LITECAST® structure are composed using a magnesium material in the casting process, making the integrity of the reel incredibly strong & 15% lighter than aluminum alloy reels. Okuma Hakai Reels feature the new LITECAST® construction.




## CASTING



### FLITE™ SPOOL



Flight spool is a Dream Tackle Design allowing Okuma to offer a super tuned spool on our premium baitcast reels. The spool is 33mm in diameter and was developed for long distance casting as well as finesse style fishing. The complete spool design weighs in at just 0.33 ounces as a result of its uniform thickness, which is what helps set this super tuned spool apart from others.



Precision SUS Balls on ends for perfect balance

### FLITE™ SHAFT



Flite shaft is a patented hollow stainless steel spool shaft with precision stainless steel balls pressed on each end. These balls rotate under pressure to reduce friction and help increase casting distance. Providing the perfect balance point between weight, strength and smoothness.

## MORE TECH



### MCS



Okuma's Magnetic Control System reduces backlash & improves casting distance by utilizing the magnetic field generated by the high RPM spinning of the spool during casting. The magnetic field is influenced by the adjustable cast control magnets which exert an opposing force & allows for minute & accurate adjustments.



### SPOOL ACCESS PORT




This unique new design can be found on Okuma's low profile baitcast reels. The Spool Access Port allows for quick access to the spool by simply sliding the lock/unlock lever on the sideplate opposite the handle. This system allows for quick spool changes, but more importantly it allows quick access for adjusting the Velocity Control System.



### VELOCITY CONTROL



The Velocity Control System is an adjustable, 6-pin centrifugal braking system for precision spool control. Weights can be adjusted IN or OUT for additional spool control. Positioning the weights in toward the spool allows for more freespool, while adjusting the pins out away from the spool allows for more control. Anglers can alternate weights until they find that perfect balance for casting.



### UNIVERSAL LINE DIAM INDICATOR

Always know what line you spooled on your reel when you pick it up.



## BAITCASTING

**HAKAI DT**

The new generation Okuma Hakai low-profile reel is developed with the latest technology and insights from top anglers across the globe. The main body uses Okuma's LITECAST magnesium alloy construction for ultimate strength and lightweight use. At only 167g, the Hakai features an extra compact body and is designed to fit comfortably in the palm of your hand.

## FEATURES

- LiteCast magnesium frame: corrosion resistant coating
- Corrosion Resistant sideplates for maximum durability
- 42mm oversized hardened machine cut brass main gear
- Multi-disc Stainless Steel and Carbon Hybrid drag system
- Super tuned Flite Spool for maximum casting distance
- Patented fliteshaft hollow stainless steel main shaft
- Built in, universal line diameter indicator
- External adjustable magnetic cast control system
- Precision C-40x carbon injection star drag
- 6BB + 1RB stainless steel bearings for ultimate smoothness
- Quick-Set anti-reverse roller bearing for solid hook sets



HDT101-A



HDT101H-A



HDT101X-A

| Product Number                                     | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|--|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| Hakai left handed baitcast reels                   |        |            |          |               |          |               |                |        |
| HDT101-A   | 167 g  | 6.2:1      | 6+1BB    | 64 cm         | 9 kg     | 0.31/100      | 4718947 062345 | 932.70 |
| HDT101H-A  | 168 g  | 7.3:1      | 6+1BB    | 76 cm         | 9 kg     | 0.31/100      | 4718947 071712 | 932.70 |
| Hakai left handed high speed baitcast reel         |        |            |          |               |          |               |                |        |
| HDT101X-A  | 170 g  | 8.1:1      | 6+1BB    | 84 cm         | 9 kg     | 0.31/100      | 4718947 071729 | 932.70 |
| Hakai left handed shallow high speed baitcast reel |        |            |          |               |          |               |                |        |
| HDTS101X-A   | 167 g  | 8.1:1      | 6+1BB    | 84 cm         | 9 kg     | 0.26/100      | 4718947 076434 | 932.70 |

## BAITCASTING

### KOMODO® SS

The Komodo family of low-profile baitcast reels has been the recipient of tremendous accolades. One of our favorites being from a 30-year big fish veteran regularly referring to the reel as a "excellent value" or "best toughness and value I've ever seen." This is no surprise. Komodo reels, featuring stainless steel gearing and drive shafts, along with amazing levels of drag output, take on the largest freshwater fish like pike and salmon, along with the toughest inshore species like bass with a level of power and durability that is best in their class. The selection includes two sizes, with options in gear ratios and handles to deliver the perfect reel for your big fish applications.

#### FEATURES

- Stainless steel main gear for ultimate power and strength
- Precision machine cut stainless steel pinion gear
- Heavy duty stainless steel drive and spool shafts
- ALC: Rigid diecast aluminum frame and sideplates
- CRC: Corrosion-Resistant Coating process
- A6061-T6 machined aluminum, anodized spool
- Multi-disc high output Carbonite drag system
- Micro-click drag star for precise drag settings
- Precision Japanese ABEC-5 spool bearings
- Dual anti-reverse for maximum reliability
- Quick-Set anti-reverse roller bearing
- 6-pin Velocity Control casting system
- Synchronized levelwind optimized for braided line
- Zirconium line guide inserts for use with braided line
- Available in both right and left hand retrieve
- On/Off clicker for trolling or bait fishing
- Twin paddle or jigging handle models available



| Product Number   | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | Barcode | Barcode | PLN      |
|--|--------|------------|----------|---------------|----------|---------------|----------------|---------|---------|----------|
| <b>KOMODO SS LOWPROFILES LEFT HANDED BAITCAST REEL W/ TWIN PADDLE HANDLE</b> |        |            |          |               |          |               |                |         |         |          |
| KDS-364LX  | 310 g  | 6.4:1      | 6+1      | 79 cm         | 11 kg    | 0.37/230      | 4718947 018854 |         |         | 1,183.00 |
| KDS-463LX  | 453 g  | 6.3:1      | 7+1      | 85 cm         | 14 kg    | 0.42/200      | 4718947 016782 |         |         | 1,401.40 |
| <b>KOMODO SS LOWPROFILES LEFT HANDED W/ JIGGING HANDLE</b>                   |        |            |          |               |          |               |                |         |         |          |
| KDS-364JLX   | 453 g  | 6.3:1      | 7+1      | 85 cm         | 14 kg    | 0.42/200      | 4718947 035493 |         |         | 1,246.70 |

## BAITCASTING

### CITRIX

This exclusive version of Citrix 350-size low profile reel comes with a jigging power handle. The reel is designed with rigid diecast aluminum frame and handle side plate provide more precise tolerances for precision gear alignment, maximum cast ability and ultimate durability. Multi-disc carbonite drag system that outputs 11 kg of maximum drag.

#### FEATURES

- ALC: Rigid diecast aluminum frame and handle side plate
- A6061-T6 machined aluminum, anodized V-shaped spool
- Multi-disc Carbonite drag system
- 7BB+1RB bearings drive system
- Micro-click drag star for precise drag settings
- External adjustable centrifugal cast control system
- Quick-Set anti-reverse roller bearing
- Zirconium line guide inserts for use with braided line
- Easy change palm side plate access port
- Graphite sideplates
- Fitted with jigging power handle



| Product Number  | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | Barcode | Barcode | PLN    |
|---|--------|------------|----------|---------------|----------|---------------|----------------|---------|---------|--------|
| <b>CITRIX LEFT HANDED BAITCAST REEL W/ JIGGING HANDLE</b> |        |            |          |               |          |               |                |         |         |        |
| CI-364JLXA  | 312 g  | 6.4:1      | 7+1      | 79 cm         | 11 kg    | 0.37/230      | 4718947 106766 |         |         | 841.70 |

A close-up photograph of a person's hands operating a yellow and blue conventional fishing reel. The reel is mounted on a dark metal base. The person's hands are visible, with one hand holding the handle and the other near the spool. The background is a bright blue sky. The text "CONVENTIONAL REELS" is overlaid in white, bold, sans-serif font on a dark blue, stylized graphic element in the bottom left corner.

# **CONVENTIONAL REELS**

# MAKAIRA TROLLING REEL TECHNOLOGY

## DUAL FORCE DRAG SYSTEM

The specialized carbon DFD or Dual Force Drag system used on all Makaira reels was specifically engineered to be mounted in the right side of the spool in order to bring all the mechanical workings closer together to maximize alignment and durability. The farther mechanical parts are separated the more opportunity there is for tolerance error and flexing which causes parts alignment issues. The DFD principal was specifically designed around the "Pull Bar Drag System". The major advantage to a "Pull Bar Drag System" is that the drag is being pulled rather than pushed. The most common type of lever drag in the industry is the "Push Bar Drag System". The Push Bar System places heavy pressure on the left side plate and utilizes the frame for overall stability which is a fatal flaw in this type of design. This pressure creates frame flex, reducing drag pressure and causing tolerance alignment issues. This problem is further exaggerated on open top designs from other companies. One of the major benefits to the pull bar design is that there is no pressure placed on the frame. Therefore, our open top frame designs will not suffer frame flex found in our competitors reels.

This highly efficient drag system was designed and engineered by Tiburon Engineering USA to increase maximum drag pressure, reduce side load pressure on ball bearings and improve heat dissipation for long term smoothness over extended periods. This Okuma DFD is considered a wet drag system comprised of two carbon fiber drag washers that are sandwiched together and bonded with a fiber glass core. Pure carbon washers are coated with a thin layer of Cal Sheet's Universal drag grease for virtually zero start up inertia. These washers are compressed by two precision ground 17-4 grade stainless steel drag plates that have been ground flat then polished for maximum smoothness. These stainless steel friction drag plates have a minimum 32 Rockwell hardness allowing for high-end drag settings and consistently smooth drag performance at all ranges. The drag system is secured to the right side of the spool by a 6061-T6 grade aluminum cover that features Type-II anodizing for maximum alignment, strength and corrosion resistance.



## TOURNAMENT DRAG CAM IGFA LINE CLASSES FOR MAKAIIRA

Okuma's TDC or "Tournament Drag Cam" is designed with a more gradual ramp in the cam system that is intended for anglers fishing light line and tournament IGFA line classes. The standard cam that is installed in the Makaira reels is engineered to be compatible with braided line and offers aggressive drag ramps in order to output heavy drag ratings. The Makaira reels are engineered to output extreme drag pressure, but this is not required by all anglers. These reels have been designed to offer customization and with the TDC cam system, Okuma is offering anglers a reel that is versatile for a wide range of fishing applications, allowing anglers the ability to achieve a more gradual increase in drag settings.

## SILENT ANTI-REVERSE:

The Makaira's proprietary anti-reverse system allows for a smoother and quieter feeling. We equate this feeling to that of a Lexus, when compared to other reels in the market. Most reels in the market hide their rough gear quality by the noise and vibration caused by the engagement and clacking of the anti-reverse pawls. The Okuma silent system is unlike any other 2-speed reel in the industry for smoothness. This anti-reverse system is supported by a 12 point double dog anti-reverse pawl system. The Makaira system is very simple in principal but the performance is extremely advanced. As you turn the reel forward the anti-reverse pawls slide open allowing a friction free and quiet retrieve. As soon as the handle is stopped or pulled backwards the anti-reverse pawls are engaged into place by their drive shaft actuated sliding system. The strength of this anti-reverse system does not solely rely on a dog spring like found on most of our competitors reels. The sliding function does not rely heavily on a dog spring system and is mainly controlled by the forward and reverse movement applied to the drive shaft through the movement of the angler turning the handle.



## HELICAL CUT GEARING:

Makaira lever drag reels utilize helical cut main and pinion gears. This process allows for improved gear meshing which equates to improved gear smoothness. The angled teeth found in helical cut gears engage more gradually than straight cut or spur gear teeth. This allows helical gears to run smoother and quieter compared to spur gears. Spur gears cause impact stress and noise, because of the hard meshing and can not take as much torque as helical gears because their teeth are receiving impact blows as they mesh together.



## GREASE AND OIL:

To further enhance the corrosion resistance of Makaira reels, Okuma applies our CRC or Corrosion Resistant Coating process to all internal and external parts for maximum protection. Our CRC process utilizes a coating process of Corrosion X HD formula that actually penetrates and bonds to the aluminum parts for long term protection. The extra steps taken in the assembly of the Makaira allows this reel to be a leader in the fishing tackle industry for long term use and performance. To further enhance the Makaira's function and performance, Okuma applies Cal's Universal drag grease to our carbon fiber drag washers for the smoothest wet drag system. The addition of Cal's drag grease allows for virtually zero start up inertia and smooth performance at all settings. Cal's Universal grease is also used for coating moving parts such as the main and pinion gears for improved performance.



# TROLLING AND CONVENTIONAL REEL TECHNOLOGY

## ■ GEAR



### ■ SELF LUBRICATING GEAR SYSTEM

The self-lubricating gear system is a feature found on Okuma's higher-end star drag reels. The main gear on this system incorporates a heat-sensitive oil-impregnated brass bushing that is mounted in the center of the gear. This system releases oil if friction increases to keep the main gear & drive shaft running smoothly in all conditions. Okuma is the first company to adopt this technology which originated in the large machine industry where this function has been time tested for many years.



### ■ XL GEARING

The XL gearing design found on both lever drag & star drag reels incorporates an oversized gear box that features an enlarged gearing system & enlarged drag system. The drag surface areas on this system are more than 50% larger than a standard gear-box design. For the gear system, the major advantage is that the gear teeth are substantially larger, allowing more strength & cranking power. This is how we are able to offer a high-speed gear ratio reel without sacrificing cranking power. Our XL gearing system essentially turns your reel into a winch.



### ■ SPEED LOC PINION GEAR SYSTEM

The SLG technology incorporates a dual-step pinion gear system on star drag reels that allows positive engaging at extreme high speeds. The SLG system allows for instant gear engagement when engaging from freespool to strike at speeds in excess of 50 MPH.



### ■ 2-SPEED GEARING

Okuma's 2-speed technology incorporates two sets of stainless steel main & pinion gears, allowing anglers the option of a high-speed gear ratio or a powerful low-speed gear ratio for maximum power & torque. To shift gears it is as easy as pushing a button or popping a lever with Okuma's unique shifting design to obtain the appropriate gear ratio you desire.

## ■ MATERIAL & DRAG

### ■ MACHINED RIGID FRAME

Okuma's Machined Rigid Frame construction incorporates a one-piece fully-machined aluminum frame. These rigid bar-stock aluminum frames are the ultimate in precision alignment & tolerances withstanding more pressure & torque than any other material used in our industry for frame materials. Okuma features these anodized frames on fly reels, baitcast reels, lever drag reels & star drag trolling reels.

### ■ BODY ARMOR

Okuma's stainless steel Body Armor eliminates the frame flex commonly found in graphite framed trolling reels. This feature incorporates two large stainless steel rings that are mounted to both sides of the frame. The harness lugs are integrated into the body armor design & eliminate the pressure commonly placed on the harness lugs by redistributing the pressure to these large-diameter rings.

### ■ LEVER DRAG DUAL FORCE DRAG

For extremely smooth & strong drag outputs, Okuma's Makaira and Alijo's 2-speed reels are designed with a patented Dual Force Drag system. This drag system is specifically engineered to be mounted in the right side of the spool, designed around a Pull Bar Drag System which keeps all mechanical workings in precise alignment & places no pressure on the frame. This system works in conjunction with a custom designed thrust bearing, which alleviates side load at heavy drag settings.



## ■ CASTING



### ■ MSS

Strong, Stable, Smooth - Okuma's Mechanical Stabilizing System is a support system that ties the spool shaft, pinion gear, pinion gear bearing, drive shaft & main gear together with a single support system. While other reels on the market offer minimal or no gear stabilization, this patented Okuma design allows all of these critical parts to stay in precise alignment. Designed specifically to hold up to the demands of braided & wire line fishing, the MSS support system stabilizes the spool shaft at 3 key stress points to eliminate flex under pressure – which directly translates into a reel that is more durable, stronger & smoother than the competition.

### ■ MCS

Okuma's Magnetic Control System is a fully-sealed, 100% waterproof cast control system that reduces backlash & improves casting distance by utilizing the magnetic field generated by the high RPM spinning of the spool during casting. The magnetic field is influenced by the adjustable cast control magnet which exerts an opposing force & allows for minute & accurate adjustments.



## ■ MORE TECH



### ■ WIDE MOUTH LEVELWIND

This heavy-duty, stainless steel levelwind is Titanium coated & built to withstand the punishment of both braided & wire lines. The guide has been designed with an increased opening to insure proper knot clearance when fishing with double lines. This wide space allows for Albright or similar connection knots, as well as swivels & copper line to pass through the guide easily & be wound directly on the spool.

### ■ STRIKE ZONE

Okuma's Strike Zone linecounter system incorporates a mechanical counter that precisely measures line based on spool revolutions. These counters measure in feet & are calibrated at the factory to be most accurate with a full spool & monofilament lines.



### ■ T-BAR HANDLE

T-Bar Handle: The patented design of the T-Bar handle offers a true ergonomically correct angle to ensure an angler gets maximum power with minimum fatigue. The T-bar takes full advantage of the natural dynamics of the human hand, wrist & forearm to help sustain power & endurance for the angler.

### ■ ERGO GRIP

The Ergo Grip handle knob is an extremely comfortable oversized handle-knob design for both speed & power. This soft-touch knob has been ergonomically designed to fit in the palm of your hand & will be found on certain Okuma lever drag reels, star drag reels & some spinning reel models.



### ■ HIPPO GRIP

The Hippo Grip is a unique reel-clamp design that serves triple duty when fishing offshore. This heavy-duty, forged aluminum reel clamp securely supports your reel to the rod for maximum safety. This clamp also incorporates a small hole that was designed to be used with a safety line for trolling. On the rear of the clamp is a large diameter hole that was designed to be used as a trigger. The large hole should be mounted facing the butt of the rod.



### ■ CRC

Okuma's Corrosion Resistance Coating (CRC) consists of a thin layer of Corrosion X HD applied to all internal & external parts. The CRC process actually penetrates & bonds to the metal, which helps significantly in the reduction of corrosion, & towards the long term protection of your reel.





## CONVENTIONAL - TROLLING

## MAKAIRA®

## FEATURES

- 6061-T6 machined aluminum frame with forged side plates
- 17-4 grade stainless steel gearing
- Helical cut gears for increased torque, smoothness and improved gear meshing
- Makaira reels all feature two-speed gearing systems
- Gold anodized two-speed gear shifter housing
- Cold forged, Type-II anodized, machined aluminum spool
- CRC: Corrosion Resistant Coating process
- Patented spool pin system for use with braided or mono lines
- Carbonite Dual Force drag system featuring Cal's universal drag grease
- Custom designed thrust bearing: Alleviates side load on heavy drag settings
- 4-pcs ABEC-5 precision Sapporo stainless steel ball bearings
- MK-80WII features 6-pcs of Sapporo ball bearings

- Double-dog, proprietary silent anti-reverse system
- Ratcheting drag lever and pre-set knob for precise drag setting
- Patented T-Bar handle with Easy Roll graphite insert on all models
- Heavy duty stainless steel ratcheting clicker system
- Heavy duty, 17-4 grade stainless steel drive and spool shafts
- Type-II gold anodized frame, sideplates, spool, drag lever and handle
- Open top frame design on 16II, 20II, and 50II
- Lug and plug system on all open top reel models
- Machined thumb rest on rear cross bar for improved ergonomics
- Forged aluminum full hard anodized reel foot and reel clamp
- Machine-etched marlin logo on left side plate
- Precision placement of drain holes maximizes water removal from reel
- Special screw ports around side plate screws reduces water/corrosion buildup



MK-16II



MK-20II



MK-30II



MK-50WII



MK-80WII



MK-130II

| Product Number             | Weight | Gear Ratio    | Bearings | Line Retrieve | Max Drag | Line Capacity                       | Barcode           | PLN      |
|----------------------------|--------|---------------|----------|---------------|----------|-------------------------------------|-------------------|----------|
| Two-Speed Lever Drag Reels |        |               |          |               |          |                                     |                   |          |
| MK-16II                    | 1160 g | 4.3:1 & 1.3:1 | 4+1      | 97 & 30 cm    | 22 kg    | Mono: 0.48/600<br>Braid: 0.41/83    | 4718947<br>215826 | 2,730.00 |
| MK-20II                    | 1298 g | 3.8:1 & 1.7:1 | 4+1      | 100 & 45 cm   | 25 kg    | Mono: 0.55/600<br>Braid: 0.41/1100  | 4718947<br>214423 | 2,775.50 |
| MK-30II                    | 1417 g | 3.8:1 & 1.7:1 | 4+1      | 100 & 45 cm   | 25 kg    | Mono: 0.60/640<br>Braid: 0.41/1300  | 4718947<br>214430 | 2,821.00 |
| MK-50II                    | 1741 g | 3.2:1 & 1.3:1 | 4+1      | 96 & 39 cm    | 39 kg    | Mono: 0.70/590<br>Braid: 0.49/1000  | 4718947<br>214447 | 3,166.80 |
| MK-50WII                   | 1843 g | 3.2:1 & 1.3:1 | 4+1      | 96 & 39 cm    | 39 kg    | Mono: 0.75/710<br>Braid: 0.49/1540  | 4718947<br>214454 | 3,230.50 |
| MK-80WII                   | 3289 g | 3.1:1 & 1.2:1 | 6+1      | 116 & 53 cm   | 45 kg    | Mono: 1.00/770<br>Braid: 0.7/1580   | 4718947<br>214461 | 5,005.00 |
| MK-130II                   | 4750 g | 2.2:1 & 1.2:1 | 6+1      | 101 & 55 cm   | 45 kg    | Mono: 1.00/1170<br>Braid: 0.85/1900 | 4718947<br>216083 | 5,824.00 |



## CONVENTIONAL - TROLLING

# MAKAIRA® SEA

### FEATURES

- Open spool bearings with TSI-301 oil. Increases freespool 2-1/2 times.
- MK80WII SEa Silver and MK-130II SEa Silver feature grease-packed spool bearings
- All non-spool bearings feature full grease pack for maximum longevity.
- Features Special Edition Silver and Black anodizing.
- SEa reels feature a yellowfin tuna etched into the sideplate.
- Frames have been machined out for increased clearance between spool and cross bars.
- MK-10 feature MK-20 size handle knobs.
- MK-20/30 feature the MK-50 handle arm and knobs
- Lower speed 1.3:1 gear ratio featured in 20/30 sizes.
- Lower speed 1.0:1 gear ratio featured in 50 size.
- Type-II silver anodized frame, side plates and drag lever



MK-10IISEA

| Product Number             | Weight | Gear Ratio    | Bearings | Line Retrieve | Max Drag | Line Capacity                       | Barcode           | PLN      |
|----------------------------|--------|---------------|----------|---------------|----------|-------------------------------------|-------------------|----------|
| Two-Speed Lever Drag Reels |        |               |          |               |          |                                     |                   |          |
| MK-16II                    | 1160 g | 4.3:1 & 1.3:1 | 4+1      | 97 & 30 cm    | 22 kg    | Mono: 0.48/600<br>Braid: 0.41/83    | 4718947<br>215826 | 2,730.00 |
| MK-20II                    | 1298 g | 3.8:1 & 1.7:1 | 4+1      | 100 & 45 cm   | 25 kg    | Mono: 0.55/600<br>Braid: 0.41/1100  | 4718947<br>214423 | 2,775.50 |
| MK-30II                    | 1417 g | 3.8:1 & 1.7:1 | 4+1      | 100 & 45 cm   | 25 kg    | Mono: 0.60/640<br>Braid: 0.41/1300  | 4718947<br>214430 | 2,821.00 |
| MK-50II                    | 1741 g | 3.2:1 & 1.3:1 | 4+1      | 96 & 39 cm    | 39 kg    | Mono: 0.70/590<br>Braid: 0.49/1000  | 4718947<br>214447 | 3,166.80 |
| MK-50WII                   | 1843 g | 3.2:1 & 1.3:1 | 4+1      | 96 & 39 cm    | 39 kg    | Mono: 0.75/710<br>Braid: 0.49/1540  | 4718947<br>214454 | 3,230.50 |
| MK-80WII                   | 3289 g | 3.1:1 & 1.2:1 | 6+1      | 116 & 53 cm   | 45 kg    | Mono: 1.00/770<br>Braid: 0.7/1580   | 4718947<br>214461 | 5,005.00 |
| MK-130II                   | 4750 g | 2.2:1 & 1.2:1 | 6+1      | 101 & 55 cm   | 45 kg    | Mono: 1.00/1170<br>Braid: 0.85/1900 | 4718947<br>216083 | 5,824.00 |



## CONVENTIONAL - TROLLING &amp; JIGGING

## ALIJS 2-SPEED

The Alijos 2-Speed Lever Drag is a lightweight, compact bodied, big fish stopping machine. Built with 6061-T6 machined aluminum for the ultimate in strength. The 1-piece frame continues around to the non-handle side, side plate which has a cast control system for precision spool control. The spool bearings are bathed in TSI oil giving it the ultimate in castability and frees spool. The Alijos reels feature a longer 90mm handle arm and oversized T-bar handle knob for great torque and comfort. The clicker mechanism has been reworked to give a louder clicking sound for trolling or dead stick applications. The new 2-speed shifting mechanism has been completely reworked by Okuma giving it the ultimate in shifting. The DFD: Dual Force Drag puts out tremendous drag pressure with its 100% larger drag plates.

### FEATURES

- 17-4 grade stainless steel main and pinion gears
- Carbonite Dual Force Drag system with Cal's drag grease
- 6-NMB corrosion resistant stainless steel bearings
- Spool bearings feature TSI-301 oil for unmatched freespool
- Rigid 1-pcs frame and left sideplate construction
- 6061-T6 machined aluminum frame and sideplates
- Cold forged, Type-II anodized, machined aluminum spool
- Custom designed thrust bearing: Alleviates side load on heavy drag settings
- Silent retrieve system for ultimate cranking smoothness
- 90mm handle arm, increases cranking leverage/power
- Oversized T-Bar handle on all models, for cranking power
- Lug and plug harness system featured on 12 and 16 sizes
- External adjustable cast control system on left sideplate
- CRC: Corrosion Resistant Coating process



AJ-12SII



| Product Number | Weight | Gear Ratio    | Bearings | Line Retrieve  | Max Drag   | Line Capacity | Barcode        | PLN      |
|----------------|--------|---------------|----------|----------------|------------|---------------|----------------|----------|
| AJ-5II         | 550 g  | 6.4:1 & 3.8:1 | 6+1      | 107 cm / 63 cm | 11 & 7 kg  | 0.42/320      | 4718947 047878 | 2,111.20 |
| AJ-5NII        | 530 g  | 6.4:1 & 3.8:1 | 6+1      | 107 cm / 63 cm | 11 & 7 kg  | 0.42/225      | 4718947 047946 | 2,065.70 |
| AJ-12II        | 800 g  | 6.4:1 & 2.1:1 | 6+1      | 90 cm / 40 cm  | 16 & 12 kg | 0.55/290      | 4718947 047885 | 2,343.20 |
| AJ-12NSII      | 800 g  | 6.4:1 & 2.1:1 | 6+1      | 123 cm / 40 cm | 16 & 12 kg | 0.55/150      | 4718947 047953 | 2,252.20 |
| AJ-12SII       | 800 g  | 6.4:1 & 2.1:1 | 6+1      | 123 cm / 40 cm | 16 & 12 kg | 0.55/290      | 4718947 047939 | 2,343.20 |
| AJ-16II        | 995 g  | 4.3:1 & 1.3:1 | 6+1      | 100 cm / 30 cm | 22 & 16 kg | 0.55/450      | 4718947 047892 | 2,579.80 |

## TESORO LD JIGGING

Bring the fight where the fish are. Designed for jigging for large saltwater species, the Tesoro LDJ features a tough 6061-T6 aluminum frame with stainless steel gearing. The carbonite Dual Force drag system is complemented by an easy-to-use lever drag design with three drag force adjustments – allowing for extremely precise outputs of drag force. The ergonomic design ensures comfort while battling bullies like tuna, amberjack, and grouper, and the spool lock system helps break off the line if you get stuck in the bottom. The competitive price tag ensures no angler has to pass on excellence.

### FEATURES


- Cold forged, machined aluminum spool, frame and side plate
- Stainless steel gear(XL GEAR)
- Full range linear drag curve - Carbonite Dual Force drag system
- Flite Drive : Super light rotation pressure under Heavy duty
- 4 point drag adjustments mark :Free, M, Strike and Full
- Machined aluminum handle with EVA T Bar knob
- Out-cut frame bar to avoid fishing line touching the body
- Spool lock for breaking off line when stuck on bottom
- Line capacity mark
- Ergonomic design for index finger and thumb comfort
- Spool pin system for use with braided lines
- Triple Anti-reverse system: Two one-way bearing and one dog pawl
- Braid line only
- No clicker - spool lock function



| Product Number    | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN      |
|-------------------|--------|------------|----------|---------------|----------|---------------|----------------|----------|
| Tesoro LD Jigging |        |            |          |               |          |               |                |          |
| TLJ-2000NLA       | 595 g  | 5.5:1      | 9BB+2RB  | 100 cm        | 7 kg     | 0.285/650     | 4718947 096487 | 2,047.50 |


### ■ SUPER LIGHT ROTATION PRESSURE UNDER HEAVY DUTY

Through FLITE DRIVE™ technology, the rotation resistance is lighter under heavy load. Compared with the previous CAVALLA, it is more than 55% lighter.



### ■ TRIPLE ANTI-REVERSE SYSTEM, TWO ONE-WAY BEARING AND ONE DOG PAWL

Triple anti-reversal systems not only provide a very small gap, but also greatly enhance the strength.



### ■ FULL RANGE LINEAR DRAG CURVE DESIGN

Highly sensitive braking requirements specially designed to cope with jigging fishing. We designed a full range linear drag curve. Moreover, the addition of the M mark can help anglers quickly adjust the drag force.



### ■ ERGONOMIC DESIGN FOR INDEX FINGER AND THUMB COMFORT

Ergonomic design for index finger and thumb comfort.



### ■ OUT-CUT BAR DESIGN

Out-cut bar to avoid fishing line touching the body to increase the space between spool and cross bars.



## CONVENTIONAL - TROLLING &amp; JIGGING

## CAVALLA

## FEATURES

- Rigid 1-pcs frame and left sideplate construction
- 6061-T6 Machined aluminum frame and sideplates
- 17-4 grade stainless steel main and pinion gears
- Carbonite drag system with Cal's drag grease
- Cold forged, Type-II anodized, machined aluminum spool
- CRC: Corrosion Resistant Coating process
- 4 BB corrosion resistant stainless steel bearings
- Ergo Grip handle knob with anodized aluminum handle arm
- Silent retrieve system for cranking smoothness
- On/Off bait clicker for all lever drag models



CAV-12II

CAV-5II

CAV-5IILX



| Product Number                      | Weight | Gear Ratio    | Bearings | Line Retrieve | Max Drag   | Line Capacity | Barcode        | PLN      |
|-------------------------------------|--------|---------------|----------|---------------|------------|---------------|----------------|----------|
| <b>Right Handed Two Speed Reels</b> |        |               |          |               |            |               |                |          |
| CAV-5II                             | 485 g  | 6.4:1 & 3.8:1 | 4BB      | 107 & 63 cm   | 7 & 11 kg  | 0.42/320      | 4718947 047854 | 1,365.00 |
| CAV-5NII                            | 460 g  | 6.4:1 & 3.8:1 | 4BB      | 107 & 63 cm   | 7 & 11 kg  | 0.42/225      | 4718947 047830 | 1,319.50 |
| CAV-12II                            | 705 g  | 4.7:1 & 2.1:1 | 4BB      | 90 & 40 cm    | 12 & 15 kg | 0.55/290      | 4718947 047861 | 1,865.50 |
| CAV-12NII                           | 675 g  | 4.7:1 & 2.1:1 | 4BB      | 90 & 40 cm    | 12 & 15 kg | 0.55/150      | 4718947 047847 | 1,774.50 |
| <b>Left Handed Two Speed Reels</b>  |        |               |          |               |            |               |                |          |
| CAV-5IILX                           | 485 g  | 6.4:1 & 3.8:1 | 4BB      | 107 & 63 cm   | 7 & 11 kg  | 0.42/320      | 4718947 047816 | 1,365.00 |
| CAV-5NIILX                          | 460 g  | 6.4:1 & 3.8:1 | 4BB      | 107 & 63 cm   | 7 & 11 kg  | 0.42/225      | 4718947 047809 | 1,319.50 |
| CAV-12IILX                          | 705 g  | 4.7:1 & 2.1:1 | 4BB      | 90 & 40 cm    | 12 & 15 kg | 0.55/290      | 4718947 047823 | 1,892.80 |
| <b>SINGLE - SPEED REELS</b>         |        |               |          |               |            |               |                |          |
| CAV-5NS                             | 440 g  | 6.4:1         | 4BB      | 107 cm        | 7 & 11 kg  | 0.42/225      | 4718947 052018 | 1,228.50 |
| CAV-5S                              | 465 g  | 6.4:1         | 4BB      | 107 cm        | 7 & 11 kg  | 0.42/320      | 4718947 052025 | 1,274.00 |

## CONVENTIONAL - TROLLING

## SOLTERRA SLX B

Built to battle the strongest of fish, the Solterra SLX B is the new generation of the acclaimed Solterra saltwater trolling reels. Armed with thrust bearings, the Solterra SLX B withstands tremendous side loads and allows you to crank the handle with reduced resistance when under pressure. The modern finish perfects the performance-packed reel.

## FEATURES

- Stainless Steel Main Gear, Pinion Gears & Shafts
- Carbonite Drag System with Cal's Universal Drag Grease
- Double Dog Silent Anti-Reverse on All Models
- Stainless Steel Body Armor Reduces Frame Flex (20-50W Models)
- Thrust Bearings Help Reduce Handle Turning Resistance



| Product Number   | Weight | Gear Ratio    | Bearings    | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN      |
|--|--------|---------------|-------------|---------------|----------|---------------|----------------|----------|
| <b>Solterra B High Speed Open Top Frame Reels</b>  |        |               |             |               |          |               |                |          |
| SLX-10CSb  | 660 g  | 6.0:1         | 5+2+1       | 107 cm        | 10 kg    | 0.50/230      | 4718947 090294 | 673.40   |
| SLX-15CSb  | 697 g  | 6.0:1         | 5BB+2TB+1RB | 107 cm        | 10 kg    | 0.55/280      | 4718947 090300 | 705.20   |
| <b>Solterra B Single Speed Lever Drags (Features Closed Frame With Top Cross Bar and Harness Lugs)</b> |        |               |             |               |          |               |                |          |
| SLX-20b  | 984 g  | 3.5:1         | 5BB+2TB     | 81 cm         | 15 kg    | 0.60/370      | 4718947 090041 | 850.80   |
| SLX-30b  | 1017 g | 3.5:1         | 5BB+2TB     | 81 cm         | 15 kg    | 0.60/490      | 4718947 090058 | 891.80   |
| <b>Solterra B Two-Speed Lever Drags (Features Closed Frame With Top Cross Bar and Harness Lugs)</b>    |        |               |             |               |          |               |                |          |
| SLX-20IIB  | 991 g  | 3.8:1 & 1.7:1 | 5BB+2TB     | 89 cm / 38 cm | 15 kg    | 0.60/370      | 4718947 090584 | 1,128.40 |
| SLX-30IIB  | 1017 g | 3.8:1 & 1.7:1 | 5BB+2TB     | 89 cm / 38 cm | 15 kg    | 0.60/490      | 4718947 090591 | 1,151.10 |
| SLX-50WIIB   | 1510 g | 3.1:1 & 1.3:1 | 5BB+2TB     | 81 cm / 38 cm | 18 kg    | 1.0/310       | 4718947 090607 | 1,342.20 |



## CONVENTIONAL - TROLLING

NEW

## CONVECTOR

### Line Counter

The Convector LC series offers proven trolling power with rugged construction targeting aggressive freshwater species. Designed for precision lake trolling, saltwater use, the Convector LC features a corrosion-resistant frame, self-lubricating gear system, and a durable aluminum spool. The high-accuracy line counter allows for optimizing your trolling patterns when using multiple lures. The reel's wide-gap levelwind allows for various line types with ease.



## FEATURES

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, gun smoke anodized spool
- Stainless steel reinforcing sideplate rings
- Multi-disc Carbonite drag system
- Ratcheting drag star for precise drag settings
- 2BB+1RB Stainless steel bearing drive system
- Quick-Set anti-reverse roller bearing
- Dual anti-reverse system. (Mechanical & roller bearing)
- Durable high-grade brass main and pinion gear system
- XL gearing: Drop down gear box 20, 30, 45 sizes
- Self lubricating gear system, all models
- Wide Mouth levelwind ("L" models): Clearance for copper line
- Ergo grip handle knobs featured on all models
- Stainless steel Body Armor on CV-55L
- MSS: Mechanical Stabilizing System for increased durability

| Product Number  | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|-----------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>CV-15DLB</b> | 420 g  | 5.1        | 2BB+1RB  | 63 cm         | 8 kg     | 0.40/170      | 4718947 111425 | 614.20 |
| <b>CV-20DLB</b> | 425 g  | 5.1        | 2BB+1RB  | 63 cm         | 8 kg     | 0.40/210      | 4718947 123602 | 637.00 |
| <b>CV-30DLB</b> | 567 g  | 4.1        | 2BB+1RB  | 68 cm         | 9 kg     | 0.45/320      | 4718947 123619 | 659.70 |

## CONVENTIONAL - TROLLING

## CLASSIC PRO XP

Coming from Okuma's best-selling series of conventional reels, the Classic Pro is a true saltwater workhorse. Designed for trolling in the Atlantic and Mediterranean waters, the Classic Pro's strength is rooted in its durable aluminum spool construction. The 2-bearing drive system and multi-disc carbonite drag system run smooth, and when fighting a fish, the oversized Ergo Grip handle knob increases cranking power. Straight to the point, with no extra gimmicks – the Classic Pro delivers reliable performance with an exceptional price-quality ratio.

## FEATURES

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, anodized spool
- Ported graphite frame design
- Stainless steel reel foot for strength
- Dependable multi-disc Rulidium drag system
- Classic Pro XP features 2 ball bearings
- Machine cut brass and stainless steel gearing
- Aluminum power handle with T-style knobs
- Self lubricating gear system
- C version features an open structure for better cast control



| Product Number        | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|-----------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| <b>CLASSIC PRO XP</b> |        |            |          |               |          |               |                |        |
| XP-302C               | 433 g  | 4.0:1      | 2        | 58 cm         | 5 kg     | 0.45/320      | 4718947 099419 | 354.90 |
| XP-452C               | 471 g  | 4.0:1      | 2        | 61 cm         | 6 kg     | 0.50/360      | 4718947 099426 | 373.10 |

## CONVENTIONAL - TROLLING

## CLASSIC CLX

## FEATURES

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, anodized spool
- Stainless steel reinforcing sideplate rings
- Mechanical line counter function measures in feet
- Multi-disc Carbonite drag system
- 2 Stainless steel ball bearings
- Durable machine-cut brass gearing
- Ergo Grip handle knob with anodized aluminum handle arm
- Self lubricating gear system, all models
- Stainless steel level-wind line guide system



| Product Number                        | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|---------------------------------------|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CLASSIC CLX Levelwind Star Drag Reels |        |            |          |               |          |               |                |        |
| CLX-300LA                             | 414 g  | 3.8:1      | Bushing  | 61 cm         | 6 kg     | 0.45/320      | 4718947 011985 | 268.40 |
| CLX-450LA                             | 441 g  | 3.8:1      | Bushing  | 64 cm         | 6 kg     | 0.50/360      | 4718947 011992 | 295.70 |
| CLX-300LXA                            | 414 g  | 3.8:1      | Bushing  | 61 cm         | 6 kg     | 0.45/320      | 4718947 011596 | 268.40 |

## CONVENTIONAL - TROLLING


## CLASSIC PRO CLX

## FEATURES

- Lightweight corrosion resistant frame and sideplates
- Machined aluminum, anodized spool
- Stainless steel reinforcing sideplate rings
- Mechanical line counter function measures in feet
- Multi-disc Carbonite drag system
- 2 Stainless steel ball bearings
- Durable machine-cut brass gearing
- Ergo Grip handle knob with anodized aluminum handle arm
- Self lubricating gear system, all models
- Stainless steel level-wind line guide system



| Product Number                            | Weight | Gear Ratio | Bearings | Line Retrieve | Max Drag | Line Capacity | Barcode        | PLN    |
|---|--------|------------|----------|---------------|----------|---------------|----------------|--------|
| CLASSIC PRO CLX Levelwind Star Drag Reels |        |            |          |               |          |               |                |        |
| CLX-452LA                                 | 474 g  | 3.8:1      | 2        | 64 cm         | 6 kg     | 0.50/360      | 4718947 011794 | 377.60 |
| CLX-302LXA                                | 438 g  | 3.8:1      | 2        | 61 cm         | 6 kg     | 0.45/320      | 4718947 011824 | 350.30 |



**RODS**



# ROD TECHNOLOGY



## ■ UFR TECHNOLOGY

When choosing a rod, anglers often face the trade-off between a powerful but bulky rod that can catch big-sized fish, or a sensitive but weaker rod that can sense the bites of the smallest fish. We address this challenge with a revolutionary tip: Ultimate Flex Reinforcement (UFR), which redefines the future generations of rods.

Developed using a patented manufacturing process, the UFR tip combines strength and agility like never before, marking a breakthrough. Our UFR technology endows our rods with a 300% increase in lifting capability and an ability to bend up to 360°. With a longitudinal fibers around the rod blanks, our rods are more powerful, yet lighter and more flexible than traditional ones. As a result, our anglers no longer need to choose between power and sensitivity.

**FREEING  
ANGLERS FROM  
THE CHOICE  
BETWEEN POWER  
AND SENSITIVITY**



## ■ UMR TECHNOLOGY

Okuma's Ultimate Matrix Reinforcement (UMR) technology maximizes rod strength while minimizing weight, so you can rise to meet any challenge.

**LIGHTWEIGHT STRENGTH  
BUILT FOR ANY CHALLENGE**



## ■ USR TECHNOLOGY

Okuma's USR technology, short for Ultra Strength Reinforcement, is an innovative carbon fiber wrapping technology for fishing rods. By utilizing a cross carbon wrap jacket, USR significantly enhances the performance of rod blanks. This advanced construction technique reinforces the structure of the blanks, resulting in increased strength and amplified power. With USR, fishing rods achieve a superior level of robustness and improved performance capabilities.

**ROBUSTNESS  
AND IMPROVED  
PERFORMANCE**



## ■ AIR POWER TECHNOLOGY

Air Power Technology is an advanced rod construction system that combines the benefits of solid and tubular carbon blanks into a single, high-performance structure. By using a precise layering technique with different tonnages of carbon fiber, the blank achieves exceptional lifting power and robustness comparable to that of a solid carbon rod.

At the same time, a controlled inner cavity is maintained, allowing for superior sensitivity and vibration transmission—hallmarks of high-end tubular designs. This innovative construction eliminates the traditional trade-offs between strength and responsiveness, delivering a rod that offers both unmatched power and refined sensitivity without compromise.

**UNMATCHED POWER  
AND REFINED SENSITIVITY  
WITHOUT COMPROMISE**



PSYCHO  
STICK

## SPINNING

PSYCHO  
STICK

The Psycho Stick line-up is a technical series of freshwater spinning specific techniques. Fit for targeting small and medium-sized freshwater predators, the rods are built with high-modulus 30T carbon blanks, new Okuma U1 line guides, and aluminum rod connectors. The short rear grip optimizes lure control, while the balanced and lightweight blank allows for comfortable fishing even after hours of use. The rods are optimized in terms of casting power, sensitivity, and hooking power – all you need to do is choose your weapon, depending on the style of bait used. And, thanks to the accessible price tag, even new anglers can experience pro-level performance. Finished with streetwear-inspired cosmetics and a velvet cloth bag.

## FEATURES

- High module carbon 30T
- OKUMA U1 new guides
- Skeleton reel seat
- Aluminum rod connector
- Carboncoque rear grip
- Velvet cloth bag
- Fuji EZ hook keeper
- Models 662UL / 682UL / 702MH feature Solid Tips



| Product Number | Power          | Action  | Length        | Sections | Casting Weight | Trans.Length | Barcode           | PLN    |
|----------------|----------------|---------|---------------|----------|----------------|--------------|-------------------|--------|
| PSO-S-662UL    | UL - Solid Tip | Ex-Fast | 6'6" / 198cm  | 2        | 0.5g - 3.5g    | 990 mm       | 4718947<br>108395 | 395.80 |
| PSO-S-662L     | L - Solid Tip  | Fast    | 6'6" / 198cm  | 2        | 3g - 10g       | 990 mm       | 4718947<br>108418 | 382.20 |
| PSO-S-682UL    | UL             | Ex-Fast | 6'8" / 203cm  | 2        | 0.8g - 5g      | 1020 mm      | 4718947<br>108401 | 404.90 |
| PSO-S-682ML    | ML             | Fast    | 6'8" / 203cm  | 2        | 5g - 14g       | 1020 mm      | 4718947<br>108425 | 391.30 |
| PSO-S-6102M    | M              | Fast    | 6'10" / 208cm | 2        | 7g - 21g       | 1040 mm      | 4718947<br>108432 | 400.40 |
| PSO-S-702MH    | MH - Solid Tip | Ex-Fast | 7'0" / 213cm  | 2        | 10g - 30g      | 1070 mm      | 4718947<br>108463 | 418.60 |
| PSO-S-702M     | M              | Fast    | 7'0" / 213cm  | 2        | 10g - 30g      | 1070 mm      | 4718947<br>108456 | 409.50 |
| PSO-S-702ML    | ML             | Ex-Fast | 7'0" / 213cm  | 2        | 7g - 21g       | 1070 mm      | 4718947<br>108449 | 404.90 |
| PSO-S-732UL    | UL             | Fast    | 7'3" / 220cm  | 2        | 1g - 7g        | 1100 mm      | 4718947<br>108470 | 400.40 |
| PSO-S-732L     | L              | M-Fast  | 7'3" / 220cm  | 2        | 5g - 14g       | 1100 mm      | 4718947<br>108487 | 404.90 |
| PSO-S-802M     | M              | M-Fast  | 8'0" / 243cm  | 2        | 7g - 21g       | 1220 mm      | 4718947<br>108494 | 423.10 |
| PSO-S-802MH    | MH             | M-Fast  | 8'0" / 243cm  | 2        | 10g - 30g      | 1220 mm      | 4718947<br>108500 | 432.20 |
| PSO-S-802H     | H              | Ex-Fast | 8'0" / 243cm  | 2        | 15g - 40g      | 1220 mm      | 4718947<br>108517 | 436.80 |
| PSO-S-902H     | H              | Ex-Fast | 9'0" / 274cm  | 2        | 15g - 40g      | 1370 mm      | 4718947<br>108524 | 450.40 |
| PSO-S-902XH    | XH             | Ex-Fast | 9'0" / 274cm  | 2        | 30g - 60g      | 1370 mm      | 4718947<br>108531 | 464.10 |

## SPINNING

## TOMCAT

## FEATURES

- Responsive and durable 24T carbon blank construction
- Heavy duty matt gunsmoke SIC guides
- CCS Seaguide for Vertical item
- Strong graphite reel seat with cushions
- Rubber round butt cap
- 4 series covering all type of catfish disciplines
- Supplied in quality cloth bag



| Product Number  | Power | Action | Length      | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|-----------------|-------|--------|-------------|----------|----------------|--------------|----------------|--------|
| TOMCAT SPINNING |       |        |             |          |                |              |                |        |
| TMC-S-702MH     | MH    | Fast   | 7'0"/213 cm | 2        | 60-160g        | 1110 mm      | 4718947 048868 | 354.90 |
| TMC-S-802MH     | MH    | Fast   | 8'0"/244 cm | 2        | 60-160g        | 1250 mm      | 4718947 048875 | 382.20 |
| TMC-S-902MH     | MH    | Fast   | 9'0"/274 cm | 2        | 60-160g        | 1410 mm      | 4718947 048882 | 400.40 |
| TMC-S-902XH     | XH    | Fast   | 9'0"/274 cm | 2        | 200-300g       | 1430 mm      | 4718947 048905 | 418.60 |
| TMC-S-992XH     | XH    | Fast   | 9'9"/297 cm | 2        | 200-300g       | 1550 mm      | 4718947 048912 | 445.90 |

## SPINNING


NEW

## G-Control

The G-Control rod series offers versatile predator fishing performance without locking you into one style. Crafted with high quality carbon blanks, the series delivers responsive action and a lightweight feel. Fitted with premium Fuji O K-frame guides, fast-action blanks, and a stylish finish, the G-Control hits the fine balance between casting power, sensitivity, and fatigue-free handling. Fit for both freshwater and saltwater applications, the G-Control provides pro-level feel at an accessible price point.

## FEATURES

- Premium 24/30/40T carbon construction
- Fuji O K frame
- Modern aesthetic
- Thin blanks for precision and responsiveness
- Well-balanced for effortless control



| Product Number | Power | Action         | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|----------------|---------------|----------|----------------|--------------|----------------|--------|
| GCT-S-662XULST | XUL   | Solid Tip Fast | 6'6" / 198 cm | 2        | 0.8-5 g        | 1060 mm      | 4718947 130228 | 273.00 |
| GCT-S-662UL    | UL    | M-Fast         | 6'6" / 198 cm | 2        | 3-10 g         | 1060 mm      | 4718947 130242 | 273.00 |
| GCT-S-662L     | L     | Fast           | 6'6" / 198 cm | 2        | 5-14 g         | 1060 mm      | 4718947 130259 | 273.00 |
| GCT-S-702ML    | ML    | Fast           | 7'0" / 213 cm | 2        | 7-21 g         | 1120 mm      | 4718947 130266 | 318.50 |
| GCT-S-702M     | M     | Fast           | 7'0" / 213 cm | 2        | 10-30 g        | 1120 mm      | 4718947 130273 | 318.50 |
| GCT-S-702MH    | MH    | EX-Fast        | 7'0" / 213 cm | 2        | 15-40 g        | 1120 mm      | 4718947 130280 | 318.50 |
| GCT-S-802M     | M     | M-Fast         | 8'0" / 243 cm | 2        | 10-30 g        | 1280 mm      | 4718947 130297 | 341.20 |
| GCT-S-802MH    | MH    | Fast           | 8'0" / 243 cm | 2        | 15-40 g        | 1280 mm      | 4718947 130303 | 341.20 |
| GCT-S-802H     | H     | Fast           | 8'0" / 243 cm | 2        | 30-80 g        | 1280 mm      | 4718947 130334 | 341.20 |
| GCT-S-862MH    | MH    | Fast           | 8'6" / 259 cm | 2        | 15-56 g        | 1360 mm      | 4718947 130341 | 364.00 |
| GCT-S-902MH    | MH    | Fast           | 9'0" / 274 cm | 2        | 15-40 g        | 1440 mm      | 4718947 130358 | 386.70 |
| GCT-S-902H     | H     | Fast           | 9'0" / 274 cm | 2        | 30-80 g        | 1440 mm      | 4718947 130365 | 386.70 |



## SPINNING

## ALTERA

## FEATURES

- 24T carbon construction
- Slim blanks with fast action
- Japanese split EVA handles
- Ergonomic touch blanks reel seat
- Quality SIC gunsmoke frame guides
- Delivered in cloth bag
- Fuji O guides on selected models



| Product Number  | Power | Action      | Length      | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|-----------------|-------|-------------|-------------|----------|----------------|--------------|----------------|--------|
| ALTERA SPINNING |       |             |             |          |                |              |                |        |
| ALT-S-602L      | L     | X-Fast      | 6'0"/180 cm | 2        | 4-12g          | 950 mm       | 4718947 037794 | 222.90 |
| ALT-S-602ML     | ML    | Fast        | 6'0"/180 cm | 2        | 5-20g          | 950 mm       | 4718947 037800 | 227.50 |
| ALT-S-662M      | M     | Fast        | 6'6"/195 cm | 2        | 10-30g         | 1030 mm      | 4718947 037824 | 236.60 |
| ALT-S-662MH     | MH    | Fast        | 6'6"/195 cm | 2        | 15-40g         | 1030 mm      | 4718947 037831 | 241.10 |
| ALT-S-702ML     | ML    | Fast        | 7'0"/210 cm | 2        | 5-20g          | 1110 mm      | 4718947 037855 | 241.10 |
| ALT-S-702M      | M     | Fast        | 7'0"/210 cm | 2        | 10-30g         | 1110 mm      | 4718947 037862 | 250.20 |
| ALT-S-702MH     | MH    | Fast        | 7'0"/210 cm | 2        | 15-40g         | 1110 mm      | 4718947 037879 | 254.80 |
| ALT-S-702H      | H     | Fast        | 7'0"/210 cm | 2        | 20-60g         | 1110 mm      | 4718947 037886 | 259.30 |
| ALT-S-802ML     | ML    | Fast        | 8'0"/240 cm | 2        | 7-28g          | 1270 mm      | 4718947 037923 | 273.00 |
| ALT-S-802M      | M     | Fast        | 8'0"/240 cm | 2        | 15-40g         | 1270 mm      | 4718947 037930 | 286.60 |
| ALT-S-802MH     | MH    | Fast        | 8'0"/240 cm | 2        | 20-45g         | 1270 mm      | 4718947 037947 | 295.70 |
| ALT-S-902ML     | ML    | Fast        | 9'0"/270 cm | 2        | 5-25g          | 1410 mm      | 4718947 037961 | 309.40 |
| ALT-S-902M      | M     | Fast        | 9'0"/270 cm | 2        | 15-40g         | TBC          | 4718947 037978 | 318.50 |
| ALT-S-902MH     | MH    | Medium Fast | 9'0"/270 cm | 2        | 20-80g         | 1410 mm      | 4718947 037985 | 336.70 |
| ALT-S-902H      | H     | Heavy Fast  | 9'0"/270 cm | 2        | 30-100g        | 1410 mm      | 4718947 037992 | 354.90 |



## SPINNING

## JAWSPIN

A line-up of spinning rods for those taking their first casts - the Jaw series delivers versatile performance with an impressive price-quality ratio. The wide range offers options for freshwater applications, all finished with reliable components and high-quality looks. Designed to work in perfect unison with the Jaw spinning reel.

## FEATURES

- High quality carbon
- Fast action response
- All models feature a comfortable EVA handle
- Graphite custom reel seat
- Designed to match Okuma Jaw Spin reels



| Product Number | Power | Action        | Length      | Sections | Casting Weight | Trans.Length |                   | Barcode | PLN    |
|----------------|-------|---------------|-------------|----------|----------------|--------------|-------------------|---------|--------|
| JAW-S-662UL    | UL    | Extra Fast    | 6'6"/198 cm | 2        | 2-10g          | 1040 mm      | 4718947<br>099624 |         | 168.30 |
| JAW-S-662L     | L     | Fast          | 6'6"/198 cm | 2        | 3-14g          | 1040 mm      | 4718947<br>099631 |         | 172.90 |
| JAW-S-662ML    | ML    | Fast          | 6'6"/198 cm | 2        | 7-21g          | 1040 mm      | 4718947<br>099648 |         | 177.40 |
| JAW-S-662M     | M     | Fast          | 6'6"/198 cm | 2        | 10-35g         | 1040 mm      | 4718947<br>099655 |         | 182.00 |
| JAW-S-702L     | UL    | Fast          | 7'0"/213 cm | 2        | 7-21g          | 1120 mm      | 4718947<br>099679 |         | 182.00 |
| JAW-S-702M     | L     | Fast          | 7'0"/213 cm | 2        | 12-42g         | 1120 mm      | 4718947<br>099693 |         | 195.60 |
| JAW-S-702UL    | ML    | Fast          | 7'0"/213 cm | 2        | 3-14g          | 1120 mm      | 4718947<br>099662 |         | 177.40 |
| JAW-S-702ML    | M     | Fast          | 7'0"/213 cm | 2        | 10-35g         | 1120 mm      | 4718947<br>099686 |         | 186.50 |
| JAW-S-762L     | L     | Fast          | 7'6"/229 cm | 2        | 7-21g          | 1200 mm      | 4718947<br>099716 |         | 191.10 |
| JAW-S-762ML    | ML    | Fast          | 7'6"/229 cm | 2        | 10-35g         | 1200 mm      | 4718947<br>099723 |         | 195.60 |
| JAW-S-762M     | M     | Fast          | 7'6"/229 cm | 2        | 12-42g         | 1200 mm      | 4718947<br>099730 |         | 200.20 |
| JAW-S-802L     | L     | Fast          | 8'0"/244 cm | 2        | 10-35g         | 1280 mm      | 4718947<br>099754 |         | 200.20 |
| JAW-S-802M     | M     | Fast          | 8'0"/244 cm | 2        | 12-42g         | 1280 mm      | 4718947<br>099761 |         | 200.20 |
| JAW-S-802MH    | MH    | Moderate Fast | 8'0"/244 cm | 2        | 14-56g         | 1280 mm      | 4718947<br>099778 |         | 209.30 |
| JAW-S-802H     | H     | Moderate Fast | 8'0"/244 cm | 2        | 21-70g         | 1280 mm      | 4718947<br>099785 |         | 218.40 |
| JAW-S-862M     | M     | Fast          | 8'6"/259 cm | 2        | 14-56g         | 1360 mm      | 4718947<br>099815 |         | 213.80 |



## OFF SHORE SPINNING

NEW  
SIZESALINA  TUNA

A precise line-up of spinning rods for targeting tunas of all sizes, the Salina Tuna sets the new standard off-shore tuna fishing gear. To match the tunas' power, the Salina Tuna features an exceptionally powerful high-modulus carbon blank optimized for intense showdowns. Special care was taken to ensure the 1+1pcs blank has the necessary bend to help anglers minimize the strain when fighting the fish. The Salina Tuna's other components exhibit the same degree of care: the blank is fitted with a Fuji reel seat and SeaGuide New Concept guides with Zirconia inserts and SS316 frames. The rubber gimbal butt cap increases stability when hauling in the fish.

As tunas often swim in schools of similar-sized specimens, the Salina Tuna series consists of three different rod sizes – you can optimize your gear by choosing the rod according to the size of the fish in your area. For optimized performance, pair the Salina Tuna with a Tesoro or Cedros spinning reel.

## FEATURES

- High modul carbon
- IST blank construction (individual section technology)
- New concept Seaguide with Zirconia insert and SS316 frame
- Fuji reel seat with back stop
- Rubber gimbal
- Fish size optimized



| Product Number     | Action | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|--------------------|--------|---------------|----------|----------------|--------------|----------------|--------|
| Salina Tuna Small  |        |               |          |                |              |                |        |
| SA-S-762S          |        | 7'6" / 228 cm | 2        | 20g-70g        | 1640 mm      | 4718947 108623 | 568.70 |
| Salina Tuna Medium |        |               |          |                |              |                |        |
| SA-S-822M          |        | 8'2" / 248 cm | 2        | 40g-100g       | 1700 mm      | 4718947 108630 | 600.60 |
| Salina Tuna Large  |        |               |          |                |              |                |        |
| SA-S-822L          |        | 8'2" / 248 cm | 2        | 50g-120g       | 1800 mm      | 4718947 108647 | 623.30 |
| Salina Tuna XL     |        |               |          |                |              |                |        |
| <b>SA-S-792XL</b>  | Fast   | 7'9" / 235 cm | 2        | 80-150g        | 1700 mm      | 4718947 108654 | 637.00 |

## SHORE JIGGING



## SHORE JIGGING

Okuma's Shore Jigging series is a line-up of rods purely dedicated for targeting large saltwater shore species. Representing the most accessible end of the series, the F15 Shore Jigging is built with premium components for impressive performance – and an unbeatable price-value ratio. The long-casting F15 Shore Jigging features a strong but light Toray carbon blank with a fast and responsive action. Designed for long days of inshore jigging, the two-section rod has a balanced design – but enough power for targeting large species like tuna and amberjack. The F15 Shore Jigging features esteemed components, such as high-quality guides and a Fuji reel seat with a double lock. Pair the rod with the Tesoro or Cedros spinning reel for optimized performance.

## FEATURES

- Toray carbon
- Thin, strong, light and fast responsive blank
- Fuji reel seat with double lock
- High quality Guides
- Rubber butt cup



| Product Number | Power | Length        | Sections | Casting Weight | Trans.Length | Barcode           | PLN    |
|----------------|-------|---------------|----------|----------------|--------------|-------------------|--------|
| F15-S-1002H    | H     | 10'0" / 304cm | 2        | 30g -100g      | 1520 mm      | 4718947<br>108753 | 455.00 |

## SHORE JIGGING



## SHORE JIGGING

Okuma's Shore Jigging series is a line-up of rods purely dedicated for targeting large saltwater shore species. Representing the middle of the series, the F16 Shore Jigging is built with premium components for impressive performance – and an excellent price-value ratio. The long-casting F16 Shore Jigging features a strong but light Toray carbon blank with a fast and responsive action. Designed for long days of inshore jigging, the two-section rod has a balanced design – but enough power for targeting large species like tuna and amberjack. The F16 Shore Jigging features premium components, such as the Fuji K Alconite guides and a Fuji reel seat with a double lock. Pair the rod with the Tesoro or Cedros spinning reel for optimized performance.

## FEATURES

- Toray carbon
- Thin, strong, light and fast responsive blank
- Fuji reel seat with double lock
- Fuji K Alconite Guides
- Rubber butt cup



| Product Number | Power | Length        | Sections | Casting Weight | Trans.Length | Barcode           | PLN    |
|----------------|-------|---------------|----------|----------------|--------------|-------------------|--------|
| F16-S-1002H    | H     | 10'0" / 304cm | 2        | 30g -100g      | 1520 mm      | 4718947<br>108760 | 682.50 |


## LIGHT GAME

### Inspira

Designed for ultra-light shore fishing, the Inspira Light Rock & Dart's solid full-carbon grip transfers even the slightest of vibrations directly to your hands – allowing you to feel everything that happens beneath the surface. The spinning series' high-tonnage carbon blanks are fitted with premium Fuji® K Alconite line guides and tips specifically chosen for different applications. The removable hook keeper allows you to customize the rod just the way you want it.

#### FEATURES

- 30/40T High-Modulus Carbon Blanks
- Fuji® K Alconite Guides
- Fuji® VSS Reel Seat
- Carbon Fiber Rear Grip
- Carbon Front Grip
- Aluminium Trim Connectors
- Removable Hook Keeper



| Product Number            | Power | Action | Length      | Sections | Casting Weight | Barcode        | PLN    |
|---------------------------|-------|--------|-------------|----------|----------------|----------------|--------|
| Inspira Light Rock & Dart |       |        |             |          |                |                |        |
| ISX-S-802L-1              | UL    | Fast   | 8'0"/244 cm | 2        | 1.5-10 g       | 4718947 093370 | 655.20 |

## SPINNING - SALTWATER

NEW

### CEYMAR SW

The Ceymar SW rods deliver the strength, balance, and performance needed for serious saltwater pursuits. Crafted with high-quality components, including thin and responsive carbon blanks and Fuji O K-frame guides, the Ceymar SW offers impressive casting distance, high sensitivity, and lasting durability against fierce predators. Balanced for fatigue-free fishing and finished with modern styling, the Ceymar SW rods pair perfectly with Ceymar SW reels, giving saltwater anglers a high-quality, reliable setup at a price that's hard to beat.

#### FEATURES

- Premium 24/30T carbon construction
- Fuji O K frame
- Modern aesthetic
- Thin blanks for precision and responsiveness
- Well-balanced for effortless control



| Product Number      | Power | Action | Length | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|---------------------|-------|--------|--------|----------|----------------|--------------|----------------|--------|
| <b>CSW-S-742L</b>   | L     | M-Fast | 223 cm | 2        | 3-14 g         | 1180         | 4718947 130440 | 318.50 |
| <b>CSW-S-742ML</b>  | ML    | M-Fast | 223 cm | 2        | 5-21 g         | 1180         | 4718947 130457 | 318.50 |
| <b>CSW-S-802L</b>   | L     | M-Fast | 243 cm | 2        | 3-14 g         | 1280         | 4718947 130464 | 318.50 |
| <b>CSW-S-802M</b>   | M     | M-Fast | 243 cm | 2        | 7-28 g         | 1280         | 4718947 130471 | 318.50 |
| <b>CSW-S-802MH</b>  | MH    | M-Fast | 243 cm | 2        | 14-42 g        | 1280         | 4718947 130488 | 318.50 |
| <b>CSW-S-852MH</b>  | MH    | M-Fast | 256 cm | 2        | 15-56 g        | 1340         | 4718947 130495 | 364.00 |
| <b>CSW-S-902M</b>   | M     | M-Fast | 274 cm | 2        | 7-28 g         | 1440         | 4718947 130501 | 386.70 |
| <b>CSW-S-902MH</b>  | MH    | M-Fast | 274 cm | 2        | 14-42 g        | 1440         | 4718947 130518 | 386.70 |
| <b>CSW-S-1002MH</b> | MH    | M-Fast | 304 cm | 2        | 14-42 g        | 1600         | 4718947 130525 | 409.50 |



## SPINNING SALTWATER

# SOLARIS

Performance is the key – The Solaris series offers a wide variety of rods suitable for all ages. The easy-to-approach series punches above its price class with its light and balanced blanks and modern saltwater cosmetics. Find the right rod for your target species from the wide selection and get ready to start your saltwater journey.

### FEATURES

- High quality carbon
- Fast action response
- Saltwater approved
- All models feature a comfortable EVA handle
- Graphite custom reel seat
- Designed to match Okuma Solaris Spin reels



| Product Number | Power | Action        | Length      | Sections | Casting Weight | Trans.Length | Barcode           | PLN    |
|----------------|-------|---------------|-------------|----------|----------------|--------------|-------------------|--------|
| SOL-S-702ML    | ML    | Fast          | 7'0"/213 cm | 2        | 7-21g          | 1120 mm      | 4718947<br>099822 | 191.10 |
| SOL-S-702M     | M     | Fast          | 7'0"/213 cm | 2        | 10-35g         | 1120 mm      | 4718947<br>099839 | 200.20 |
| SOL-S-762L     | L     | Fast          | 7'6"/229 cm | 2        | 7-21g          | 1200 mm      | 4718947<br>099846 | 200.20 |
| SOL-S-762ML    | ML    | Fast          | 7'6"/229 cm | 2        | 10-35g         | 1200 mm      | 4718947<br>099853 | 200.20 |
| SOL-S-762M     | M     | Fast          | 7'6"/229 cm | 2        | 14-56g         | 1200 mm      | 4718947<br>099860 | 209.30 |
| SOL-S-802L     | L     | Fast          | 8'0"/244 cm | 2        | 10-35g         | 1280 mm      | 4718947<br>099884 | 209.30 |
| SOL-S-802M     | M     | Fast          | 8'0"/244 cm | 2        | 12-42g         | 1280 mm      | 4718947<br>099891 | 209.30 |
| SOL-S-802MH    | MH    | Moderate Fast | 8'0"/244 cm | 2        | 14-45g         | 1280 mm      | 4718947<br>099907 | 213.80 |
| SOL-S-802H     | H     | Moderate Fast | 8'0"/244 cm | 2        | 20-70g         | 1280 mm      | 4718947<br>099914 | 222.90 |
| SOL-S-862M     | M     | Fast          | 8'6"/259 cm | 2        | 12-42g         | 1360 mm      | 4718947<br>099938 | 222.90 |



## TROLLING

# MAKAIRA

### FEATURES

- Carbon composite rod blank technology
- ALPS deep press 316 stainless guide frames
- Hard Zirconium guide inserts for compatibility with braided lines
- Custom ALPS aluminum reel seats with Abalone under lay
- IGFA tournament rods with full straight or bent aluminum rod butts
- Shrink tube grips for ultimate durability
- ALPS roller guides on trolling rods with large knot clearance
- Aluminum gimbals on trolling and popping rods
- Integrated rubber butt cap/gimbal design on all casting and spinning rods
- Custom abalone decoration above fore grip
- Custom leather wrapped fore grip on IGFA Stand Up rods
- C ALPS aluminum butt section
- D Bent butt section



MAK-TR-5101-50B



MAK-TR-581-30S



MAKTR-5101-120B

| Product Number                           | Power | Action | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN      |
|--|-------|--------|---------------|----------|----------------|--------------|----------------|----------|
| Makaira IGFA Bent butt Stand-up Rods     |       |        |               |          |                |              |                |          |
| MAK-TR-5101-50B                          | M     | Fast   | 5'10"/ 178 cm | 1        | 50 lbs         | 1350 mm      | 4718947 083005 | 2,411.50 |
| MAK-TR-5101-80B                          | MH    | Fast   | 5'10"/ 178 cm | 1        | 80 lbs         | 1350 mm      | 4718947 044822 | 2,912.00 |
| MAKTR-5101-120B                          | XXH   | M/MF   | 5'10"/178 cm  | 1        | 120lbs         | 1350 mm      | 4718947 044839 | 3,089.40 |
| Makaira IGFA Straight butt Stand-up Rods |       |        |               |          |                |              |                |          |
| MAK-TR-581-30S                           | L     | M/MF   | 5'8"/173 cm   | 1        | 30lbs          | 1350 mm      | 4718947 972590 | 1,865.50 |
| MAK-TR-581-50S                           | M     | M/MF   | 5'8"/173 cm   | 1        | 50lbs          | 1350 mm      | 4718947 028686 | 2,229.50 |
| MAK-TR-5101-80S                          | MH    | M/MF   | 5'10"/178 cm  | 1        | 80lbs          | 2010 mm      | 4718947 969545 | 2,730.00 |

## TROLLING

**Wild Trolling LIVE**

Packed with features usually associated with custom rods, the Wild Trolling series delivers uncompromised performance for targeting large saltwater species like amberjack and snapper. Featuring Okuma's IST (Individual Section Technology) construction, the Wild Trolling rod has a one-section blank for increased sensitivity and strength – all while keeping the blank pleasantly lightweight. The rod's backbone is further supported by the spiral-wrapped construction that ensures the rod stays upright when hauling in fish from the depths. The Wild Trolling's other components exhibit the same custom-level eye for detail: the blank is fitted with premium Fuji MNSG SIC guides and a Fuji graphite reel seat with a double lock. When fighting the fish, the graphite Fuji gimbal butt cap stabilizes the rod. The Wild Trolling series includes two rods with actions and powers optimized for the target species.

## FEATURES

- IST blank construction (individual section technology)
- Graphite Fuji reel seat with double lock
- Fuji MNSG SIC
- Action optimized for species
- Graphite fuji gimbal
- New Rod Saver
- Spiral guide



WT-T-671L



WT-T-671M

| Product Number | Power | Action | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|---------------|----------|----------------|--------------|----------------|--------|
| WT-T-671L      | L     | -      | 6'6" / 200 cm | 1        | 16lbs          | 2000 mm      | 4718947 108678 | 955.50 |
| WT-T-671M      | M     | -      | 6'6" / 200 cm | 1        | 20lbs          | 2000 mm      | 4718947 108685 | 982.80 |

## TROLLING

**CUSTOM PRO** *Lite Trolling*

Optimized for trolling from smaller boats, the Custom Pro Light is ideal for targeting small-sized saltwater predators. The lightweight rod features a thin and balanced carbon blank construction with high-quality line guides and Okuma reel seat. Paying attention to the needs of light trolling anglers, the Custom Pro Light' blank is slightly longer than a standard trolling rod to allow for trolling with numerous rods on the boat. Thanks to the reversible blank technology, the rod can be used with both spinning and conventional reels.

## FEATURES

- Thin and balanced carbon blank
- Okuma reel seat and Guides
- New double face concept that allows use of both spinning and conventional casting reels
- Light LB but extremely powerful rods



| Product Number | Power | Action | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|---------------|----------|----------------|--------------|----------------|--------|
| CPL-T-702L     | L     | -      | 7'0" / 213 cm | 1+1      | 2-4lbs         | 1500 mm      | 4718947 108722 | 364.00 |
| CPL-T-702M     | M     | -      | 7'0" / 213 cm | 1+1      | 6-8lbs         | 1500 mm      | 4718947 108746 | 386.70 |
| CPL-T-702ML    | ML    | -      | 7'0" / 213 cm | 1+1      | 4-6lbs         | 1500 mm      | 4718947 108739 | 386.70 |



JIGGING - CASTING

NEW

## SLOW HUNTER

Slow jigging, redefined. Built with Okuma's cutting-edge Air Power Tech, the Slow Hunter features a balanced blank that combines the strength of a solid-carbon blank with the unbeatable sensitivity of a classic hollow carbon blank. Thanks to this pairing of extreme lifting power and uncompromised sensitivity, the Slow Hunter is an ideal choice for targeting fierce offshore predators in the European waters. Finished with high-quality Fuji O double-foot guides. Pair with the Tesoro LD jigging reel for optimal setup.

### FEATURES

- Advanced Airpower Tech for next-level performance
- Durable Fuji O double foot guides
- Integrated blank protector
- Perfectly balanced for all-day comfort
- Incredibly powerful yet ultra-thin blank for serious fights
- Crafted for the demands of European anglers



| Product Number | Action | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|--------|--------------|----------|----------------|--------------|----------------|--------|
| OSH641-2       | M      | 6'4" / 193cm | 1        | Max Jig 250g   | 1980 mm      | 4718947 130372 | 591.50 |
| OSH641-3       | M      | 6'4" / 193cm | 1        | Max Jig 350g   | 1980 mm      | 4718947 130396 | 614.20 |
| OSH641-4       | M      | 6'4" / 193cm | 1        | Max Jig 450g   | 1980 mm      | 4718947 130419 | 614.20 |
| OSH641-5       | M      | 6'4" / 193cm | 1        | Max Jig 550g   | 1980 mm      | 4718947 130433 | 637.00 |



## JIGGING

## FireBall

The Fireball is Okuma's answer to the growing need for gear dedicated to anglers jigging with fireball rigs. Fit for both saltwater and freshwater pursuits, the Fireball is built with an all-new Okuma Air Power technology, allowing for a super sensitive rod tip – and a lightweight blank that packs an incredible amount of strength. The rod's backbone is further supported by the spiral-wrapped construction that ensures the rod stays upright when hauling in fish from the depths. The Fireball comes equipped with premium components, like the SeaGuide New Concept line guides and high-quality Fuji reel seat. Finished with fire-hot cosmetics. Pair the Fireball with Cavalla, Cedros, or Tesoro Spinning, and you're ready to turn on the heat.

## FEATURES

- NEW Air power technology
- Thin but extremely powerful blank
- New concept seaguide with Zirconia insert and SS316 frame
- Okuma rubber gimball
- Fuji reel seat
- New blank protector
- Spiral guide



FB-C-6102XH



FB-S-6102XH

| Product Number       | Power | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------------|-------|---------------|----------|----------------|--------------|----------------|--------|
| <b>Fireball Cast</b> |       |               |          |                |              |                |        |
| FB-C-6102XH          | XH    | 6'8" / 208 cm | 1+1      | 100 - 300g     | 1590 mm      | 4718947 108555 | 614.20 |
| <b>Fireball Spin</b> |       |               |          |                |              |                |        |
| FB-S-6102XH          | XH    | 6'8" / 208 cm | 1+1      | 100 - 300g     | 1590 mm      | 4718947 108548 | 614.20 |

## DEEP IMPACT

Okuma's Deep Impact is purely dedicated to jigging with soft baits in the deep blue. The rod features a high-modulus carbon blank with an action optimized for the technique: sensitive enough for uncompromised bait control and strong enough for driving in the hooks in deep waters. The thin blank is fitted with a high-quality Fuji reel seat and SeaGuide New Concept line guides for minimized line friction. The Okuma rubber gimbal butt cap improves the rod's stability when hauling in fish from the depths. For optimized performance, pair the Deep Impact with Okuma's saltwater workhorses, like the Cavalla, Cedros, or Tesoro Spinning.

### FEATURES

- High module carbon
- Thin blanks
- Action optimized for softbaits in deep water
- Fuji reel seat
- New concept seaguide with Zirconia insert and SS316 frame
- Okuma rubber gimbal
- New Blank protector



DPI-C-682MH



DPI-S-682MH

| Product Number       | Power | Length        | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------------|-------|---------------|----------|----------------|--------------|----------------|--------|
| Deep Impact Casting  |       |               |          |                |              |                |        |
| DPI-C-682MH          | MH    | 6'8" / 203 cm | 1+1      | 180g           | 1550 mm      | 4718947 108296 | 546.00 |
| DPI-C-682H           | H     | 6'8" / 203 cm | 1+1      | 250g           | 1530 mm      | 4718947 108302 | 559.60 |
| Deep Impact Spinning |       |               |          |                |              |                |        |
| DPI-S-682MH          | MH    | 6'8" / 203 cm | 1+1      | 180g           | 1550 mm      | 4718947 108272 | 546.00 |
| DPI-S-682H           | H     | 6'8" / 203 cm | 1+1      | 250g           | 1530 mm      | 4718947 108289 | 546.00 |



## JIGGING

## ECLIPZ

## FEATURES

- High modulus carbon blank
- Deep sea black guides with Titanium Oxide inserts
- Ergonomic shaped, Hard EVA handles
- Strong Okuma graphite DPS reel seat
- Split handle design for reduced weight and add comfort
- Aluminium Butt cap
- Delivered in quality cloth bag



| Product Number | Power | Action | Length      | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|-------------|----------|----------------|--------------|----------------|--------|
| EC-S-612M      | M     | Fast   | 6'1"/185 cm | 1+1      | 50-100g        | 1250 mm      | 4718947 965196 | 423.10 |
| EC-S-662M      | M     | Fast   | 6'6"/198 cm | 1+1      | 70-140g        | 1390 mm      | 4718947 042484 | 445.90 |

## JIGGING

## ALTERA SLOW JIG

## FEATURES

- 24T carbon construction
- Slim blanks with fast action
- Japanese split EVA handles
- Ergonomic touch blanks reel seat
- Quality SIC gunsmoke frame guides
- Delivered in cloth bag



| Product Number | Power | Action | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|--------------|----------|----------------|--------------|----------------|--------|
| ALTS-631MH-PE3 | MH    | Fast   | 6'3"/ 193 cm | 1        | 120-250 g      | 1970 mm      | 4718947 082459 | 391.30 |


## ELECTRIC REEL FISHING



Built for heavy lifting. Designed for taking on large saltwater fish with an electric reel, the Ampere comes packed with heavy-duty components and innovative features. The rod's extremely powerful carbon blank features a unique 2-in-1 construction that allows you to adjust the rod's length and power by adding the middle section to get the rod longer and more sensitive. The rod is fitted with SeaGuide heavy-duty line guides with zirconia inserts and SS316 frames for minimized line friction. The Ampere's impressive backbone is supported by the spiral-wrapped construction that ensures the rod stays upright when hauling in giants from the depths – meaning you can focus on fighting the fish, not the gear. The glow-in-the-dark hybrid tip enhances bite detection while the fighter butt cap adds extra leverage when fighting the fish.

## FEATURES

- Unique carbon construction
- Extreme Powerful blanks
- Hybrid tip
- 2 in1 rod concept
- Fighter butt cap
- Glow in the dark tip
- Heavy duty Seaguide with zirconia insert + SS316 frame



| Product Number | Length     | Sections   | Casting Weight | Trans.Length | Barcode           | PLN    |
|----------------|------------|------------|----------------|--------------|-------------------|--------|
| AP-C-6112/922  | 280-210 cm | 2+1 spiral | 1000g          | 1100 mm      | 4718947<br>108593 | 673.40 |


## ELECTRIC REEL FISHING



The Volts series is purpose-built for anglers who use small-sized electric reels for targeting bottom-dwelling saltwater species. Designed with saltwater-ready components, responsive blanks, and fine-tuned action, the Volts delivers maximum sensitivity and control while maintaining an impressive amount of strength. Available in 240 cm and 270 cm models.

## FEATURES

- Ultra-sensitive tip
- Saltwater-ready components
- Well-balanced
- Perfectly matched for compact reels



| Product Number   | Action | Length | Sections | Casting Weight | Trans.Length | Barcode        | PLN           |
|------------------|--------|--------|----------|----------------|--------------|----------------|---------------|
| <b>VLS-C-802</b> | M-Fast | 240 cm | 2        | 100-250 g      | 1230 mm      | 4718947 108609 | <b>455.00</b> |
| <b>VLS-C-902</b> | M-Fast | 270 cm | 2        | 100-250 g      | 1370 mm      | 4718947 108616 | <b>500.50</b> |

## SURF

## FLITE HYBRID

A member of Okuma's new surf casting range, the Flite Hybrid is designed for targeting all saltwater shore species with its extreme casting distance and uncompromised accuracy. Built with high-quality Toray carbon, the Flite Hybrid delivers fast and responsive action in a thin and strong blank. Together with premium components from Fuji, the Flite Hybrid's hybrid tip allows for extreme casting distance by converting more energy into casting power. Furthermore, the hybrid tip improves accuracy and enhances bite indication. The reflective tip's glow-in-the-dark technology makes sure that no bite goes undetected, even in the darkness of the night. The Flite Hybrid rod is matched perfectly with Okuma's Flite Surf reel.

## FEATURES

- Toray carbon
- Thin, strong, light and fast responsive blank
- Sensitive hybrid tip
- Fuji K Alconite and Fuji LR reel seat Fuji K Alconite for FLH-SC-4203250K and FLH-SC-4503250K
- Fuji Alconite Low Rider for FLH-SC-4203250LR
- Anatomic rear grip
- Aluminum reinforced joint part



| Product Number   | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN           |
|------------------|--------------|----------|----------------|--------------|----------------|---------------|
| FLH-SC-4203250K  | 14'0"/420 cm | 3 pcs    | 100-250g       | 1520 mm      | 4718947 100634 | <b>878.10</b> |
| FLH-SC-4203250LR | 14'0"/420 cm | 3 pcs    | 100-250g       | 1520 mm      | 4718947 100627 | <b>896.30</b> |
| FLH-SC-4503250K  | 15'0"/450 cm | 3 pcs    | 100-250g       | 1600 mm      | 4718947 100641 | <b>969.10</b> |

## ROCKAWAY HYBRID

A member of Okuma's new range of surf casting rods, the Rockaway Hybrid allows you to reach spots other anglers can't. Powered by a Toray carbon blank and premium Fuji line guides, the Rockaway Hybrid is designed for smooth, reliable, and impressively long casts. The sensitive hybrid tip glows and reflects, ensuring uncompromised bite detection even in the dark. The anatomic rear grip improves comfort while the aluminum-reinforced joint increases durability. Pair the Rockaway Hybrid with the Rockaway spinning reel for an affordable yet performance-packed tool for surf casting on the Mediterranean and Atlantic coasts.

### FEATURES

- Toray carbon
- Sensitive hybrid tip
- Glow & reflective tip
- Anatomic rear grip
- Fuji Low rider Concept "O" guides
- Aluminum reinforced joint part



| Product Number  | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|-----------------|--------------|----------|----------------|--------------|----------------|--------|
| RAH-SC-42032500 | 14'0"/420 cm | 3 pcs    | 100-250g       | 2180 mm      | 4718947 100658 | 637.00 |
| RAH-SC-45032500 | 15'0"/450 cm | 3 pcs    | 100-250g       | 2180 mm      | 4718947 100665 | 677.90 |

## SURF-8K

Fish the spots other anglers can't reach. Designed for targeting all shore species in the Mediterranean and Atlantic, the Surf 8K punches way above its price class with its high-quality components and technologies. This surf casting rod features a durable and responsive Toray carbon blank and premium Fuji Alconite line guides for smooth and reliable casting. The sensitive hybrid tip glows and reflects, making sure you won't miss a bite – even in the dark. Finished with an anatomic rear grip to minimize fatigue during long days of repetitive casting.

### FEATURES

- Toray Carbon
- Sensitive hybrid tip
- Anatomic rear grip
- Fuji K Fazlite guides and Fuji reel seat
- Aluminum reinforced joint part
- USR



| Product Number  | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|-----------------|--------------|----------|----------------|--------------|----------------|--------|
| S8K-SC-4203250K | 14'0"/420 cm | 3 pcs    | 100-250g       | 1520 mm      | 4718947 100672 | 759.80 |
| S8K-SC-4503250K | 15'0"/450 cm | 3 pcs    | 100-250g       | 1600 mm      | 4718947 100689 | 800.80 |



## SURFLINER +

Cast with confidence. Designed as the top-class choice for surf anglers, the Surfliner+ is powered by premium components and smart technologies. The light and responsive Toray carbon blank is fitted with friction-minimizing Fuji SiC line guides for smooth and distance-covering casts. The rod's sensitive hybrid tip glows and reflects, ensuring uncompromised bite detection even in the dark. The anatomic rear grip improves comfort while the aluminum-reinforced joint increases durability without sacrificing sensitivity. Pair the Surfliner+ with the Flite Surf reel for unparalleled surf casting performance.

### FEATURES

- Toray carbon
- Thin, strong, light and fast responsive blank
- Sensitive hybrid tip
- Fuji SiC lowrider and Fuji reel seat
- Anatomic rear grip
- Aluminum reinforced joint part



| Product Number   | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN      |
|------------------|--------------|----------|----------------|--------------|----------------|----------|
| SUP-SC-4203250LR | 14'0"/420 cm | 3 pcs    | 100-250g       | 1540 mm      | 4718947 100696 | 1,365.00 |


## BOLENTINO

## ROCKAWAY BOLENTINO

Designed for bottom fishing from the boat, the Rockaway Bolentino comes armed with a powerful and balanced Toray carbon blank, a sensitive hybrid tip, and a fighting butt cap for enhanced leverage. The saltwater components are paired with a smart construction that allows you to adapt to different situations on the water. The series' multi-sectioned rods feature interchangeable tips and mid-sections that enable you to transform the action on the go. The series includes two rods with two separate tips and mid-sections and one rod with two separate tips and an adjustable length. Designed for an excellent match with the Rockaway spinning reel.

### FEATURES

- Toray carbon
- Hybrid tip
- Powerful and balanced blanks
- Extremely sensitive
- Supplied with 2 detachable hybrid tips
- Saltwater approved
- Adjustable action for 320cm and 370cm rods
- Adjustable length for 270-320cm rods
- Fighter butt cap



ROC-B-3203200



ROC-B-A3203200

| Product Number                | Length                | Sections   | Casting Weight | Trans.Length | Barcode        | PLN    |
|-------------------------------|-----------------------|------------|----------------|--------------|----------------|--------|
| Rockaway Bolentino            |                       |            |                |              |                |        |
| ROC-B-3203200                 | 10'8"/320 cm          | 3 - 2 tips | max 200g       | 1060 mm      | 4718947 100733 | 600.60 |
| ROC-B-3703200                 | 12'2"/370 cm          | 3 - 2 tips | max 200g       | 1380 mm      | 4718947 100740 | 650.60 |
| Rockaway Bolentino Adjustable |                       |            |                |              |                |        |
| ROC-B-A3203200                | 9'0"-10'8"/270-320 cm | 2 - 2 tips | max 200g       | 1580 mm      | 4718947 100757 | 591.50 |



## BOLENTINO

## AVENGER PRO BOLENTINO

Designed for saltwater bottom fishing from the boat, the Avenger Pro Bolentino relies on a powerful and balanced high-modulus carbon blank and the sensitivity of the hybrid tip. All rods in the series come with a two different hybrid tips – you can adjust the action when needed by changing the tip. And when fighting the fish, the fighting butt cap allows you to brace the butt against your body for increased leverage. The Avenger Pro Bolentino series includes two 2-part rods and a telescopic version with an interchangeable hybrid tip. All finished with adrenaline-fueled cosmetics.

### FEATURES

- High module carbon
- Powerful and balanced blanks
- Supplied with 2 detachable Hybrid tips
- Fighter butt cap
- Telescopic version in 310cm rod



AVP-B-2702300



AVP-B-2702300

| Product Number                    | Length       | Sections   | Casting Weight | Trans.Length | Barcode           | PLN    |
|-----------------------------------|--------------|------------|----------------|--------------|-------------------|--------|
| <b>Avenger Pro Bolentino</b>      |              |            |                |              |                   |        |
| AVP-B-2702300                     | 9'0"/270 cm  | 2 - 2 tips | max 300g       | 1440 mm      | 4718947<br>100702 | 404.90 |
| AVP-B-3002300                     | 10'0"/300 cm | 2 - 2 tips | max 300g       | 1580 mm      | 4718947<br>100719 | 432.20 |
| <b>Avenger Pro Bolentino Tele</b> |              |            |                |              |                   |        |
| AVP-B-310T200                     | 10'4"/310 cm | 3 - 2 tips | max 300g       | 1180 mm      | 4718947<br>100726 | 436.80 |



## BOLENTINO

NEW  
SIZE

## SABIKI PRO

Uncompromised commitment leads to exceptional functionality. Designed for targeting saltwater species like mackerel and horse mackerel with a sabiki rig, the Sabiki Pro features an anti-tangle concept for hassle-free use and storage. Revolutionizing the way sabiki rods are made in Europe, the Sabiki Pro's blank construction allows for threading the line and the rig within the rod – minimizing the time spent untangling the multi-hook rigs. Pair the Sabiki Pro with any spinning reel up to size 6000.

## FEATURES

- Revolutionary concept
- Inner line and rig
- Anti tangle system
- Sinker suggested : pear shape
- Rig accepted: max 150cm
- Max hook accepted: 1cm wide



NEW SBK-C-732



SBK-S-772

| Product Number      | Action | Length        | Sections | Casting Weight | Trans.Length | Barcode           | PLN    |
|---------------------|--------|---------------|----------|----------------|--------------|-------------------|--------|
| Sabiki Pro Spinning |        |               |          |                |              |                   |        |
| SBK-S-772           | M      | 7'7" / 231 cm | 1+1sec   | 10-20lbs       | 1860 mm      | 4718947<br>108708 | 318.50 |
| Sabiki Pro Casting  |        |               |          |                |              |                   |        |
| SBK-C-732           | M      | 7'3" / 220 cm | 1+1sec   | 10-20lbs       | 1750 mm      | 4718947<br>108715 | 318.50 |

## BOLENTINO

## ATOMIC BOAT

Designed for bottom fishing from the boat, the telescopic Atomic Boat features a powerful blank and high-visibility tip for maximum bite detection. Punching above its price class, the bolentino rod is fitted with a sturdy reel seat with an aluminum hood and a fighting butt cap for improved leverage when fighting the rod with a size 5000-6000 spinning reel, and you're good to go.

## FEATURES

- Mx carbon
- Solid tip
- Powerful and balanced blanks
- Hi visibility tip section
- Fighter butt cap
- Strong reel seat with aluminum hoodies



| Product Number | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|--------------|----------|----------------|--------------|----------------|--------|
| AT-B-2404T200  | 8'0"/240 cm  | 4pcs     | 200g           | 1150 mm      | 4718947 108784 | 282.10 |
| AT-B-2704T200  | 9'0"/270 cm  | 4pcs     | 200g           | 1150 mm      | 4718947 108791 | 295.70 |
| AT-B-3004T200  | 10'0"/300 cm | 4pcs     | 200g           | 1150 mm      | 4718947 108807 | 309.40 |

## EGING/TATAKI

## WILD SQUID

The Wild Squid is a feature-packed rod completely dedicated to egi and tataki techniques. Delivering maximum lure action and uncompromising bite detection – which is further enhanced by the high-visibility tip. The Wild Squid is fitted with SeaGuide New Concept guides with Zirconia inserts and SS316 frame. Finished with fluorescent cosmetics for a full glow-in-the-dark blank.

## FEATURES

- High module carbon
- Extreme sensitivity blank
- Hybrid tip
- Fighter butt cap
- New concept seaguide with Zirconia insert and SS316 frame
- Full glow in the dark blank



WS-C-802MH



| Product Number  | Power | Length        | Sections   | Casting Weight | Trans.Length | Barcode        | PLN    |
|-----------------|-------|---------------|------------|----------------|--------------|----------------|--------|
| Wild Squid Cast |       |               |            |                |              |                |        |
| WS-C-802MH      | MH    | 8'0" / 244 cm | 1+1 spiral | 30g -150g      | 1570 mm      | 4718947 108579 | 559.60 |
| Wild Squid Spin |       |               |            |                |              |                |        |
| WS-S-802MH      | MH    | 8'0" / 244 cm | 1+1        | 30g -150g      | 1570 mm      | 4718947 108586 | 514.10 |

## EGING/TATAKI

**Inspira**

Purely designed for egi and tataki fishing, the Inspira Egi & Tataki's solid full-carbon grip transfers even the slightest of vibrations directly to your hands – allowing you to feel everything that happens beneath the surface. Covering shore and boat fishing techniques, the series' high-tonnage carbon blanks are fitted with premium Fuji® K Alconite line guides and tips specifically chosen for different applications. The removable hook keeper allows you to customize the rod just the way you want it.

## FEATURES

- High-Modulus Carbon Blank
- Fuji® K Alconite Guides
- Fuji® VSS Reel Seat
- High-Quality Tip (Different for Each Application)
- Carbon Fiber Rear Grip
- Carbon Front Grip
- Aluminium Trim Connectors
- Removable Hook Keeper



ISX-S-6112MH



ISX-S-832MH

| Product Number                  | Power | Action        | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|---------------------------------|-------|---------------|--------------|----------|----------------|--------------|----------------|--------|
| <b>Inspira Egi Tip Run Boat</b> |       |               |              |          |                |              |                |        |
| ISX-S-6112MH                    | H     | Fast          | 6'11"/210 cm | 2        | Up to 80g      | 1270 mm      | 4718947 093325 | 673.40 |
| <b>Inspira Egi</b>              |       |               |              |          |                |              |                |        |
| ISX-S-832MH                     | M     | Moderate Fast | 8'3"/251 cm  | 2        | Egi# 2.0-4.0   | 1050 mm      | 4718947 093356 | 723.40 |

## EGING/TATAKI

**SCORPIO**

Purely designed for egi and tataki fishing, the Scorpio Egi & Tataki's 30T high-modulus carbon blank covers techniques both from shore and boat. The high-quality Fuji® line guides ensure reliable and tangle-free casting while the removable hook keeper allows you to customize the rod just the way you want it.

## FEATURES

- 30T High-Modulus Carbon Blank
- Fuji® Concept 'O' Line Guides
- Fuji® VSS Reel Seat
- Premium EVA Grip
- Carbon Front Grip
- Aluminium Trim Connectors
- Removable Hook Keeper



| Product Number             | Power | Action | Length      | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------------------|-------|--------|-------------|----------|----------------|--------------|----------------|--------|
| <b>Scorpio Tataki Boat</b> |       |        |             |          |                |              |                |        |
| SP-S-662MH                 | H     | Fast   | 6'6"/198 cm | 2        | 50-180g        | 1150 mm      | 4718947 093387 | 536.90 |

EGING/TATAKI

# ALTERA EGI

## FEATURES

- 24T carbon with Okuma UFR technology blank construction
- UFR!! Ultimate Flex Reinforcement rod tip technology
- Fuji quality guides
- TVS touched rod blank pipe reel seat
- Ergonomic shaped, split EVA handle design to reduce weight
- Supplied in quality rods bag



| Product Number | Power | Action | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|--------------|----------|----------------|--------------|----------------|--------|
| ALT-S-822M-EGI | M     | Fast   | 8'2"/ 249 cm | 2        | 12-28 g        | 1290 mm      | 4718947 083463 | 354.90 |

EGING/TATAKI

# TATAKY

## FEATURES

- 24T ultra-light carbon blank construction with Okuma UFR technology
- UFR: Ultimate Flex Reinforcement rod tip technology
- Visual white tip design
- Fuji Micro guides
- Quality VSS pipe reel seat
- Split EVA handle design to reduce the weight
- Supplied in quality rod bag



| Product Number | Power | Action | Length      | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|-------------|----------|----------------|--------------|----------------|--------|
| TTP-S-682MH    | MH    | Fast   | 6'8"/202 cm | 2        | 150-200g       | 1050 mm      | 4718947 035608 | 386.70 |
| TTP-S-802MH    | MH    | Fast   | 8'0"/243 cm | 2        | 150-200g       | 1270 mm      | 4718947 046888 | 441.30 |

## Egi Pro K2

The Egi pro are designed to handle the light lures and delicate handling of squids and other light range species.

### FEATURES

- Extremely light weight blank under 30T quality carbon construction
- Fuji micro guide set up and SIC top
- Japanese split handle construction
- Hard EVA + rubber cork handles
- Quality reel seat
- Supplied in quality rod bag



| Product Number | Power | Action | Length      | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|-------------|----------|----------------|--------------|----------------|--------|
| EGI-S-802M-1   | M     | Fast   | 8'0"/244 cm | 2        | Egi 2.0-3.5    | 1270 mm      | 4718947 018137 | 391.30 |



The Red Squid rods deliver the sensitivity, lightness, and crisp action essential for technical Egi fishing – at an unbeatable value. Built for precise lure control and long hours on the water, the Red Squid features a finely tuned, saltwater-ready blank with a balanced and high-quality feel. A perfect choice for anglers looking for an accessible way to try their skills in egi fishing.

### FEATURES

- Impressive all-around performance
- Built with rugged SW components
- Well balanced
- Outstanding value without compromise
- Solid tip for precise sensitivity and control



| Product Number | Power | Action | Length       | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|-------|--------|--------------|----------|----------------|--------------|----------------|--------|
| RS-S-822ML     | ML    | X-Fast | 8'2"/ 250 cm | 2        | Egi 1.5-2.5    | 1300 mm      | 4718947 130204 | 250.20 |
| RS-S-822M      | M     | X-Fast | 8'2"/ 250 cm | 2        | Egi 1.8-3.5    | 1300 mm      | 4718947 130211 | 250.20 |

## EGING/TATAKI

 NEW  
SIZE

# SQUIDER

Delivering accessible performance to egi anglers, the Squider is a versatile option for targeting squid from the boat. The Squider features a fiber glass blank and a solid tip for sensitive bite detection and powerful hooksets. Finished with flashy cosmetics and a rubber gimbal butt cap for extra stability.

## FEATURES

- Fiber glass blank
- Solid tip
- Rubber gimbal
- Good quality Cn guide



SQ-S-602H

| Product Number   | Power | Action | Length        | Sections | Casting Weight | Trans.Length |                   | Barcode | PLN    |
|------------------|-------|--------|---------------|----------|----------------|--------------|-------------------|---------|--------|
| SQ-S-602H        | H     | M-Fast | 6'0" / 183 cm | 2        | Egi 1.5-3.5    | 920 mm       | 4718947<br>108562 |         | 122.80 |
| SQ-S-702H        | H     | M-Fast | 7'0" / 213 cm | 2        | Egi 1.5-3.5    | 1140 mm      | 4718947<br>129956 |         | 136.50 |
| <b>SQ-S-802H</b> | H     | M-Fast | 8'0" / 243 cm | 2        | Egi 1.5-3.5    | 1280 mm      | 4718947<br>129963 |         | 159.20 |

## EGING/TATAKI

# EGING SUPER BOAT

## FEATURES

- 24T carbon construction
- SCT Solid Carbon Tip on two action versions
- Ergonomic touch reel seat
- Stainless steel SIC guides
- Delivered in cloth bag



| Product Number     | Power | Action | Length        | Sections | Casting Weight | Trans.Length |                   | Barcode | PLN    |
|--------------------|-------|--------|---------------|----------|----------------|--------------|-------------------|---------|--------|
| ESU-S-2002M/<br>MH | MH    | Fast   | 6'7" / 200 cm | 2        | 100-150 g      | 1050 mm      | 4718947<br>023919 |         | 254.80 |
| ESU-S-2502M/<br>MH | MH    | Fast   | 8'3" / 250 cm | 2        | 100-150 g      | 1270 mm      | 4718947<br>023926 |         | 277.60 |



## CARP

## LS-8K CARP

## FEATURES

- Toray 40T high modulus carbon, slim, light and powerful blank construction
- Gunsmoke Deep-drawn frame guides with SIC inserts
- Fuji TVS and DNPS reel seat
- Okuma carbon line clip
- Slim cone EVA with durable shrink tube butt handle
- Engraved aluminum butt cap
- High quality cloth bag



| Product Number | Power | Test Curve | Action | Length       | Sections | Trans.Length |                   | Barcode | PLN    |
|----------------|-------|------------|--------|--------------|----------|--------------|-------------------|---------|--------|
| LS8K-CA-1202XH | XH    | 3.50lbs    | Fast   | 12'0"/360 cm | 2        | 1870 mm      | 4718947<br>072955 |         | 819.00 |
| LS8K-CA-1302XH | XH    | 3.50lbs    | Fast   | 13'0"/390 cm | 2        | 2030 mm      | 4718947<br>072962 |         | 859.90 |

## CARP

## CARP

## FEATURES

- 40T Toray carbon material, slim, light and powerful blank construction
- Black stainless steel frame guides with SIC inserts
- Fuji DPS pate reel seat
- Okuma carbon line clip
- Slim and Ergonomic shape EVA with durable shrink tube butt handle
- Engraved aluminum butt cap
- High quality cloth bag



| Product Number | Power | Test Curve | Action      | Length       | Sections | Trans.Length |                   | Barcode | PLN    |
|----------------|-------|------------|-------------|--------------|----------|--------------|-------------------|---------|--------|
| 8K-CA-1002MH   | MH    | 3.0lbs     | Medium Fast | 10'0"/300 cm | 2        | 2030 mm      | 4718947<br>071408 |         | 609.70 |
| 8K-CA-1202H    | H     | 3.5lbs     | Medium Fast | 12'0"/360 cm | 2        | 1870 mm      | 4718947<br>053251 |         | 682.50 |
| 8K-CA-1302H    | H     | 3.5lbs     | Medium Fast | 13'0"/390 cm | 2        | 2030 mm      | 4718947<br>055415 |         | 732.50 |





## CARP

## **LONGBOW CARP**

### **FEATURES**

- Durable carbon blanks construction
- Quality stainless steel minima guides
- Okuma DPS pipe reel seat



| Product Number | Power | Test Curve | Action | Length       | Sections | Trans.Length | Barcode           |   | PLN    |
|----------------|-------|------------|--------|--------------|----------|--------------|-------------------|---|--------|
| LONGBOW CARP   |       |            |        |              |          |              |                   |   |        |
| LB-CA-1202H    | H     | 3.5lbs     | Fast   | 12'0"/360 cm | 2        | 1870 mm      | 4718947<br>067944 |  | 382.20 |
| LB-CA-1302H    | H     | 3.5lbs     | Fast   | 13'0"/390 cm | 2        | 2030 mm      | 4718947<br>067951 |  | 427.70 |


## CARP

## **AVENGER CARP**

### **FEATURES**

- Light weight carbon blanks
- Quality stainless steel guides
- Heavy Duty Okuma graphite reel seat
- Supplied in rod bag



| Product Number    | Power | Test Curve | Action | Length       | Sections | Trans.Length | Barcode           |   | PLN    |
|-------------------|-------|------------|--------|--------------|----------|--------------|-------------------|---|--------|
| AVENGER CARP TELE |       |            |        |              |          |              |                   |   |        |
| AV-CA-1206H       | H     | 3.5lbs     | Fast   | 12'0"/360 cm | 6-Tele   | 1210 mm      | 4718947<br>032539 |  | 450.40 |



## CARP

### C-FIGHT CARP

#### FEATURES

- Light weight 24T carbon blank
- Exclusive camouflage blank covering
- Minimalistic artwork matching UK codes
- Semi matt frame SIC guides
- Starting guide 50mm on 12'0"
- Slim EVA butt handle
- Engraved aluminum butt cap
- Graphite reel seat with cushions
- Telescopic and Spod versions available



CF-CA-1002MH



CF-CA-1206XH-T

| Product Number           | Power | Test Curve | Action | Length       | Sections | Trans.Length | Barcode        | PLN    |
|--------------------------|-------|------------|--------|--------------|----------|--------------|----------------|--------|
| <b>C-FIGHT CARP</b>      |       |            |        |              |          |              |                |        |
| CF-CA-1002MH             | MH    | 3.00lbs    | Fast   | 10'0"/305 cm | 2        | 1550 mm      | 4718947 048837 | 359.40 |
| CF-CA-1203XH             | XH    | 3.50lbs    | Fast   | 12'0"/360 cm | 3        | 1270 mm      | 4718947 071392 | 491.40 |
| CF-CA-1302XH             | XH    | 3.50lbs    | Fast   | 13'0"/390 cm | 2        | 2030 mm      | 4718947 057983 | 518.70 |
| <b>C-FIGHT CARP TELE</b> |       |            |        |              |          |              |                |        |
| CF-CA-1206XH-T           | XH    | 3.50lbs    | Fast   | 12'0"/360 cm | 6-Tele   | 1210 mm      | 4718947 071477 | 491.40 |
| CF-CA-1306XH-T           | XH    | 3.50lbs    | Fast   | 13'0"/390 cm | 6-Tele   | 1210 mm      | 4718947 071484 | 514.10 |

## FEEDER

## 8K Feeder GEN 2

Introducing the second generation of our highly acclaimed 8K Feeder rod series, where we've taken the best features of the previous generation and elevated them with unique upgrades. Crafted with precision, each rod in the 8K Feeder 2nd generation series boasts a high module carbon construction, ensuring exceptional strength and durability without compromising on responsiveness. The thin blanks enhance overall performance, allowing for enhanced sensitivity. We are proud to present the innovative 'Sniper' tip design incorporated into every rod in the range. These detachable tips offer unrivaled sensitivity for bite detection, allowing you to increase your catch rate. Prepare to elevate your feeder fishing to new heights.



## FEATURES

- High module carbon
- Thin blanks
- Fast response
- Supplied with 3 Innovative detachable 'Sniper' tips
- Sea-guide high quality components

| Product Number | Length       | Sections       | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|--------------|----------------|----------------|--------------|----------------|--------|
| 8K2-F-100230   | 10'0"/305 cm | 2 pcs - 3 tips | max 30g        | 1600 mm      | 4718947 100764 | 646.10 |
| 8K2-F-110245   | 11'0"/335 cm | 2 pcs - 3 tips | max 45g        | 1740 mm      | 4718947 100771 | 673.40 |
| 8K2-F-1203120  | 12'0"/366 cm | 3 pcs - 3 tips | 60-120g        | 1300 mm      | 4718947 100801 | 718.90 |
| 8K2-F-120360   | 12'0"/366 cm | 3 pcs - 3 tips | 20-60g         | 1300 mm      | 4718947 100788 | 691.60 |
| 8K2-F-120380   | 12'0"/366 cm | 3 pcs - 3 tips | 40-80g         | 1300 mm      | 4718947 100795 | 705.20 |
| 8K2-F-1303120  | 13'0"/396 cm | 3 pcs - 3 tips | 60-120g        | 1400 mm      | 4718947 100825 | 805.30 |
| 8K2-F-130380   | 13'0"/396 cm | 3 pcs - 3 tips | 40-80g         | 1400 mm      | 4718947 100818 | 764.40 |
| 8K2-F-1403150  | 14'0"/427 cm | 3 pcs - 3 tips | max 150g       | 1520 mm      | 4718947 100832 | 869.00 |

## FEEDER

## Custom Black Feeder V2

The next chapter of the Custom Black Feeder success story is here. Dedicated to delivering uncompromised and versatile performance for match and feeder anglers, the new Custom Black Feeder builds on the best-proven features of the series – and adds in a brand-new rod tip design. The series' thin high-modulus blanks pack enough power for long and accurate casts, but also deliver the fast and responsive action needed to land in species like carp, bream, and barbel. Finished with top-of-the-line cosmetics for that Custom Black Feeder look.



## FEATURES

- High module carbon
- Thin blanks
- Fast response
- Supplied with 3 Innovative "Fishery" tips
- Unique ergonomic shaped handle for comfort
- High quality components
- Anatomic rear grip

| Product Number | Length       | Sections       | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|--------------|----------------|----------------|--------------|----------------|--------|
| CUB-F-1203120  | 12'0"/366 cm | 3 pcs - 3 tips | 60-120g        | 1300 mm      | 4718947 100870 | 495.90 |
| CUB-F-1203150  | 12'0"/360 cm | 3 pcs - 3 tips | 60-120g        | 1300 mm      | 4718947 100887 | 536.90 |
| CUB-F-1303120  | 13'0"/396 cm | 3 pcs - 3 tips | 60-120g        | 1400 mm      | 4718947 100900 | 536.90 |
| CUB-F-1303150  | 13'0"/396 cm | 3 pcs - 3 tips | max 150g       | 1400 mm      | 4718947 100917 | 550.50 |
| CUB-F-1403150  | 14'0"/420 cm | 3 pcs - 3 tips | max 150g       | 1520 mm      | 4718947 100924 | 573.30 |

## Ceymar V2

The Ceymar Feeder is back – with upgrades. A versatile line-up with a competitive price point, the Ceymar Feeder V2 series features a range of size options for feeder and match fishing. The rod's slim and balanced blank is made from high-modulus carbon for fast and responsive action. The high-quality line guides deliver smooth and reliable casting while the handle's EVA grip is designed for ergonomic use. The three-section Ceymar Feeder features a detachable Fishery Tip for enhanced bite detection and response in casting. And when you need to mix things up, you can change the tip to adjust your setup.

### FEATURES


- High module carbon
- Thin blanks
- Fast response
- Fishery tips
- EVA grip
- New concept guides



| Product Number             | Power | Length         | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------------------|-------|----------------|----------|----------------|--------------|----------------|--------|
| <b>Ceymar V2</b>           |       |                |          |                |              |                |        |
| C2-F-1003M                 | M     | 10'0" / 300 CM | 3pcs     | 35g            | 1060 mm      | 4718947 108319 | 354.90 |
| C2-F-1103MH                | MH    | 11'0" / 330 CM | 3pcs     | 60g            | 1160 mm      | 4718947 108326 | 364.00 |
| C2-F-1203MH                | MH    | 12'0" / 360 CM | 3pcs     | 60-120g        | 1260 mm      | 4718947 108333 | 400.40 |
| C2-F-1303MH                | MH    | 13'0" / 390 CM | 3pcs     | 60-120g        | 1360 mm      | 4718947 108340 | 423.10 |
| C2-F-1303XH                | XH    | 13'0" / 390 CM | 3pcs     | 150g           | 1360 mm      | 4718947 108357 | 445.90 |
| C2-F-1403XH                | XH    | 14'0" / 420 CM | 3pcs     | 150g           | 1460 mm      | 4718947 108371 | 477.70 |
| <b>Ceymar V2 Big River</b> |       |                |          |                |              |                |        |
| C2-F-1303XXH               | XXH   | 13'0" / 390 CM | 3pcs     | 230g           | 1360 mm      | 4718947 108364 | 455.00 |
| C2-F-1403XXH               | XXH   | 14'0" / 420 CM | 3pcs     | 270g           | 1460 mm      | 4718947 108388 | 523.20 |

## SNIPER FEEDER TIPS

The Sniper Tip features a high-visibility tip made from combined solid & hollow carbon that delivers exactly what the name implies: precision. With a 20 % faster response in casting and 10 % more sensitive bite detection when compared to classic tips, the Sniper Tip is the secret weapon to turn the tide. The detachable tip is compatible with all the new and old Okuma feeder rods. Choose from 10 different tip powers and increase your catch rate with sniper-like precision.



| Product Number | Length  | Casting Weight | Barcode        | PLN   |
|----------------|---------|----------------|----------------|-------|
| SF-TIP-1.0     | 52 cm   | 1 oz           | 4718947 101426 | 54.60 |
| SF-TIP-1.5     | 51 cm   | 1.5oz          | 4718947 101433 | 54.60 |
| SF-TIP-2.0     | 51.5 cm | 2 oz           | 4718947 101440 | 54.60 |
| SF-TIP-2.5     | 52 cm   | 2.5 oz         | 4718947 101457 | 54.60 |
| SF-TIP-3.0     | 51 cm   | 3 oz           | 4718947 101464 | 54.60 |
| SF-TIP-4.0     | 51.5 cm | 4 oz           | 4718947 101471 | 54.60 |
| SF-TIP-5.0     | 52 cm   | 5 oz           | 4718947 101488 | 54.60 |

## FEEDER

## FISHERY FEEDER TIPS

Sometimes a little fine-tuning is all you need to turn the tide. With its high-visibility tip made from 100 % solid carbon, the Fishery Tip delivers enhanced response in casting and bite detection to increase your catch rate. The detachable tip is compatible with all the new and old Okuma feeder rods. Choose from 10 different tip powers according to the situation.



| Product Number | Length  | Casting Weight | Barcode        | PLN   |
|----------------|---------|----------------|----------------|-------|
| FF-TIP-1.0     | 51 cm   | 1 oz           | 4718947 101334 | 40.90 |
| FF-TIP-1.5     | 51.5 cm | 1.5oz          | 4718947 101341 | 40.90 |
| FF-TIP-2.0     | 52 cm   | 2 oz           | 4718947 101358 | 40.90 |
| FF-TIP-2.5     | 51 cm   | 2.5 oz         | 4718947 101365 | 40.90 |
| FF-TIP-3.0     | 51.5 cm | 3 oz           | 4718947 101372 | 40.90 |
| FF-TIP-4.0     | 52 cm   | 4 oz           | 4718947 101389 | 40.90 |
| FF-TIP-5.0     | 52 cm   | 5 oz           | 4718947 101396 | 40.90 |

## STURGEON

## LA BESTIA

Unbreakable power. Designed for sturgeon fishing, La Bestia is a light but powerful rod built with unbreakable components. The 4-piece telescopic rod's blank is made from high-modulus carbon – and reinforced with additional carbon wrap for increased strength and sensitivity. The rod's hybrid tip features Okuma's Ultra Reinforcement (UFR®) technology for enhanced lifting power. The heavy-duty sliding guides and high-quality reel seat add to La Bestia's impressive power. Finished with unique cosmetics. Pair La Bestia with the Okuma DPSM reel for a true beast of a setup.

## FEATURES

- High Module Carbon Blank
- Carbon Wrap Reinforced
- UFR Tip
- Heavy Duty Guides
- Fuji DPSM reel seat



| Product Number | Length | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|----------------|--------|----------|----------------|--------------|----------------|--------|
| LAB-CF-1404H-T | 420 cm | 4        | 250g - 300g    | 1650 mm      | 4718947 108661 | 728.00 |

MATCH

NEW

## POWER FLOAT

The Power Float series brings modern performance to classic float fishing. Purpose-built for float fishing, the Power Float's thin but powerful blank delivers the backbone needed for landing big fish – while maintaining a light, balanced feel for long sessions. Featuring a traditional cork grip updated with an EVA foregrip, the Power Float pays respect to the traditions of float fishing while offering a sense of modern comfort. The cork rear grip features a flattened edge to ergonomically support the forearm for those long days by the water. Available in multiple lengths, the series offers a precise and reliable choice for float anglers looking for performance in a sensible price category.

### FEATURES

- Strong and responsive blank
- Lightweight feel with great balance
- Modern design that honors the classic style of the category
- Cork grip paired with EVA fore grip
- Available in 3 lengths and casting weights



| Product Number    | Power | Action | Length | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|-------------------|-------|--------|--------|----------|----------------|--------------|----------------|--------|
| <b>PF-S-1103M</b> | M     | S      | 330cm  | 3        | 15-65g         | 1180 mm      | 4718947 130044 | 455.00 |
| <b>PF-S-1203M</b> | M     | S      | 360cm  | 3        | 15-65g         | 1280 mm      | 4718947 130051 | 500.50 |
| <b>PF-S-1303M</b> | M     | S      | 390cm  | 3        | 15-65g         | 1380 mm      | 4718947 130082 | 523.20 |

MATCH

NEW

## SENSI FLOAT

Sensi Float rods are designed for anglers demanding finesse, balance, and lightness in float fishing. Built with ultra-sensitive, thin blanks and a strong backbone, they deliver precise bite detection and fish control. Featuring classic cork grips with durable EVA foregrips, they balance tradition with modern ergonomics. The cork rear grip features a flattened edge to ergonomically support the forearm for those long days by the water. Available in multiple lengths, these rods offer fatigue-free handling and pro-level performance—proving great float fishing gear doesn't have to break the bank.

### FEATURES

- Strong and responsive blank
- Lightweight feel with great balance
- Modern design that honors the classic style of the category
- Cork grip paired with EVA fore grip
- Available in 3 lengths and casting weights



| Product Number     | Power | Action | Length | Sections | Casting Weight | Trans.Length | Barcode        | PLN    |
|--------------------|-------|--------|--------|----------|----------------|--------------|----------------|--------|
| <b>SF-S-1103ML</b> | ML    | S      | 330cm  | 3        | 10-35g         | 1180 mm      | 4718947 130006 | 386.70 |
| <b>SF-S-1203ML</b> | ML    | S      | 360cm  | 3        | 10-35g         | 1280 mm      | 4718947 130013 | 409.50 |
| <b>SF-S-1303ML</b> | ML    | S      | 390cm  | 3        | 10-35g         | 1380 mm      | 4718947 130037 | 432.20 |

## MATCH

**COMPETITION BOLO**

## FEATURES

- Durable 24+30T carbon blank construction
- Quality stainless steel light guides for Tele Bolo
- Protected in a quality guide cover
- Quality stainless steel plate reel seat
- Supplied in a quality rod bag



| Product Number | Power | Action | Length       | Sections | Trans.Length |                | Barcode | PLN    |
|----------------|-------|--------|--------------|----------|--------------|----------------|---------|--------|
| CM-BOLO-4004MH | MH    | Fast   | 13'3"/400 cm | 4-Tele   | 1290 mm      | 4718947 072900 |         | 263.90 |
| CM-BOLO-5005MH | MH    | Fast   | 16'6"/500 cm | 5-Tele   | 1310 mm      | 4718947 072917 |         | 309.40 |
| CM-BOLO-6006MH | MH    | Fast   | 19'8"/600 cm | 6-Tele   | 1310 mm      | 4718947 072924 |         | 350.30 |
| CM-BOLO-7007MH | MH    | Fast   | 23'0"/700 cm | 7-Tele   | 1310 mm      | 4718947 072931 |         | 395.80 |

## MATCH

**G-POWER TELE POLE**

## FEATURES

- Strong composite blank construction
- Durable components



| Product Number  | Power | Action | Length       | Sections | Casting Weight | Trans.Length |                | Barcode | PLN    |
|-----------------|-------|--------|--------------|----------|----------------|--------------|----------------|---------|--------|
| G-POWER-P-3003M | M     | Fast   | 10'0"/300 cm | 3        | 100-200g       | 1170 mm      | 4718947 058485 |         | 40.90  |
| G-POWER-P-4004M | M     | Fast   | 13'3"/400 cm | 4        | 100-200g       | 1170 mm      | 4718947 058492 |         | 50.00  |
| G-POWER-P-5005M | M     | Fast   | 16'6"/500 cm | 5        | 100-200g       | 1170 mm      | 4718947 058508 |         | 72.80  |
| G-POWER-P-6006M | M     | Fast   | 19'8"/600 cm | 6        | 100-200g       | 1170 mm      | 4718947 071521 |         | 100.10 |

## SPINNING

NEW

**OUTRAX COMBO**

Designed for freshwater spinning applications, the Outrax Combo delivers off-road-inspired looks and impressive performance at an accessible price. The rod's responsive MX carbon blank with stainless steel guides is complemented by the brawny reel's aluminum spool and handle. The combo is finished with aggressive cosmetics and a high-quality feel that punches way above the combo's price range. Pre-spooled with braid and ready to hit the water.

## FEATURES

- Mx Carbon rod – thin blank with fast response
- Great quality reel
- Aluminum spool-aluminum handle
- Aggressive cosmetic
- Pre-spooled with Braid
- Made in Indonesia
- SS guide frame and insert



| Product Number | Power | Length        | Sections | Casting Weight | Trans.Length | Gear Ratio | Max Drag | Line Capacity | Barcode        | PLN    |
|----------------|-------|---------------|----------|----------------|--------------|------------|----------|---------------|----------------|--------|
| OR66L10S-GMO25 | L     | 6'6" / 198 cm | 2        | 2-8g           | 1060 mm      | 4.8:1      | 5 kg     | 0.20/140      | 4718947 131164 | 204.70 |
| OR70M40S-GMO30 | M     | 7'0" / 213 cm | 2        | 7-28g          | 1120 mm      | 5.0:1      | 7 kg     | 0.25/200      | 4718947 131188 | 227.50 |
| OR80M30S-GMO30 | M     | 8'0" / 243 cm | 2        | 10-35g         | 1280 mm      | 5.0:1      | 7 kg     | 0.25/200      | 4718947 131263 | 250.20 |
| OR90M40S-GMO30 | M     | 9'0" / 274 cm | 2        | 10-40g         | 1440 mm      | 5.0:1      | 9 kg     | 0.30/180      | 4718947 131270 | 273.00 |

## SPINNING

**VIBE COMBOS**

## FEATURES

- Durable glass fiber rod blank construction
- Feature comfortable EVA split handle
- There are 4 difference color rods for choose
- All models are 2pcs for easy transportation
- Match the Vibe reel to sale



| Product Number | Color  | Power | Length         | Sections | Casting Weight | Line Capacity | Barcode        | PLN    |
|----------------|--------|-------|----------------|----------|----------------|---------------|----------------|--------|
| VB-602M-25BU   | Blue   | M     | 6' 0" / 180 cm | 2        | 5-20g          | -             | 4718947 087331 | 168.30 |
| VB-602M-25OR   | Orange | M     | 6' 0" / 180 cm | 2        | 5-20g          | -             | 4718947 087324 | 159.20 |
| VB-702M-30BU   | Blue   | M     | 7' 0" / 210 cm | 2        | 7-28g          | -             | 4718947 086327 | 172.90 |
| VB-702M-30OR   | Orange | M     | 7' 0" / 210 cm | 2        | 7-28g          | -             | 4718947 086358 | 172.90 |